

RECIP INTERNAL PRICE SHEETS INDEX

PAGE	DESCRIPTION
1	Table of Contents
2	Deluxe Non-Combination Starter Panels
3	Deluxe Combination Starter Panels - RK5 Fusible Disconnect
4	Deluxe Combination Starter Panels - Motor Circuit Protector
5	NEMA-7/9 Deluxe Non-Combination Starter Panels
6	Deluxe Combination Alternator Panels - RK5 Fusible Disconnect
7	Deluxe Combination Alternator Panels - Motor Circuit Protector
8	Deluxe Combination Alternator Panels - High Pressure Units - RK5 Fusible Disconnect
9	380/3/50 ODP Motors
10	TEFC Motor Adder
11	Epoxy Coated Receivers
12	Heaters for Compressors and Motors
13	PTC-9 Performance Test
14	Submittal Packages
15	Revision History

NOTE:

For Receiver Size change contact Product Management for approved configurations and adders.

NOTE:

For other Motor Voltages or Options contact Product Management for special quotes.

NOTE:

Price adders are to be used with **configured unit work up only** and does not apply to the next Gen Models or End Item Models.

RECIP INTERNAL PRICE SHEETS NON-COMBINATION STARTERS

(1) Control Transformer with Fusing, (1) Off/Auto Selector Switch, Terminal Strip for Field Wiring, UL & CSA Labeled.

BASE PRICE MATRIX FOR NEMA-1, 12, OR 4 ENCLOSURE:

(Base Panel Shipped Loose as standard)

HORSEPOWER, 3 PHASE				D/N BASE
200V	230V	460V	575V	
2	2	2 - 3	2 - 5	\$1,363
3 - 5	3 - 5	5 - 10	7.5 - 10	\$1,363
7.5 - 10	7.5 - 10	15 - 20	15 - 20	\$1,497
15	15 - 20	25 - 30	25 - 30	\$1,601
20 - 30	25 - 30	-	-	\$1,710

HP, 50Hz 380V-415V	D/N BASE
2 - 3	\$1,486
5 - 7.5	\$1,486
10 - 20	\$1,622
25 - 30	\$1,728

BASE PRICE MATRIX FOR NEMA-4X STAINLESS STEEL ENCLOSURE WITH HUBS:

(Base Panel Shipped Loose as standard)

HORSEPOWER, 3 PHASE				D/N BASE
200V	230V	460V	575V	
2	2	2 - 3	2 - 5	\$1,715
3 - 5	3 - 5	5 - 10	7.5 - 10	\$1,715
7.5 - 10	7.5 - 10	15 - 20	15 - 20	\$1,880
15	15 - 20	25 - 30	25 - 30	\$1,953
20 - 30	25 - 30	-	-	\$2,062

HP, 50Hz 380V-415V	D/N BASE
2 - 3	\$1,844
5 - 7.5	\$1,844
10 - 20	\$2,012
25 - 30	\$2,086

MOUNTING & WIRING OPTION	D/N Adder
NEMA-1,12 Panel	\$219
NEMA-4,4X Panel	\$453

OPTION ADDERS TO BASE COST ABOVE - DO NOT ADD TO STANDARD OPTIONS.

QTY	DESCRIPTION OF OPTION	NOTES:	D/N Adder
1	HOA Switch	Only for Dual Control	\$31
1	HOA Switch, Spring Return from Hand	For AS&S Units	\$48
1	CSC/OFF/AUTO Switch	High Pressure Units only	\$72
1	Green Running Light		\$117
1	Red Power On Light		\$117
1	Elapsed Time Meter		\$91
1	Condensate Cycle Timer (30 min./30 sec.)	High Pressure Units only	\$80
1	Under Voltage/Phase Monitor Relay		\$312
1	Run Contact - 1 N.O./1 N.C.	Auxiliary Starter Contacts (Dry)	\$30
* 1	Alarm Pkg - 1 N.O./1 N.C Contact	1 For each Alarm (Example: LOL, HAT, etc.)	\$33
* 1	Alarm Pkg - 1 N.O./1 N.C Contacts & Light	1 For each Alarm (Example: LOL, HAT, etc.)	\$114
1	Alarm Horn & Silencer	Only 1 per Panel	\$267
1	500VA Oversize CTX	120V Compressor Crankcase Heater	\$107
1	Oversized Enclosure	Required for 2 or more Alarms	\$104

* = If more than 1 Device - add Oversized Enclosure Option.

Example - (All prices are Distributor Net)

Non-Combination Starter 5HP 230/3/60
HOA Switch, Power On Light,
LOL Alarm with Light, OL Alarm with Light
Oversized Enclosure, NEMA-4 Mounting & Wiring

\$1,363	Base
\$31	HOA Switch
\$117	Power On Light
\$114	LOL Alarm with Light
\$114	Overload Alarm with Light
\$104	Oversized Enclosure
\$453	NEMA-4 Mounting & Wiring
\$2,297	Total

NOTE: Nema Enclosure Rating and Panel Description including options must be provided within Order.

RECIP INTERNAL PRICE SHEETS RK5 COMBINATION STARTERS

Reset Pushbutton, (1) Control Transformer with Fusing, (1) Off/Auto Selector Switch, Terminal Strip for Field Wiring, UL & CSA Labeled.

BASE PRICE MATRIX FOR NEMA-1, 12, OR 4 ENCLOSURE:

(Base Panel Shipped Loose as standard)

HORSEPOWER, 3 PHASE				D/N BASE
200V	230V	460V	575V	
2	2	2 - 3	2 - 5	\$2,085
3 - 5	3 - 5	5 - 10	7.5 - 10	\$2,214
7.5 - 10	7.5 - 10	15 - 20	15 - 20	\$2,361
15	15 - 20	25 - 30	25 - 30	\$3,017
20 - 30	25 - 30	-	-	\$3,134

HP, 50Hz 380V-415V	D/N BASE
2 - 3	\$2,224
5 - 7.5	\$2,355
10 - 20	\$2,505
25 - 30	\$3,174

BASE PRICE MATRIX FOR NEMA-4X STAINLESS STEEL ENCLOSURE WITH HUBS:

(Base Panel Shipped Loose as standard)

HORSEPOWER, 3 PHASE				D/N BASE
200V	230V	460V	575V	
2	2	2 - 3	2 - 5	\$2,663
3 - 5	3 - 5	5 - 10	7.5 - 10	\$2,748
7.5 - 10	7.5 - 10	15 - 20	15 - 20	\$2,922
15	15 - 20	25 - 30	25 - 30	\$3,638
20 - 30	25 - 30	-	-	\$3,754

HP, 50Hz 380V-415V	D/N BASE
2 - 3	\$2,814
5 - 7.5	\$2,899
10 - 20	\$3,077
25 - 30	\$3,807

MOUNTING & WIRING OPTION	D/N Adder
NEMA-1,12 Panel	\$495
NEMA-4,4X Panel	\$724

OPTION ADDERS TO BASE COST ABOVE - DO NOT ADD TO STANDARD OPTIONS.

QTY	DESCRIPTION OF OPTION	NOTES:	D/N Adder
1	HOA Switch	Only for Dual Control	\$31
1	HOA Switch, Spring Return from Hand	For AS&S Units	\$48
1	CSC/OFF/AUTO Switch	High Pressure Units only	\$74
1	Green Running Light		\$123
1	Red Power On Light		\$123
1	Elapsed Time Meter		\$97
1	Condensate Cycle Timer (30 min./30 sec.)	High Pressure Units only	\$80
1	Under Voltage/Phase Monitor Relay		\$312
1	Run Contact - 1 N.O./1 N.C.	Auxiliary Starter Contacts (Dry)	\$33
* 1	Alarm Pkg - 1 N.O./1 N.C Contact	1 For each Alarm (Example: LOL, HAT, etc.)	\$33
* 1	Alarm Pkg - 1 N.O./1 N.C Contacts & Light	1 For each Alarm (Example: LOL, HAT, etc.)	\$114
1	Alarm Horn & Silencer	Only 1 per Panel	\$267
1	500VA Oversize CTX	120V Compressor Crankcase Heater	\$107
1	Oversized Enclosure	Required for 2 or more Alarms	\$104

* = If more than 1 Device - add Oversized Enclosure Option.

Example - (All prices are Distributor Net)

Non-Combination Starter 5HP 230/3/60
HOA Switch, Power On Light,
LOL Alarm with Light, OL Alarm with Light
Oversized Enclosure, NEMA-4 Mounting & Wiring

\$2,214	Base
\$31	HOA Switch
\$123	Power On Light
\$114	LOL Alarm with Light
\$114	Overload Alarm with Light
\$104	Oversized Enclosure
\$724	NEMA-4 Mounting & Wiring
\$3,425	Total

NOTE: Nema Enclosure Rating and Panel Description including options must be provided within Order.

RECIP INTERNAL PRICE SHEETS MCP COMBINATION STARTERS

Reset Pushbutton, (1) Control Transformer with Fusing, (1) Off/Auto Selector Switch, Terminal Strip for Field Wiring, UL & CSA Labeled.

BASE PRICE MATRIX FOR NEMA-1, 12, OR 4 ENCLOSURE:

(Base Panel Shipped Loose as standard)

HORSEPOWER, 3 PHASE				D/N BASE
200V	230V	460V	575V	
2	2	2 - 3	2 - 5	\$2,598
3 - 5	3 - 5	5 - 10	7.5 - 10	\$2,698
7.5 - 10	7.5 - 10	15 - 20	15 - 20	\$3,015
15	15 - 20	25 - 30	25 - 30	\$3,156
20 - 30	25 - 30	-	-	\$3,253

HP, 50Hz 380V-415V	D/N BASE
2 - 3	\$2,746
5 - 7.5	\$2,849
10 - 20	\$3,172
25 - 30	\$3,315

BASE PRICE MATRIX FOR NEMA-4X STAINLESS STEEL ENCLOSURE WITH HUBS:

(Base Panel Shipped Loose as standard)

HORSEPOWER, 3 PHASE				D/N BASE
200V	230V	460V	575V	
2	2	2 - 3	2 - 5	\$3,175
3 - 5	3 - 5	5 - 10	7.5 - 10	\$3,275
7.5 - 10	7.5 - 10	15 - 20	15 - 20	\$3,577
15	15 - 20	25 - 30	25 - 30	\$3,778
20 - 30	25 - 30	-	-	\$3,873

HP, 50Hz 380V-415V	D/N BASE
2 - 3	\$3,335
5 - 7.5	\$3,437
10 - 20	\$3,744
25 - 30	\$3,949

MOUNTING & WIRING OPTION	D/N Adder
NEMA-1,12 Panel	\$495
NEMA-4,4X Panel	\$724

OPTION ADDERS TO BASE COST ABOVE - DO NOT ADD TO STANDARD OPTIONS.

QTY	DESCRIPTION OF OPTION	NOTES:	D/N Adder
1	HOA Switch	Only for Dual Control	\$31
1	HOA Switch, Spring Return from Hand	For AS&S Units	\$48
1	CSC/OFF/AUTO Switch	High Pressure Units only	\$74
1	Green Running Light		\$123
1	Red Power On Light		\$123
1	Elapsed Time Meter		\$97
1	Condensate Cycle Timer (30 min./30 sec.)	High Pressure Units only	\$80
1	Under Voltage/Phase Monitor Relay		\$312
1	Run Contact - 1 N.O./1 N.C.	Auxiliary Starter Contacts (Dry)	\$33
* 1	Alarm Pkg - 1 N.O./1 N.C Contact	1 For each Alarm (Example: LOL, HAT, etc.)	\$33
* 1	Alarm Pkg - 1 N.O./1 N.C Contacts & Light	1 For each Alarm (Example: LOL, HAT, etc.)	\$114
1	Alarm Horn & Silencer	Only 1 per Panel	\$267
1	500VA Oversize CTX	120V Compressor Crankcase Heater	\$107
1	Oversized Enclosure	Required for 2 or more Alarms	\$104

* = If more than 1 Device - add Oversized Enclosure Option.

Example - (All prices are Distributor Net)

Non-Combination Starter 5HP 230/3/60
HOA Switch, Power On Light,
LOL Alarm with Light, OL Alarm with Light
Oversized Enclosure, NEMA-4 Mounting & Wiring

\$2,698	Base
\$31	HOA Switch
\$123	Power On Light
\$114	LOL Alarm with Light
\$114	Overload Alarm with Light
\$104	Oversized Enclosure
\$724	NEMA-4 Mounting & Wiring
\$3,909	Total

NOTE: Nema Enclosure Rating and Panel Description including options must be provided within Order.

RECIP INTERNAL PRICE SHEETS

NEMA-7/9 NON-COMBINATION STARTERS

WARNING

Class, Group, Division and Temperature per the National Electrical Code or Local Code for compressor, motor & options to meet the requirements of each installation. Ingersoll Rand personnel can advise what listings and approvals Ingersoll Rand products carry, but cannot evaluate nor recommend what products may be suitable for use in hazardous environments.

There are many categories of hazardous or explosion proof locations and applications requiring a higher degree of protection other than the following Class 1, Division 2 or Class 2, Division 2 and should NOT be considered for a compressor installation.

Note: Contact Engineering for any NEMA-7 and 9 Starters not covered on this sheet.

NEMA-7 & 9 Non-Combination Starters - SHIPPED LOOSE

Consists of (1) NEMA Rated Starter with Bimetal Overload, (1) Through the Cover Overload Reset Pushbutton, (1) Control Transformer with Fusing, (1) Off/On Selector Switch, Terminal Strip for Field Wiring, UL & CSA Labeled, with Conduit Openings for incoming power, motor, & (2) 1/2" control.

BASE PRICE MATRIX:
(Panel Shipped Loose)

HORSEPOWER, 3 PHASE				D/N
200V	230V	460V	575V	BASE
2 - 7.5	2 - 7.5	2 - 10	2 - 10	\$6,598
10	10 - 15	15 - 25	15 - 25	\$6,675
15 - 25	20 - 30	30	30	\$6,817

HP, 50Hz	D/N
380V-415V	BASE
2 - 10	\$6,700
15 - 25	\$6,776
30	\$6,919

***** SHIPPED LOOSE ONLY *****

OPTION ADDERS TO BASE COST ABOVE - **DO NOT ADD TO STANDARD OPTIONS.**

QTY	DESCRIPTION OF OPTION	NOTES:	D/N Adder
1	HOA Switch	Only for Dual Control	\$30
1	HOA Switch, Spring Return from Hand	For AS&S Units	\$30
1	Green Running Light		\$576
1	Red Power On Light		\$576
1	Elapsed Time Meter		\$656

Example - (All prices are Distributor Net)

NEMA-7 Non-Combination Starter 5HP 230/3/60
HOA Switch, Power On Light, Elapsed Time Meter.

\$6,598	Base
\$30	HOA Switch
\$576	Power On Light
\$656	Elapsed Time Meter
<hr/>	
\$7,861	Total

NOTE: Panel Description including options must be provided within Order.

RECIP INTERNAL PRICE SHEETS RK5 COMBINATION ALTERNATORS

Consists of (2) RK5 Fusible Disconnect, (2) IEC Starter with Solid State Overload, (2) Through the Cover Overload Reset Pushbutton, (2) Control Transformer with Fusing, (2) Off/Auto Selector Switch, Terminal Strip for Field Wiring, UL & CSA Labeled. (Requires Units be controlled by (2) Double Pole Pressure Switches. Standard on 2-Stage Units)

BASE PRICE MATRIX FOR NEMA-1, 12, OR 4 ENCLOSURE:

(Base Panel Shipped Loose as standard)

HORSEPOWER, 3 PHASE				D/N BASE
200V	230V	460V	575V	
2	2	2 - 3	2 - 5	\$2,868
3 - 5	3 - 5	5 - 10	7.5 - 10	\$3,038
7.5 - 10	7.5 - 10	15 - 20	15 - 20	\$3,386
15	15 - 20	25 - 30	25 - 30	\$5,141
20 - 25	25 - 30	-	-	\$5,374

HP, 50Hz 380V-415V	D/N BASE
2 - 3	\$3,054
5 - 7.5	\$3,228
10 - 20	\$3,582
25 - 30	\$5,371

BASE PRICE MATRIX FOR NEMA-4X STAINLESS STEEL ENCLOSURE WITH HUBS:

(Base Panel Shipped Loose as standard)

HORSEPOWER, 3 PHASE				D/N BASE
200V	230V	460V	575V	
2	2	2 - 3	2 - 5	\$3,691
3 - 5	3 - 5	5 - 10	7.5 - 10	\$3,749
7.5 - 10	7.5 - 10	15 - 20	15 - 20	\$3,868
15	15 - 20	25 - 30	25 - 30	\$4,723
20 - 25	25 - 30	-	-	\$4,913

HP, 50Hz 380V-415V	D/N BASE
2 - 3	\$3,894
5 - 7.5	\$3,952
10 - 20	\$4,074
25 - 30	\$4,945

MOUNTING & WIRING OPTION	D/N Adder
NEMA-1,12 Panel	\$829
NEMA-4,4X Panel	\$1,089

OPTION ADDERS TO BASE COST ABOVE - DO NOT ADD TO STANDARD OPTIONS.

QTY	DESCRIPTION OF OPTION	NOTES:	D/N Adder
1	Single Point Power Connection		\$35
1	HOA Switch	Only for D.C. 2 Switches included in Option	\$62
1	HOA Switch, Spring Return from Hand	For AS&S. 2 Switches included in Option.	\$97
1	Green Running Light	2 Lights included in Option.	\$246
1	Red Power On Light	2 Lights included in Option.	\$246
1	Elapsed Time Meter	2 ETMs included in Option.	\$194
1	Under Voltage/Phase Monitor Relay	2 Relays included in Option.	\$624
1	Run Contacts - 1 N.O./1 N.C. each Starter	Auxiliary Starter Contacts (Dry)	\$132
1	Alarm Pkg - 1 N.O./1 N.C Contacts	2 For each Alarm (Example: LOL, HAT, etc.)	\$66
1	Alarm Pkg - 1 N.O./1 N.C Contacts & Light	2 For each Alarm (Example: LOL, HAT, etc.)	\$229
1	Alarm Horn & Silencer	Only 1 per Panel	\$267
1	500VA Oversize CTX	120V Compressor Crankcase Heater	\$215

Example - (All prices are Distributor Net)

Non-Combination Starter 5HP 230/3/60
HOA Switch, Power On Light,
LOL Alarm with Light, OL Alarm with Light
Oversized Enclosure, NEMA-4 Mounting & Wiring

\$3,038	Base
\$35	HOA Switch
\$246	Power On Light
\$229	LOL Alarm with Light
\$229	Overload Alarm with Light
\$1,089	NEMA-4 Mounting & Wiring
<hr/>	
\$4,865	Total

NOTE: Nema Enclosure Rating and Panel Description including options must be provided within Order.

RECIP INTERNAL PRICE SHEETS MCP COMBINATION ALTERNATORS

Consists of (2) Motor Circuit Protectors, (2) IEC Starter with Solid State Overload, (2) Through the Cover Overload Reset Pushbutton, (2) Control Transformer with Fusing, (2) Off/Auto Selector Switch, Terminal Strip for Field Wiring, UL & CSA Labeled. (Requires Units be controlled by (2) Double Pole Pressure Switches. Standard on 2-Stage Units)

BASE PRICE MATRIX FOR NEMA-1, 12, OR 4 ENCLOSURE:

(Base Panel Shipped Loose as standard)

HORSEPOWER, 3 PHASE				D/N BASE
200V	230V	460V	575V	
2	2	2 - 3	2 - 5	\$3,891
3 - 5	3 - 5	5 - 10	7.5 - 10	\$4,008
7.5 - 10	7.5 - 10	15 - 20	15 - 20	\$4,695
15	15 - 20	25 - 30	25 - 30	\$4,846
20 - 25	25 - 30	-	-	\$5,071

HP, 50Hz 380V-415V	D/N BASE
2 - 3	\$4,097
5 - 7.5	\$4,217
10 - 20	\$4,916
25 - 30	\$5,070

BASE PRICE MATRIX FOR NEMA-4X STAINLESS STEEL ENCLOSURE WITH HUBS:

(Base Panel Shipped Loose as standard)

HORSEPOWER, 3 PHASE				D/N BASE
200V	230V	460V	575V	
2	2	2 - 3	2 - 5	\$4,946
3 - 5	3 - 5	5 - 10	7.5 - 10	\$5,064
7.5 - 10	7.5 - 10	15 - 20	15 - 20	\$5,750
15	15 - 20	25 - 30	25 - 30	\$5,901
20 - 25	25 - 30	-	-	\$6,315

HP, 50Hz 380V-415V	D/N BASE
2 - 3	\$5,173
5 - 7.5	\$5,293
10 - 20	\$5,992
25 - 30	\$6,146

MOUNTING & WIRING OPTION	D/N Adder
NEMA-1,12 Panel	\$829
NEMA-4,4X Panel	\$1,089

OPTION ADDERS TO BASE COST ABOVE - DO NOT ADD TO STANDARD OPTIONS.

QTY	DESCRIPTION OF OPTION	NOTES:	D/N Adder
1	Single Point Power Connection		\$35
1	HOA Switch	Only for D.C. 2 Switches included in Option	\$62
1	HOA Switch, Spring Return from Hand	For AS&S. 2 Switches included in Option.	\$97
1	Green Running Light	2 Lights included in Option.	\$246
1	Red Power On Light	2 Lights included in Option.	\$246
1	Elapsed Time Meter	2 ETMs included in Option.	\$194
1	Under Voltage/Phase Monitor Relay	2 Relays included in Option.	\$624
1	Run Contacts - 1 N.O./1 N.C. each Starter	Auxiliary Starter Contacts (Dry)	\$132
1	Alarm Pkg - 1 N.O./1 N.C Contacts	2 For each Alarm (Example: LOL, HAT, etc.)	\$66
1	Alarm Pkg - 1 N.O./1 N.C Contacts & Light	2 For each Alarm (Example: LOL, HAT, etc.)	\$229
1	Alarm Horn & Silencer	Only 1 per Panel	\$267
1	500VA Oversize CTX	120V Compressor Crankcase Heater	\$215

Example - (All prices are Distributor Net)

Non-Combination Starter 5HP 230/3/60
HOA Switch, Power On Light,
LOL Alarm with Light, OL Alarm with Light
Oversized Enclosure, NEMA-4 Mounting & Wiring

\$4,008	Base
\$35	HOA Switch
\$246	Power On Light
\$229	LOL Alarm with Light
\$229	Overload Alarm with Light
\$1,089	NEMA-4 Mounting & Wiring
<hr/>	
\$5,835	Total

NOTE: Nema Enclosure Rating and Panel Description including options must be provided within Order.

RECIP INTERNAL PRICE SHEETS

RK5 COMBINATION ALTERNATOR FOR HIGH PRESSURE UNITS

Consists of (1) Incoming Power Block, (2) RK5 Fusible Disconnects, (2) IEC Starters with Solid State Overload, (2) Through the Cover Overload Reset Pushbuttons, (2) Control Transformers with Fusing, (1) Alternating Relay, (2) CSC/OFF/AS&S Switches, (2) 30 min./30 sec. Condensate Drain Timers, Terminal Strip for Field Wiring, UL & CSA Labeled. **(Requires Units be controlled by (2) Double Pole Pressure Switches)**

PRESSURE SWITCH ADDERS TO BASEPLATE UNITS (not included with Control Panel)

NOTE: Double Pole Pressure Switches not standard on Baseplate High Pressure Units.

NEMA-1 / 4 PRESSURE SWITCH	D/N ADDER
200 - 1500 PSIG	\$690
1500 - 5000 PSIG	\$757

BASE PRICE MATRIX FOR NEMA-1, 12, OR 4 ENCLOSURE:

(Base Panel Shipped Loose as standard)

HORSEPOWER, 3 PHASE				D/N
200V	230V	460V	575V	BASE
2	2	2 - 3	2 - 5	\$3,068
3 - 5	3 - 5	5 - 10	7.5 - 10	\$3,238
7.5 - 10	7.5 - 10	15 - 20	15 - 20	\$3,586
15	15 - 20	25 - 30	25 - 30	\$5,341
20 - 25	25 - 30	-	-	\$5,574

HP, 50Hz	D/N
380V-415V	BASE
2 - 3	\$3,363
5 - 7.5	\$3,533
10 - 20	\$3,881
25 - 30	\$5,636

BASE PRICE MATRIX FOR NEMA-4X STAINLESS STEEL ENCLOSURE:

(Base Panel Shipped Loose as standard)

HORSEPOWER, 3 PHASE				D/N
200V	230V	460V	575V	BASE
2	2	2 - 3	2 - 5	\$4,123
3 - 5	3 - 5	5 - 10	7.5 - 10	\$4,293
7.5 - 10	7.5 - 10	15 - 20	15 - 20	\$4,641
15	15 - 20	25 - 30	25 - 30	\$6,584
20 - 25	25 - 30	-	-	\$6,817

HP, 50Hz	D/N
380V-415V	BASE
2 - 3	\$4,419
5 - 7.5	\$4,589
10 - 20	\$4,937
25 - 30	\$6,879

***** SHIPPED LOOSE ONLY *****

OPTION ADDERS TO BASE COST ABOVE - DO NOT ADD TO STANDARD OPTIONS.

QTY	DESCRIPTION OF OPTION	NOTES:	D/N Adder
1	Single Point Power Connection		\$35
1	Green Running Lights	2 Lights included in Option.	\$244
1	Red Power On Lights	2 Lights included in Option.	\$244
1	Elapsed Time Meters	2 ETMs included in Option.	\$192
1	Under Voltage/Phase Monitor Relays	2 Relays included in Option.	\$624
1	Run Contacts - 1 N.O./1 N.C. each Starter	Auxiliary Starter Contacts (Dry)	\$130
1	Alarm Pkgs - 1 N.O./1 N.C Contact	2 For each Alarm (Example: LOL, HAT, etc.)	\$66
1	Alarm Pkgs - 1 N.O./1 N.C Contacts & Light	2 For each Alarm (Example: LOL, HAT, etc.)	\$229
1	Alarm Horn & Silencer	Only 1 per Panel	\$267
1	500VA Oversize CTX	120V Compressor Crankcase Heater	\$215

Example - (All prices are Distributor Net)

Combination Alternator 5HP 230/3/60
 HOA Switches, Power On Lights,
 LOL Alarms with Light, OL Alarms with Light
 NEMA-4 Mounting & Wiring

\$3,238	Base
\$244	Power On Lights
\$229	LOL Alarms with Light
\$229	Overload Alarms with Light
<hr/>	
\$3,939	Total

NOTE: Nema Enclosure Rating and Panel Description including options must be provided within Order.

**RECIP INTERNAL PRICE SHEETS
50 HERTZ MOTORS**

*These adders are over standard 230/460-3-60 Open Drip Proof Motor Price.
Do not deduct standard Motor cost.*

**ADDER FOR ODP 50HZ MOTORS
1.15 SERVICE FACTOR, 1450 RPM, 4-Pole
NEMA DESIGN B, CLASS F INSULATION**

VOLTAGE 190/380-3-50		
HORSE-POWER	FRAME	D/N ADDER
3	182T	\$127
5	184T	\$200
7.5	213T	\$177
10	215T	\$272
15	254T	\$356
20	256T	\$228

RECIP INTERNAL PRICE SHEETS TEFC MOTORS

*These adders are over standard Open Drip Proof Motor of the same Voltage.
Do not deduct standard Motor cost.*

ADDER FOR TEFC 60HZ MOTORS 1.15 SERVICE FACTOR, 1750 RPM, 4-Pole NEMA DESIGN B, CLASS F INSULATION

VOLTAGE 230-1-60			VOLTAGE 200-3-60		
HORSE-POWER	FRAME	D/N ADDER	HORSE-POWER	FRAME	D/N ADDER
1.5	145T	\$217	1.5	145T	\$152
2	145T	\$725	2	145T	\$148
3	184T	\$801	3	182T	\$171
5	215T	\$1,146	5	184T	\$180
7.5	215T	\$1,001	7.5	213T	\$257
			10	215T	\$250
			15	254T	\$316
			20	256T	\$581
			25	284T	\$695

VOLTAGE 230/460-3-60			VOLTAGE 575-3-60		
HORSE-POWER	FRAME	D/N ADDER	HORSE-POWER	FRAME	D/N ADDER
1.5	145T	\$152	1.5	145T	\$152
2	145T	\$148	2	145T	\$148
3	182T	\$154	3	182T	\$154
5	184T	\$180	5	184T	\$180
7.5	213T	\$257	7.5	213T	\$257
10	215T	\$250	10	215T	\$250
15	254T	\$316	15	256T	\$316
20	256T	\$581	20	256T	\$1,531
25	284T	\$695	25	284T	\$695

RECIP INTERNAL PRICE SHEETS EPOXY COATED RECEIVERS

(**Adders** to Receivers, do not deduct standard cost)

(GAL.)	ADDER	LEADTIME
30	\$1,708	2 Weeks
60	\$1,708	2 Weeks
80	\$1,798	2 Weeks
120	\$1,800	2 Weeks
240	\$1,865	2 Weeks

EPOXY COATED RECEIVERS (INSIDE & OUTSIDE)

(**Adders** to Receivers, do not deduct standard cost)

SIZE (GAL.)	D/N ADDER	ADDITIONAL LEADTIME
30	\$1,963	2 Weeks
60	\$1,963	2 Weeks
80	\$2,049	2 Weeks
120	\$2,052	2 Weeks
240	\$2,116	2 Weeks

NOTE:

Receivers are epoxy coated for severe service conditions.

Process consists of solvent degreasing, abrasive blast cleaning to NACE #1 white metal blast cleaning, Application of 8 - 10 mils DFT (Dry Film Thickness) of NSF, FDA, USDA approved coating.

RECIP INTERNAL PRICE SHEETS CRANKCASE AND MOTOR SPACE HEATERS

Adders for mounted 120 Volt NEMA 1, 4, or 7 Crankcase Heater and Thermostat.

HEATER SIZE	MODELS	D/N ADDER
150 Watt	2340, 2475, 2545, 23ANL, 235HNL, V23A, V235, V244, V255, 231, & 223	\$954
300 Watt	7100, 15T, 3000, 2000, 5T2NL, 10T3NL, 7V, 15V, 20V, 7T2, 7T4, 15T2, & 15T4	\$972

NOTE: Oversized Control Transformer required in Panel if Heater wiring is required.
See required Panel Page of Internal Price Sheets for Panel Cost with Transformer adder.

MOTOR SPACE HEATERS

Adders for mounted Space Heaters in ODP or TEFC Motors

MOTOR HORSEPOWER	D/N ADDER
1.5HP - 10HP	\$407
15HP - 30HP	\$441

NOTE: Oversized Control Transformer required in Panel if Heater wiring is required.
See required Panel Page of Internal Price Sheets for Panel Cost with Transformer adder.

**RECIP INTERNAL PRICE SHEETS
PTC-9 PERFORMANCE TEST**

PTC-9 Performance Test of complete Package and supplied Certificate (Non-Witness)
MUST BE PRE-APPROVED BY ENGINEERING.

PACKAGE STYLE	D/N ADDER
Simplex	\$1,500
Duplex	\$2,500

RECIP INTERNAL PRICE SHEETS SUBMITTAL PACKAGES

STANDARD DRAWING SUBMITTAL

CERTIFIED (Note 1)			PRINT APPROVAL HOLD (Note 2)		
FORMAT	CCN	D/N COST	FORMAT	CCN	D/N COST
PDF	23644271	\$200	PDF	23644289	\$400
DXF	23644560	\$300	DXF	23644578	\$500
Includes: General Arrangement Drawing P&ID (Fluid Flow Drawing) Electrical Schematic (When applicable) (These are not As Built Drawings & may show Optional Equipment not on the Order)					

STANDARD DRAWING & CERTIFICATE SUBMITTAL

CERTIFIED (Note 1)			PRINT APPROVAL HOLD (Note 2)		
FORMAT	CCN	D/N COST	FORMAT	CCN	D/N COST
PDF	23644297	\$500	PDF	23644305	\$700
DXF	23644586	\$600	DXF	23644602	\$800
Includes: General Arrangement Drawing P&ID (Fluid Flow Drawing) Electrical Schematic (When applicable) (Following items in PDF Format only) Motor documentation (Ouline & Typical Performance) U1A Certificate if vessel is supplied (Available upon shipment) Factory ISO Certification Certificate of Compliance (Available upon shipment) Standard shop test Certificate (Not ASME or ISO1217 Performace Cert) (These are not As Built Drawings & may show Optional Equipment not on the Order)					

AS BUILT DRAWING & CERTIFICATE SUBMITTAL

CERTIFIED PRINT APPROVAL HOLD (Note 2)		
FORMAT	CCN	D/N COST
PDF	23644313	\$1,500
DXF	23644636	\$1,650
Includes: General Arrangement Drawing P&ID (Fluid Flow Drawing) Electrical Schematic (When applicable) (Following items in PDF Format only) Motor documentation (Ouline & Typical Performance) U1A Certificate if vessel is supplied (Available upon shipment) Factory ISO Certification Certificate of Compliance (Available upon shipment) Standard shop test Certificate (Not ASME or ISO1217 Performace Cert)		

ORDERING PROCESS:

As part of the Unit on the same Order Line.

- For ITS - Choose 'Special Option' in the Configurator. Include the CCN of the Submittal Package in Text.
- For IRI - Submit a 'New Item Creation Ticket'. Reference the CCN of the Submittal Package.

NOTE 1: May be ordered separately. A 'New Item Creation Ticket' is required for both ITS & IRI Orders.
 Supply Order and/or Serial Number when ordering Submittals separately.

NOTE 2: Cannot be ordered separate from the Unit.

RECIP INTERNAL PRICE SHEET REVISION HISTORY

LEVEL	SHEETS CHANGED	DATE	BY
00	Original Publication - all sheets.	7/30/1996	DC
01	REVISED FOR FOLLOWING: - Baldor / CH quotes six month extension 10/97 - Review of pricing issues on specific items - Re-arrange Xproof options to one page - Add Nema 1 and Nema 7 HATS options - Add 380-3-50 "E series" Starter Page - Add 6R accessory Price Sheets	3/14/1997	DC
02	- Update price sheets for 1998 Stds.	3/19/1997	DC
03	- Update export crate adder for A, K, & Bare	2/1/1998	DC
04	- Update Starter/Alt/Recv/Paint pages Delete motor pages due to add'l quote req. Updates will follow in 3rd Qtr 2002 for motor offerings.	3/16/1998	DC
05	- Update for 2003 Std Cost & Burden Changes Change formats per Joe Ballard notes Add Index table of contents Combine all sheets to one file	7/23/2002	DC
06	- Update for 2006 Cost Change formats as requested by Joe Ballard Publish to Prod Mgmt	3/11/2003	DC
07	- Added Page for TEFC Motor Adders (Page 11) Updated 50hz & Explosion Proof Motor Pricing. Updated to 2007 Burden Factors	1/12/2006	DC
08	- Added Page for Premium Efficient Motors (Page 12) Updated cost on all sheets to correct prices. Updated burden factors and labor cost on all sheets	2/14/2006	DC
09	Updated burden factors and labor cost on all sheets	1/12/2007	DC
10	- Deleted Page for Adjustable Pressure Switches Update for 2010 Cost	9/26/2008	DC
11	- Updated for Supplier Cost Changes 2010 - Updated for Supplier Cost Changes 2012	1/26/2010	DC
12	- Update for 2014 Cost.	4/27/2010	DC
		6/9/2010	DC
		4/10/2012	DC
		5/16/2014	DC