



Fixed speed with
single-stage airend

R45ie

60 HP Fixed Speed Rotary

PRICE

Cooling: Aircooled
Last Revision: 1-Jul-18

Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Prepaid & Add

AIRCOOLED Includes: 460V TEFC Premium Efficiency Motor, Air Cooled Aftercooler, Xe-90M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, and Sequencing up to 4 machines. 460V Star Delta Starter, Nema 4 Complete, Package Pre-Filters, Timed Solenoid Condensate Drain, Quiet Enclosure to 69 dBA.

Model	R45ie-A110	R45ie-A125	R45ie-A145
Capacity	290	265	240
Pressure	100	115	135
List Price	\$31,344	\$31,344	\$31,344

ITS Oracle Users: R55-75i
IRI (R12) Oracle Users: R55-75i

REQUIRED FEATURES

LIST PRICE

MOTOR: 230 V, TEFC	No Additional
380 V, TEFC	No Additional
460 V, TEFC	Standard
575 V, TEFC	No Additional
400 V, 50HZ TEFC	No Additional
STARTER: 230 V, Star Delta	No Additional
380 V, Star Delta	No Additional
460 V, Star Delta	Standard
575 V, Star Delta	No Additional
400 V, 50HZ Star Delta	No Additional
COOLING: Air Cooled 115°F Aftercooler	Standard
Air Cooled 115°F Aftercooler (ERS)	\$3,613

OPTIONAL FEATURES

LIST PRICE

Xe-145M Controller	\$530
Power Outage Restart (PORO)	\$664
Nema 4 Complete	Standard
Outdoor Modification (1)	\$2,132
Low Ambient (Not available for 50HZ applications) (1)	\$8,555
Phase Monitor	\$859
High Dust Intake Filter	\$1,380
Ultra FG Coolant	\$1,220
Ultra EL Coolant	\$1,220
Package Pre-filters	Standard
Modulation	\$1,869
High Dust Package Pre-Filters	\$3,607
Sealed Containment Base	\$1,932
High Ambient Protection	\$1,721
TEFC Motor	Standard
TEFC Motor with Space Heater (380V & 400V not applicable)	\$3,214
Electric No Loss Drain	\$423

1) Outdoor modification and low ambient are stand alone option groups. Please consult your product specialist if you need assistance in proper application of these options.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 1-Jul-18



PRICE

R55i

75 HP Fixed Speed Rotary

Cooling: Aircooled
Last Revision: 1-Jul-18

Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Prepaid & Add

AIRCOOLED Includes: 460V TEFC Premium Efficiency Motor, Air Cooled Aftercooler, Xe-90M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, and Sequencing up to 4 machines. 460V Star Delta Starter, Nema 4 Complete, Package Pre-Filters, Timed Solenoid Condensate Drain, Quiet Enclosure to 69 dBA.

Model	R55i-A110	R55i-A125	R55i-A145	R55i-A200
Capacity	361	328	300	228
Pressure	100	115	135	190
List Price	\$38,035	\$38,035	\$38,035	\$38,035

ITS Oracle Users: R55-75i
IRI (R12) Oracle Users: R55-75i

REQUIRED FEATURES

LIST PRICE

MOTOR: 230 V, TEFC	No Additional
380 V, TEFC	No Additional
460 V, TEFC	Standard
575 V, TEFC	No Additional
400 V, 50HZ TEFC	No Additional
STARTER: 230 V, Star Delta	No Additional
380 V, Star Delta	No Additional
460 V, Star Delta	Standard
575 V, Star Delta	No Additional
230 V, Soft Start (1)	\$6,071
380 V, Soft Start (1)	\$6,071
460 V, Soft Start (1)	\$6,071
575 V, Soft Start (1)	\$6,071
400 V, 50HZ Star Delta	No Additional
400 V, 50HZ Soft Start (1)	\$6,071
COOLING: Air Cooled 115°F Aftercooler	Standard
Air Cooled 115°F Aftercooler (ERS)	\$3,613

OPTIONAL FEATURES

LIST PRICE

Xe-145M Controller	\$530
Power Outage Restart (PORO)	\$664
Nema 4 Complete	Standard
Outdoor Modification (2)	\$2,132
Low Ambient (Not available for 50HZ applications) (2)	\$8,555
Phase Monitor (1)	\$859
High Dust Intake Filter	\$1,380
Ultra FG Coolant	\$1,220
Ultra EL Coolant	\$1,220
Package Pre-filters	Standard
Modulation	\$1,869
High Dust Package Pre-Filters	\$3,607
Sealed Containment Base	\$1,932
High Ambient Protection	\$1,721
TEFC Motor	Standard
TEFC Motor with Space Heater (380V & 400V not applicable)	\$3,214
Electric No Loss Drain	\$423

- 1) Soft start starters include the functionality of the phase monitor option (phase loss, phase imbalance, and phase reversal), therefore, the separate phase monitor option is not available if soft start is selected.
- 2) Outdoor modification and low ambient are stand alone option groups. Please consult your product specialist if you need assistance in proper application of these options.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 1-Jul-18



PRICE

R55i

75 HP Fixed Speed Rotary

Cooling: Watercooled
Last Revision: 1-Jul-18

Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Prepaid & Add

WATERCOOLED Includes: 460V TEFC Premium Efficiency Motor, Water Cooled Aftercooler, Xe-90M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, and Sequencing up to 4 machines. 460V Star Delta Starter, Nema 4 Complete, Package Pre-Filters, Timed Solenoid Condensate Drain, Quiet Enclosure to 69 dBA.

Model	R55i-W110	R55i-W125	R55i-W145	R55i-W200
Capacity	361	328	300	228
Pressure	100	115	135	190
List Price	\$38,035	\$38,035	\$38,035	\$38,035

ITS Oracle Users: R55-75i
IRI (R12) Oracle Users: R55-75i

REQUIRED FEATURES

LIST PRICE

MOTOR: 230 V, TEFC	No Additional
380 V, TEFC	No Additional
460 V, TEFC	Standard
575 V, TEFC	No Additional
400 V, 50HZ TEFC	No Additional
STARTER: 230 V, Star Delta	No Additional
380 V, Star Delta	No Additional
460 V, Star Delta	Standard
575 V, Star Delta	No Additional
230 V, Soft Start (1)	\$6,071
380 V, Soft Start (1)	\$6,071
460 V, Soft Start (1)	\$6,071
575 V, Soft Start (1)	\$6,071
400 V, 50HZ Star Delta	No Additional
400 V, 50HZ Soft Start (1)	\$6,071
COOLING: Fresh Water Cooled 115°F Aftercooler	Standard
Harsh Water Cooled 115°F Aftercooler	\$14,753
Sea Water Cooled 115°F Aftercooler	\$19,994

OPTIONAL FEATURES

LIST PRICE

Xe-145M Controller	\$530
Power Outage Restart (PORO)	\$664
Nema 4 Complete	Standard
Outdoor Modification (2)	Not Available
Low Ambient (Not available for 50HZ applications) (2)	Not Available
Phase Monitor (1)	\$859
High Dust Intake Filter	\$1,380
Ultra FG Coolant	\$1,220
Ultra EL Coolant	\$1,220
Package Pre-filters	Standard
Modulation	\$1,869
High Dust Package Pre-Filters	\$3,607
Sealed Containment Base	\$1,932
High Ambient Protection	\$1,721
TEFC Motor	Standard
TEFC Motor with Space Heater (380V & 400V not applicable)	\$3,214
Electric No Loss Drain	\$423

- Soft start starters include the functionality of the phase monitor option (phase loss, phase imbalance, and phase reversal), therefore, the separate phase monitor option is not available if soft start is selected.
- Outdoor modification and low ambient are stand alone option groups. Please consult your product specialist if you need assistance in proper application of these options.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 1-Jul-18



Fixed speed with
single-stage airend
R75i

PRICE

Cooling: Aircooled
Last Revision: 1-Jul-18

100 HP Fixed Speed Rotary

Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Prepaid & Add

AIRCOOLED Includes: 460V TEFC Premium Efficiency Motor, Air Cooled Aftercooler, Xe-90M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, and Sequencing up to 4 machines. 460V Star Delta Starter, Nema 4 Complete, Package Pre-Filters, Timed Solenoid Condensate Drain, Quiet Enclosure to 69 dBA.

Model	R75i-A110	R75i-A125	R75i-A145	R75i-A200
Capacity	478	455	418	332
Pressure	100	115	135	190
List Price	\$47,345	\$47,345	\$47,345	\$47,345

ITS Oracle Users: R55-75i
IRI (R12) Oracle Users: R55-75i

REQUIRED FEATURES

LIST PRICE

MOTOR: 230 V, TEFC	No Additional
380 V, TEFC	No Additional
460 V, TEFC	Standard
575 V, TEFC	No Additional
400 V, 50HZ TEFC	No Additional
STARTER: 230 V, Star Delta	No Additional
380 V, Star Delta	No Additional
460 V, Star Delta	Standard
575 V, Star Delta	No Additional
230 V, Soft Start (1)	\$6,071
380 V, Soft Start (1)	\$6,071
460 V, Soft Start (1)	\$6,071
575 V, Soft Start (1)	\$6,071
400 V, 50HZ Star Delta	No Additional
400 V, 50HZ Soft Start (1)	\$6,071
COOLING: Air Cooled 115°F Aftercooler	Standard
Air Cooled 115°F Aftercooler (ERS)	\$3,613

OPTIONAL FEATURES

LIST PRICE

Xe-145M Controller	\$530
Power Outage Restart (PORO)	\$664
Nema 4 Complete	Standard
Outdoor Modification (2)	\$2,132
Low Ambient (Not available for 50HZ applications) (2)	\$8,555
Phase Monitor (1)	\$859
High Dust Intake Filter	\$1,380
Ultra FG Coolant	\$1,220
Ultra EL Coolant	\$1,220
Package Pre-filters	Standard
Modulation	\$1,869
High Dust Package Pre-Filters	\$3,607
Sealed Containment Base	\$1,932
High Ambient Protection	Not Available
TEFC Motor	Standard
TEFC Motor with Space Heater (380V & 400V not applicable)	\$3,214
Electric No Loss Drain	\$423

1) Soft start starters include the functionality of the phase monitor option (phase loss, phase imbalance, and phase reversal), therefore, the separate phase monitor option is not available if soft start is selected.
2) Outdoor modification and low ambient are stand alone option groups. Please consult your product specialist if you need assistance in proper application of these options.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 1-Jul-18



PRICE

Cooling: Watercooled
Last Revision: 1-Jul-18

R75i

100 HP Fixed Speed Rotary

Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Prepaid & Add

WATERCOOLED Includes: 460V TEFC Premium Efficiency Motor, Water Cooled Aftercooler, Xe-90M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, and Sequencing up to 4 machines. 460V Star Delta Starter, Nema 4 Complete, Package Pre-Filters, Timed Solenoid Condensate Drain, Quiet Enclosure to 69 dBA.

Model	R75i-W110	R75i-W125	R75i-W145	R75i-W200
Capacity	478	455	418	332
Pressure	100	115	135	190
List Price	\$47,345	\$47,345	\$47,345	\$47,345

ITS Oracle Users: R55-75i
IRI (R12) Oracle Users: R55-75i

REQUIRED FEATURES

LIST PRICE

MOTOR: 230 V, TEFC	No Additional
380 V, TEFC	No Additional
460 V, TEFC	Standard
575 V, TEFC	No Additional
400 V, 50HZ TEFC	No Additional
STARTER: 230 V, Star Delta	No Additional
380 V, Star Delta	No Additional
460 V, Star Delta	Standard
575 V, Star Delta	No Additional
230 V, Soft Start (1)	\$6,071
380 V, Soft Start (1)	\$6,071
460 V, Soft Start (1)	\$6,071
575 V, Soft Start (1)	\$6,071
400 V, 50HZ Star Delta	No Additional
400 V, 50HZ Soft Start (1)	\$6,071
COOLING: Fresh Water Cooled 115°F Aftercooler	Standard
Harsh Water Cooled 115°F Aftercooler	\$14,753
Sea Water Cooled 115°F Aftercooler	\$19,994

OPTIONAL FEATURES

LIST PRICE

Xe-145M Controller	\$530
Power Outage Restart (PORO)	\$664
Nema 4 Complete	Standard
Outdoor Modification (2)	Not Available
Low Ambient (Not available for 50HZ applications) (2)	Not Available
Phase Monitor (1)	\$859
High Dust Intake Filter	\$1,380
Ultra FG Coolant	\$1,220
Ultra EL Coolant	\$1,220
Package Pre-filters	Standard
Modulation	\$1,869
High Dust Package Pre-Filters	\$3,607
Sealed Containment Base	\$1,932
High Ambient Protection	Not Available
TEFC Motor	Standard
TEFC Motor with Space Heater (380V & 400V not applicable)	\$3,214
Electric No Loss Drain	\$423

- 1) Soft start starters include the functionality of the phase monitor option (phase loss, phase imbalance, and phase reversal), therefore, the separate phase monitor option is not available if soft start is selected.
- 2) Outdoor modification and low ambient are stand alone option groups. Please consult your product specialist if you need assistance in proper application of these options.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 1-Jul-18



Fixed speed with
single-stage airend

R45ie-TAS

60 HP Fixed Speed Rotary

PRICE

Cooling: Aircooled
Last Revision: 1-Jul-18

Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Prepaid & Add

AIRCOOLED Includes: 460V TEFC Premium Efficiency Motor, Air Cooled Aftercooler, Xe-90M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, and Sequencing up to 4 machines. 460V Star Delta Starter, Nema 4 Complete, Package Pre-Filters, Timed Solenoid Condensate Drain, Quiet Enclosure to 69 dBA.

Model	R45ie-A103-TAS	R45ie-A118-TAS	R45ie-A138-TAS
Capacity	290	265	240
Pressure	100	115	135
List Price	\$42,167	\$42,167	\$42,167

ITS Oracle Users: R55-75i
IRI (R12) Oracle Users: R55-75i

REQUIRED FEATURES

LIST PRICE

MOTOR: 230 V, TEFC	No Additional
380 V, TEFC	No Additional
460 V, TEFC	Standard
575 V, TEFC	No Additional
400 V, 50HZ TEFC	No Additional
STARTER: 230 V, Star Delta	No Additional
380 V, Star Delta	No Additional
460 V, Star Delta	Standard
575 V, Star Delta	No Additional
400 V, 50HZ Star Delta	No Additional
COOLING: Air Cooled 115°F Aftercooler	Standard
Air Cooled 115°F Aftercooler (ERS)	\$3,613

OPTIONAL FEATURES

LIST PRICE

Xe-145M Controller	\$530
Power Outage Restart (PORO)	\$664
Nema 4 Complete	Standard
Outdoor Modification (1)	Not Available
Low Ambient (Not available for 50HZ applications) (1)	Not Available
Phase Monitor	\$859
High Dust Intake Filter	\$1,380
Ultra FG Coolant	\$1,220
Ultra EL Coolant	\$1,220
Package Pre-filters	Standard
Modulation	\$1,869
High Dust Package Pre-Filters	\$3,607
Sealed Containment Base	\$1,932
High Ambient Protection	Not Available
TEFC Motor	Standard
TEFC Motor with Space Heater (380V & 400V not applicable)	\$3,214
Electric No Loss Drain	\$1,269

1) Outdoor modification and low ambient are stand alone option groups. Please consult your product specialist if you need assistance in proper application of these options.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 1-Jul-18



Fixed speed with
single-stage airend

R55i-TAS

75 HP Fixed Speed Rotary

PRICE

Cooling: Aircooled
Last Revision: 1-Jul-18

Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Prepaid & Add

AIRCOOLED Includes: 460V TEFC Premium Efficiency Motor, Air Cooled Aftercooler, Xe-90M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, and Sequencing up to 4 machines. 460V Star Delta Starter, Nema 4 Complete, Package Pre-Filters, Timed Solenoid Condensate Drain, Quiet Enclosure to 69 dBA.

Model	R55i-A103-TAS	R55i-A118-TAS	R55i-A138-TAS	R55i-A193-TAS
Capacity	361	328	300	228
Pressure	100	115	135	190
List Price	\$49,648	\$49,648	\$49,648	\$49,648

ITS Oracle Users: R55-75i
IRI (R12) Oracle Users: R55-75i

REQUIRED FEATURES

LIST PRICE

MOTOR: 230 V, TEFC	No Additional
380 V, TEFC	No Additional
460 V, TEFC	Standard
575 V, TEFC	No Additional
400 V, 50HZ TEFC	No Additional
STARTER: 230 V, Star Delta	No Additional
380 V, Star Delta	No Additional
460 V, Star Delta	Standard
575 V, Star Delta	No Additional
230 V, Soft Start (1)	\$6,071
380 V, Soft Start (1)	\$6,071
460 V, Soft Start (1)	\$6,071
575 V, Soft Start (1)	\$6,071
400 V, 50HZ Star Delta	No Additional
400 V, 50HZ Soft Start (1)	\$6,071
COOLING: Air Cooled 115°F Aftercooler	Standard
Air Cooled 115°F Aftercooler (ERS)	\$3,613

OPTIONAL FEATURES

LIST PRICE

Xe-145M Controller	\$530
Power Outage Restart (PORO)	\$664
Nema 4 Complete	Standard
Outdoor Modification (2)	Not Available
Low Ambient (Not available for 50HZ applications) (2)	Not Available
Phase Monitor (1)	\$859
High Dust Intake Filter	\$1,380
Ultra FG Coolant	\$1,220
Ultra EL Coolant	\$1,220
Package Pre-filters	Standard
Modulation	\$1,869
High Dust Package Pre-Filters	\$3,607
Sealed Containment Base	\$1,932
High Ambient Protection	Not Available
TEFC Motor	Standard
TEFC Motor with Space Heater (380V & 400V not applicable)	\$3,214
Electric No Loss Drain	\$1,269

1) Soft start starters include the functionality of the phase monitor option (phase loss, phase imbalance, and phase reversal), therefore, the separate phase monitor option is not available if soft start is selected.
2) Outdoor modification and low ambient are stand alone option groups. Please consult your product specialist if you need assistance in proper application of these options.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 1-Jul-18



Fixed speed with
single-stage airend

R55i-TAS

75 HP Fixed Speed Rotary

PRICE

Cooling: Watercooled
Last Revision: 1-Jul-18
Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Prepaid & Add

WATERCOOLED Includes: 460V TEFC Premium Efficiency Motor, Water Cooled Aftercooler, Xe-90M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, and Sequencing up to 4 machines. 460V Star Delta Starter, Nema 4 Complete, Package Pre-Filters, Timed Solenoid Condensate Drain, Quiet Enclosure to 69 dBA.

Model	R55i-W103-TAS	R55i-W118-TAS	R55i-W138-TAS	R55i-W193-TAS
Capacity	361	328	300	228
Pressure	100	115	135	190
List Price	\$49,648	\$49,648	\$49,648	\$49,648

ITS Oracle Users: R55-75i
IRI (R12) Oracle Users: R55-75i

REQUIRED FEATURES

	LIST PRICE
MOTOR: 230 V, TEFC	No Additional
380 V, TEFC	No Additional
460 V, TEFC	Standard
575 V, TEFC	No Additional
400 V, 50HZ TEFC	No Additional
STARTER: 230 V, Star Delta	No Additional
380 V, Star Delta	No Additional
460 V, Star Delta	Standard
575 V, Star Delta	No Additional
230 V, Soft Start (1)	\$6,071
380 V, Soft Start (1)	\$6,071
460 V, Soft Start (1)	\$6,071
575 V, Soft Start (1)	\$6,071
400 V, 50HZ Star Delta	No Additional
400 V, 50HZ Soft Start (1)	\$6,071
COOLING: Fresh Water Cooled 115°F Aftercooler	Standard
Harsh Water Cooled 115°F Aftercooler	\$14,753
Sea Water Cooled 115°F Aftercooler	\$19,994

OPTIONAL FEATURES

	LIST PRICE
Xe-145M Controller	\$530
Power Outage Restart (PORO)	\$664
Nema 4 Complete	Standard
Outdoor Modification (2)	Not Available
Low Ambient (Not available for 50HZ applications) (2)	Not Available
Phase Monitor (1)	\$859
High Dust Intake Filter	\$1,380
Ultra FG Coolant	\$1,220
Ultra EL Coolant	\$1,220
Package Pre-filters	Standard
Modulation	\$1,869
High Dust Package Pre-Filters	\$3,607
Sealed Containment Base	\$1,932
High Ambient Protection	Not Available
TEFC Motor	Standard
TEFC Motor with Space Heater (380V & 400V not applicable)	\$3,214
Electric No Loss Drain	\$1,269

1) Soft start starters include the functionality of the phase monitor option (phase loss, phase imbalance, and phase reversal), therefore, the separate phase monitor option is not available if soft start is selected.

2) Outdoor modification and low ambient are stand alone option groups. Please consult your product specialist if you need assistance in proper application of these options.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 1-Jul-18



Fixed speed with
single-stage airend

R75i-TAS

100 HP Fixed Speed Rotary

PRICE

Cooling: Aircooled
Last Revision: 1-Jul-18

Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Prepaid & Add

AIRCOOLED Includes: 460V TEFC Premium Efficiency Motor, Air Cooled Aftercooler, Xe-90M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, and Sequencing up to 4 machines. 460V Star Delta Starter, Nema 4 Complete, Package Pre-Filters, Timed Solenoid Condensate Drain, Quiet Enclosure to 69 dBA.

Model	R75i-A103-TAS	R75i-A118-TAS	R75i-A138-TAS	R75i-A193-TAS
Capacity	478	455	418	332
Pressure	100	115	135	190
List Price	\$60,987	\$60,987	\$60,987	\$60,987

ITS Oracle Users: [R55-75i](#)
IRI (R12) Oracle Users: [R55-75i](#)

REQUIRED FEATURES

LIST PRICE

MOTOR: 230 V, TEFC	No Additional
380 V, TEFC	No Additional
460 V, TEFC	Standard
575 V, TEFC	No Additional
400 V, 50HZ TEFC	No Additional
STARTER: 230 V, Star Delta	No Additional
380 V, Star Delta	No Additional
460 V, Star Delta	Standard
575 V, Star Delta	No Additional
230 V, Soft Start (1)	\$6,071
380 V, Soft Start (1)	\$6,071
460 V, Soft Start (1)	\$6,071
575 V, Soft Start (1)	\$6,071
400 V, 50HZ Star Delta	No Additional
400 V, 50HZ Soft Start (1)	\$6,071
COOLING: Air Cooled 115°F Aftercooler	Standard
Air Cooled 115°F Aftercooler (ERS)	\$3,613

OPTIONAL FEATURES

LIST PRICE

Xe-145M Controller	\$530
Power Outage Restart (PORO)	\$664
Nema 4 Complete	Standard
Outdoor Modification (2)	Not Available
Low Ambient (Not available for 50HZ applications) (2)	Not Available
Phase Monitor (1)	\$859
High Dust Intake Filter	\$1,380
Ultra FG Coolant	\$1,220
Ultra EL Coolant	\$1,220
Package Pre-filters	Standard
Modulation	\$1,869
High Dust Package Pre-Filters	\$3,607
Sealed Containment Base	\$1,932
High Ambient Protection	Not Available
TEFC Motor	Standard
TEFC Motor with Space Heater (380V & 400V not applicable)	\$3,214
Electric No Loss Drain	\$1,269

- 1) Soft start starters include the functionality of the phase monitor option (phase loss, phase imbalance, and phase reversal), therefore, the separate phase monitor option is not available if soft start is selected.
2) Outdoor modification and low ambient are stand alone option groups. Please consult your product specialist if you need assistance in proper application of these options.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 1-Jul-18



R75i-TAS

100 HP Fixed Speed Rotary

PRICE

Cooling: Watercooled
Last Revision: 1-Jul-18

Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Prepaid & Add

WATERCOOLED Includes: 460V TEFC Premium Efficiency Motor, Water Cooled Aftercooler, Xe-90M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, and Sequencing up to 4 machines. 460V Star Delta Starter, Nema 4 Complete, Package Pre-Filters, Timed Solenoid Condensate Drain, Quiet Enclosure to 69 dBA.

Model	R75i-W103-TAS	R75i-W118-TAS	R75i-W138-TAS	R75i-W193-TAS
Capacity	478	455	418	332
Pressure	100	115	135	190
List Price	\$60,987	\$60,987	\$60,987	\$60,987

ITS Oracle Users: R55-75i
IRI (R12) Oracle Users: R55-75i

REQUIRED FEATURES

LIST PRICE

MOTOR: 230 V, TEFC	No Additional
380 V, TEFC	No Additional
460 V, TEFC	Standard
575 V, TEFC	No Additional
400 V, 50HZ TEFC	No Additional
STARTER: 230 V, Star Delta	No Additional
380 V, Star Delta	No Additional
460 V, Star Delta	Standard
575 V, Star Delta	No Additional
230 V, Soft Start (1)	\$6,071
380 V, Soft Start (1)	\$6,071
460 V, Soft Start (1)	\$6,071
575 V, Soft Start (1)	\$6,071
400 V, 50HZ Star Delta	No Additional
400 V, 50HZ Soft Start (1)	\$6,071
COOLING: Fresh Water Cooled 115°F Aftercooler	Standard
Harsh Water Cooled 115°F Aftercooler	\$14,753
Sea Water Cooled 115°F Aftercooler	\$19,994

OPTIONAL FEATURES

LIST PRICE

Xe-145M Controller	\$530
Power Outage Restart (PORO)	\$664
Nema 4 Complete	Standard
Outdoor Modification (2)	Not Available
Low Ambient (Not available for 50HZ applications) (2)	Not Available
Phase Monitor (1)	\$859
High Dust Intake Filter	\$1,380
Ultra FG Coolant	\$1,220
Ultra EL Coolant	\$1,220
Package Pre-filters	Standard
Modulation	\$1,869
High Dust Package Pre-Filters	\$3,607
Sealed Containment Base	\$1,932
High Ambient Protection	Not Available
TEFC Motor	Standard
TEFC Motor with Space Heater (380V & 400V not applicable)	\$3,214
Electric No Loss Drain	\$1,269

1) Soft start starters include the functionality of the phase monitor option (phase loss, phase imbalance, and phase reversal), therefore, the separate phase monitor option is not available if soft start is selected.

2) Outdoor modification and low ambient are stand alone option groups. Please consult your product specialist if you need assistance in proper application of these options.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 1-Jul-18