



R90i

125HP Fixed Speed Rotary

PRICE

Cooling: Aircooled
 Date: 1-Jul-18
 Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Prepaid & Add

AIRCOOLED Includes: 460V TEFC Premium Efficiency Motor, Air Cooled Aftercooler, Xe-145M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, Sequencing up to 4 machines, Local and Web Graphing & Trending, and Automated Reporting. 460V Star Delta Starter, Nema 4 Complete, Package Pre-Filters, Timed Solenoid Condensate Drain, Quiet Enclosure to 75 dBA.

Model	R90i-A110	R90i-A125	R90i-A145	R90i-A200
Capacity	621	566	511	360
Pressure	110	125	145	200
List Price	\$65,947	\$65,947	\$65,947	\$65,947

ITS Oracle Users: R90-160i
 IRI (R12) Oracle Users: R90-160i

REQUIRED FEATURES

	LIST PRICE
MOTOR: 380 V, TEFC	No Additional
460 V, TEFC	Standard
575 V, TEFC	No Additional
400 V, 50HZ TEFC	No Additional
STARTER: 380 V, Star Delta	No Additional
460 V, Star Delta	Standard
575 V, Star Delta	No Additional
380 V, Soft Start (1)	\$8,514
460 V, Soft Start (1)	\$8,514
575 V, Soft Start (1)	\$8,514
400 V, 50HZ Star Delta	No Additional
400 V, 50HZ Soft Start (1)	\$8,514
COOLING: Air Cooled 115°F Aftercooler	Standard
Air Cooled 115°F Aftercooler (ERS)	\$4,034

OPTIONAL FEATURES

	LIST PRICE
Power Outage Restart (PORO)	\$664
Nema 4 Complete	Standard
Outdoor Modification (2)	\$2,390
Low Ambient (Not available for 50HZ applications) (2)	\$8,810
Phase Monitor (1)	\$859
High Dust Intake Filter	\$2,656
Ultra Coolant	\$1,279
Ultra FG Coolant	\$1,279
Ultra EL Coolant	Standard
Package Pre-filters	Standard
Modulation	\$1,906
High Dust Package Pre-Filter	\$3,715
Sealed Containment Base	\$2,108
High Ambient Protection	\$5,675
TEFC Motor with Space Heaters no RTD's (380V & 400V not applicable)	Standard
TEFC Motor with Space Heaters and RTD's (380V & 400V not applicable)	\$6,042
Electric No Loss Drain	\$423

- 1) Soft start starters include the functionality of the phase monitor option (phase loss, phase imbalance, and phase reversal), therefore, the separate phase monitor option is not available if soft start is selected.
- 2) Outdoor modification and low ambient are stand alone option groups. Please consult your product specialist if you need assistance in proper application of these options.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 1-Jul-18



PRICE

R90i

125HP Fixed Speed Rotary

Cooling: Watercooled
 Date: 1-Jul-18
 Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Prepaid & Add

WATERCOOLED Includes: 460V TEFC Premium Efficiency Motor, Water Cooled Aftercooler, Xe-145M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, Sequencing up to 4 machines, Local and Web Graphing & Trending, and Automated Reporting. 460V Star Delta Starter, Nema 4 Complete, Package Pre-Filters, Timed Solenoid Condensate Drain, Quiet Enclosure to 75 dBA.

Model	R90i-W110	R90i-W125	R90i-W145	R90i-W200
Capacity	621	566	511	360
Pressure	110	125	145	200
List Price	\$65,947	\$65,947	\$65,947	\$65,947

ITS Oracle Users: R90-160i
 IRI (R12) Oracle Users: R90-160i

REQUIRED FEATURES

	LIST PRICE
MOTOR: 380 V, TEFC	No Additional
460 V, TEFC	Standard
575 V, TEFC	No Additional
400 V, 50HZ TEFC	No Additional
STARTER: 380 V, Star Delta	No Additional
460 V, Star Delta	Standard
575 V, Star Delta	No Additional
380 V, Soft Start (1)	\$8,514
460 V, Soft Start (1)	\$8,514
575 V, Soft Start (1)	\$8,514
400 V, 50HZ Star Delta	No Additional
400 V, 50HZ Soft Start (1)	\$8,514
COOLING: Water Cooled 115°F Aftercooler	Standard
Harsh Water Cooled 115°F Aftercooler	\$14,753
Sea Water Cooled 115°F Aftercooler	\$19,994

OPTIONAL FEATURES

	LIST PRICE
Power Outage Restart (PORO)	\$664
Nema 4 Complete	Standard
Outdoor Modification (2)	Not Available
Low Ambient (Not available for 50HZ applications) (2)	Not Available
Phase Monitor (1)	\$859
High Dust Intake Filter	\$2,656
Ultra Coolant	\$1,279
Ultra FG Coolant	\$1,279
Ultra EL Coolant	Standard
Package Pre-filters	Standard
Modulation	\$1,906
High Dust Package Pre-Filter	\$3,715
Sealed Containment Base	\$2,108
High Ambient Protection	\$5,675
TEFC Motor with Space Heaters no RTD's (380V & 400V not applicable)	Standard
TEFC Motor with Space Heaters and RTD's (380V & 400V not applicable)	\$6,042
Electric No Loss Drain	\$423

1) Soft start starters include the functionality of the phase monitor option (phase loss, phase imbalance, and phase reversal), therefore, the separate phase monitor option is not available if soft start is selected.
 2) Outdoor modification and low ambient are stand alone option groups. Please consult your product specialist if you need assistance in proper application of these options.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 1-Jul-18



Fixed speed with
single-stage airend
R110i

PRICE

Cooling: Aircooled
Date: 1-Jul-18

150HP Fixed Speed Rotary

Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Prepaid & Add

AIRCOOLED Includes: 460V TEFC Premium Efficiency Motor, Air Cooled Aftercooler, Xe-145M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, Sequencing up to 4 machines, Local and Web Graphing & Trending, and Automated Reporting. 460V Star Delta Starter, Nema 4 Complete, Package Pre-Filters, Timed Solenoid Condensate Drain, Quiet Enclosure to 75 dBA.

Model	R110i-A110	R110i-A125	R110i-A145	R110i-A200
Capacity	751	690	625	485
Pressure	110	125	145	200
List Price	\$73,519	\$73,519	\$73,519	\$73,519

ITS Oracle Users: R90-160i
IRI (R12) Oracle Users: R90-160i

REQUIRED FEATURES

LIST PRICE

MOTOR: 380 V, TEFC	No Additional
460 V, TEFC	Standard
575 V, TEFC	No Additional
400 V, 50HZ TEFC	No Additional
STARTER: 380 V, Star Delta	No Additional
460 V, Star Delta	Standard
575 V, Star Delta	No Additional
380 V, Soft Start (1)	\$8,514
460 V, Soft Start (1)	\$8,514
575 V, Soft Start (1)	\$8,514
400 V, 50HZ Star Delta	No Additional
400 V, 50HZ Soft Start (1)	\$8,514
COOLING: Air Cooled 115°F Aftercooler	Standard
Air Cooled 115°F Aftercooler (ERS)	\$4,034

OPTIONAL FEATURES

LIST PRICE

Power Outage Restart (PORO)	\$664
Nema 4 Complete	Standard
Outdoor Modification (2)	\$2,390
Low Ambient (Not available for 50HZ applications) (2)	\$8,810
Phase Monitor (1)	\$859
High Dust Intake Filter	\$2,656
Ultra Coolant	\$1,279
Ultra FG Coolant	\$1,279
Ultra EL Coolant	Standard
Package Pre-filters	Standard
Modulation	\$1,906
High Dust Package Pre-Filter	\$3,715
Sealed Containment Base	\$2,108
High Ambient Protection	Not Available
TEFC Motor with Space Heaters no RTD's (380V & 400V not applicable)	Standard
TEFC Motor with Space Heaters and RTD's (380V & 400V not applicable)	\$6,042
Electric No Loss Drain	\$423

1) Soft start starters include the functionality of the phase monitor option (phase loss, phase imbalance, and phase reversal), therefore, the separate phase monitor option is not available if soft start is selected.
2) Outdoor modification and low ambient are stand alone option groups. Please consult your product specialist if you need assistance in proper application of these options.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 1-Jul-18



Fixed speed with
single-stage airend
R110i

PRICE

Cooling: Watercooled
Date: 1-Jul-18
Cancels: All Previous

150HP Fixed Speed Rotary

Prices are North America List Prices, FOB Mocksville, NC, Freight Prepaid & Add

WATERCOOLED Includes: 460V TEFC Premium Efficiency Motor, Water Cooled Aftercooler, Xe-145M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, Sequencing up to 4 machines, Local and Web Graphing & Trending, and Automated Reporting. 460V Star Delta Starter, Nema 4 Complete, Package Pre-Filters, Timed Solenoid Condensate Drain, Quiet Enclosure to 75 dBA.

Model	R110i-W110	R110i-W125	R110i-W145	R110i-W200
Capacity	751	690	625	485
Pressure	110	125	145	200
List Price	\$73,519	\$73,519	\$73,519	\$73,519

ITS Oracle Users: R90-160i
IRI (R12) Oracle Users: R90-160i

REQUIRED FEATURES

LIST PRICE

MOTOR: 380 V, TEFC	No Additional
460 V, TEFC	Standard
575 V, TEFC	No Additional
400 V, 50HZ TEFC	No Additional
STARTER: 380 V, Star Delta	No Additional
460 V, Star Delta	Standard
575 V, Star Delta	No Additional
380 V, Soft Start (1)	\$8,514
460 V, Soft Start (1)	\$8,514
575 V, Soft Start (1)	\$8,514
400 V, 50HZ Star Delta	No Additional
400 V, 50HZ Soft Start (1)	\$8,514
COOLING: Water Cooled 115°F Aftercooler	Standard
Harsh Water Cooled 115°F Aftercooler	\$14,753
Sea Water Cooled 115°F Aftercooler	\$19,994

OPTIONAL FEATURES

LIST PRICE

Power Outage Restart (PORO)	\$664
Nema 4 Complete	Standard
Outdoor Modification (2)	Not Available
Low Ambient (Not available for 50HZ applications) (2)	Not Available
Phase Monitor (1)	\$859
High Dust Intake Filter	\$2,656
Ultra Coolant	\$1,279
Ultra FG Coolant	\$1,279
Ultra EL Coolant	Standard
Package Pre-filters	Standard
Modulation	\$1,906
High Dust Package Pre-Filter	\$3,715
Sealed Containment Base	\$2,108
High Ambient Protection	Not Available
TEFC Motor with Space Heaters no RTD's (380V & 400V not applicable)	Standard
TEFC Motor with Space Heaters and RTD's (380V & 400V not applicable)	\$6,042
Electric No Loss Drain	\$423

1) Soft start starters include the functionality of the phase monitor option (phase loss, phase imbalance, and phase reversal), therefore, the separate phase monitor option is not available if soft start is selected.
2) Outdoor modification and low ambient are stand alone option groups. Please consult your product specialist if you need assistance in proper application of these options.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 1-Jul-18



Fixed speed with
single-stage airoend
R160i

PRICE

Cooling: Aircooled
Date: 1-Jul-18

200HP Fixed Speed Rotary

Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Prepaid & Add

AIRCOOLED Includes: 460V TEFC Premium Efficiency Motor, Air Cooled Aftercooler, Xe-145M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, Sequencing up to 4 machines, Local and Web Graphing & Trending, and Automated Reporting. 460V Star Delta Starter, Nema 4 Complete, Package Pre-Filters, Timed Solenoid Condensate Drain, Quiet Enclosure to 75 dBA.

Model	R160i-A110	R160i-A125	R160i-A145	R160i-A200
Capacity	985	905	865	695
Pressure	110	125	145	200
List Price	\$91,787	\$91,787	\$91,787	\$91,787

ITS Oracle Users: R90-160i
IRI (R12) Oracle Users: R90-160i

REQUIRED FEATURES

LIST PRICE

MOTOR: 380 V, TEFC	No Additional
460 V, TEFC	Standard
575 V, TEFC	No Additional
400 V, 50HZ TEFC	No Additional
STARTER: 380 V, Star Delta	No Additional
460 V, Star Delta	Standard
575 V, Star Delta	No Additional
380 V, Soft Start (1)	\$8,514
460 V, Soft Start (1)	\$8,514
575 V, Soft Start (1)	\$8,514
400 V, 50HZ Star Delta	No Additional
400 V, 50HZ Soft Start (1)	\$8,514
COOLING: Air Cooled 115°F Aftercooler	Standard
Air Cooled 115°F Aftercooler (ERS)	\$5,764

OPTIONAL FEATURES

LIST PRICE

Power Outage Restart (PORO)	\$664
Nema 4 Complete	Standard
Outdoor Modification (2)	\$2,390
Low Ambient (Not available for 50HZ applications) (2)	\$8,810
Phase Monitor (1)	\$859
High Dust Intake Filter	\$2,656
Ultra Coolant	\$1,279
Ultra FG Coolant	\$1,279
Ultra EL Coolant	Standard
Package Pre-filters	Standard
Modulation	\$1,906
High Dust Package Pre-Filter	\$3,715
Sealed Containment Base	\$3,457
High Ambient Protection	Not Available
TEFC Motor with Space Heaters no RTD's (380V & 400V not applicable)	Standard
TEFC Motor with Space Heaters and RTD's (380V & 400V not applicable)	\$6,042
Electric No Loss Drain	\$423

1) Soft start starters include the functionality of the phase monitor option (phase loss, phase imbalance, and phase reversal), therefore, the separate phase monitor option is not available if soft start is selected.
2) Outdoor modification and low ambient are stand alone option groups. Please consult your product specialist if you need assistance in proper application of these options.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 1-Jul-18



Fixed speed with
single-stage airend
R160i

PRICE

Cooling: Watercooled
Date: 1-Jul-18

200HP Fixed Speed Rotary

Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Prepaid & Add

WATERCOOLED Includes: 460V TEFC Premium Efficiency Motor, Water Cooled Aftercooler, Xe-145M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, Sequencing up to 4 machines, Local and Web Graphing & Trending, and Automated Reporting. 460V Star Delta Starter, Nema 4 Complete, Package Pre-Filters, Timed Solenoid Condensate Drain, Quiet Enclosure to 75 dBA.

Model	R160i-W110	R160i-W125	R160i-W145	R160i-W200
Capacity	985	905	865	695
Pressure	110	125	145	200
List Price	\$91,787	\$91,787	\$91,787	\$91,787

ITS Oracle Users: R90-160i
IRI (R12) Oracle Users: R90-160i

REQUIRED FEATURES

LIST PRICE

MOTOR: 380 V, TEFC	No Additional
460 V, TEFC	Standard
575 V, TEFC	No Additional
400 V, 50HZ TEFC	No Additional
STARTER: 380 V, Star Delta	No Additional
460 V, Star Delta	Standard
575 V, Star Delta	No Additional
380 V, Soft Start (1)	\$8,514
460 V, Soft Start (1)	\$8,514
575 V, Soft Start (1)	\$8,514
400 V, 50HZ Star Delta	No Additional
400 V, 50HZ Soft Start (1)	\$8,514
COOLING: Water Cooled 115°F Aftercooler	Standard
Harsh Water Cooled 115°F Aftercooler	\$18,980
Sea Water Cooled 115°F Aftercooler	\$25,722

OPTIONAL FEATURES

LIST PRICE

Power Outage Restart (PORO)	\$664
Nema 4 Complete	Standard
Outdoor Modification (2)	Not Available
Low Ambient (Not available for 50HZ applications) (2)	Not Available
Phase Monitor (1)	\$859
High Dust Intake Filter	\$2,656
Ultra Coolant	\$1,279
Ultra FG Coolant	\$1,279
Ultra EL Coolant	Standard
Package Pre-filters	Standard
Modulation	\$1,906
High Dust Package Pre-Filter	\$3,715
Sealed Containment Base	\$3,457
High Ambient Protection	Not Available
TEFC Motor with Space Heaters no RTD's (380V & 400V not applicable)	Standard
TEFC Motor with Space Heaters and RTD's (380V & 400V not applicable)	\$6,042
Electric No Loss Drain	\$423

- 1) Soft start starters include the functionality of the phase monitor option (phase loss, phase imbalance, and phase reversal), therefore, the separate phase monitor option is not available if soft start is selected.
- 2) Outdoor modification and low ambient are stand alone option groups. Please consult your product specialist if you need assistance in proper application of these options.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 1-Jul-18