



# PRICE

## RS185i

### 250HP Fixed Speed Rotary

Cooling: Aircooled  
 Date: 13-Jul-17  
 Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Prepaid & Add

**AIRCOOLED** Includes: 460V TEFC Premium Efficiency Motor with space heaters and RTDs, Air Cooled Aftercooler, Xe-145M Controller, 460V Star Delta Starter, Nema 4 Complete, Package Pre-Filters, Timed Solenoid Condensate Drain, Quiet Enclosure to 75 dBA.

| Model             | RS185i-A110      | RS185i-A125      | RS185i-A145      |
|-------------------|------------------|------------------|------------------|
| Capacity          | 1367             | 1310             | 1211             |
| Pressure          | 110              | 125              | 145              |
| <b>List Price</b> | <b>\$125,000</b> | <b>\$125,000</b> | <b>\$125,000</b> |

ITS Oracle Users: RS200-250i  
 IRI (R12) Oracle Users: RS200-250i

#### REQUIRED FEATURES

|                                       | LIST PRICE    |
|---------------------------------------|---------------|
| MOTOR: 380 V, TEFC                    | No Additional |
| 460 V, TEFC                           | Standard      |
| 575 V, TEFC                           | No Additional |
| 2300 V, TEFC                          | \$60,100      |
| 4000 V, TEFC                          | \$60,100      |
| STARTER: 380 V, Star Delta            | No Additional |
| 460 V, Star Delta                     | Standard      |
| 575 V, Star Delta                     | No Additional |
| 380 V, Soft Start (1)                 | \$9,100       |
| 460 V, Soft Start (1)                 | \$9,100       |
| 575 V, Soft Start (1)                 | \$9,100       |
| 2300 V, No Starter                    | No Additional |
| 4000 V, No Starter                    | No Additional |
| COOLING: Air Cooled 115°F Aftercooler | Standard      |
| Air Cooled 115°F Aftercooler (ERS)    | \$6,850       |

#### OPTIONAL FEATURES

|   | LIST PRICE |
|---|------------|
| Power Outage Restart (PORO)             | \$676      |
| Nema 4 Complete                         | Standard   |
| Outdoor Modification (2)                | \$4,500    |
| Low Ambient (2)                         | \$12,200   |
| Phase Monitor (1)                       | \$842      |
| High Dust Intake Filter                 | \$2,860    |
| Ultra Coolant                           | \$2,837    |
| Ultra FG Coolant                        | \$2,837    |
| Ultra EL Coolant                        | Standard   |
| Package Pre-filters                     | Standard   |
| Modulation                              | \$2,055    |
| High Dust Package Pre-Filter            | \$7,200    |
| Sealed Containment Base                 | \$3,129    |
| High Ambient Protection                 | \$5,300    |
| TEFC Motor with Space Heaters and RTD's | Standard   |
| Electric No Loss Drain                  | \$925      |

1) Soft start starters include the functionality of the phase monitor option (phase loss, phase imbalance, and phase reversal), therefore, the separate phase monitor option is not available if soft start is selected.  
 2) Outdoor modification and low ambient are stand alone option groups. Please consult your product specialist if you need assistance in proper application of these options.

**PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE**

Last Price Revision: 12-Jun-17



Fixed speed with  
single-stage airend

# PRICE

## RS185i

### 250HP Fixed Speed Rotary

Cooling: Watercooled  
Date: 13-Jul-17  
Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Prepaid & Add

**WATERCOOLED** Includes: 460V TEFC Premium Efficiency Motor, Water Cooled Aftercooler, Xe-145M Controller, 460V Star Delta Starter, Nema 4 Complete, Package Pre-Filters, Timed Solenoid Condensate Drain, Quiet Enclosure to 75 dBA.

| Model             | RS185i-W110      | RS185i-W125      | RS185i-W145      |
|-------------------|------------------|------------------|------------------|
| Capacity          | 1367             | 1310             | 1211             |
| Pressure          | 110              | 125              | 145              |
| <b>List Price</b> | <b>\$125,000</b> | <b>\$125,000</b> | <b>\$125,000</b> |

ITS Oracle Users: RS200-250i  
IRI (R12) Oracle Users: RS200-250i

#### REQUIRED FEATURES

|   | LIST PRICE    |
|---|---------------|
| MOTOR: 380 V, TEFC                      | No Additional |
| 460 V, TEFC                             | Standard      |
| 575 V, TEFC                             | No Additional |
| 2300 V, TEFC                            | \$60,100      |
| 4000 V, TEFC                            | \$60,100      |
| STARTER: 380 V, Star Delta              | No Additional |
| 460 V, Star Delta                       | Standard      |
| 575 V, Star Delta                       | No Additional |
| 380 V, Soft Start (1)                   | \$9,100       |
| 460 V, Soft Start (1)                   | \$9,100       |
| 575 V, Soft Start (1)                   | \$9,100       |
| 2300 V, No Starter                      | No Additional |
| 4000 V, No Starter                      | No Additional |
| COOLING: Water Cooled 115°F Aftercooler | Standard      |
| Harsh Water Cooled 115°F Aftercooler    | \$16,060      |
| Sea Water Cooled 115°F Aftercooler      | \$40,320      |

#### OPTIONAL FEATURES

|   | LIST PRICE    |
|---|---------------|
| Power Outage Restart (PORO)             | \$676         |
| Nema 4 Complete                         | Standard      |
| Outdoor Modification (2)                | Not Available |
| Low Ambient (2)                         | Not Available |
| Phase Monitor (1)                       | \$842         |
| High Dust Intake Filter                 | \$2,860       |
| Ultra Coolant                           | \$2,837       |
| Ultra FG Coolant                        | \$2,837       |
| Ultra EL Coolant                        | Standard      |
| Package Pre-filters                     | Standard      |
| Modulation                              | \$2,055       |
| High Dust Package Pre-Filter            | \$7,200       |
| Sealed Containment Base                 | \$3,129       |
| High Ambient Protection                 | \$5,300       |
| TEFC Motor with Space Heaters and RTD's | Standard      |
| Electric No Loss Drain                  | \$925         |

1) Soft start starters include the functionality of the phase monitor option (phase loss, phase imbalance, and phase reversal), therefore, the separate phase monitor option is not available if soft start is selected.  
2) Outdoor modification and low ambient are stand alone option groups. Please consult your product specialist if you need assistance in proper application of these options.

**PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE**

Last Price Revision: 12-Jun-17



Fixed speed with  
single-stage airoend

# PRICE

Cooling: Aircooled  
Date: 13-Jul-17

## RS220i

### 300HP Fixed Speed Rotary

Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Prepaid & Add

**AIRCOOLED** Includes: 460V TEFC Premium Efficiency Motor with space heaters and RTDs, Air Cooled Aftercooler, Xe-145M Controller, 460V Star Delta Starter, Nema 4 Complete, Package Pre-Filters, Timed Solenoid Condensate Drain, Quiet Enclosure to 75 dBA.

| Model             | RS220i-A110      | RS220i-A125      | RS220i-A145      |
|-------------------|------------------|------------------|------------------|
| Capacity          | 1642             | 1579             | 1409             |
| Pressure          | 110              | 125              | 145              |
| <b>List Price</b> | <b>\$146,500</b> | <b>\$146,500</b> | <b>\$146,500</b> |

ITS Oracle Users: [RS200-250i](#)  
IRI (R12) Oracle Users: [RS200-250i](#)

#### REQUIRED FEATURES

#### LIST PRICE

|                                       |               |
|---------------------------------------|---------------|
| MOTOR: 380 V, TEFC                    | No Additional |
| 460 V, TEFC                           | Standard      |
| 575 V, TEFC                           | No Additional |
| 2300 V, TEFC                          | \$64,700      |
| 4000 V, TEFC                          | \$64,700      |
| STARTER: 380 V, Star Delta            | No Additional |
| 460 V, Star Delta                     | Standard      |
| 575 V, Star Delta                     | No Additional |
| 380 V, Soft Start (1)                 | \$9,100       |
| 460 V, Soft Start (1)                 | \$9,100       |
| 575 V, Soft Start (1)                 | \$9,100       |
| 2300 V, No Starter                    | No Additional |
| 4000 V, No Starter                    | No Additional |
| COOLING: Air Cooled 115°F Aftercooler | Standard      |
| Air Cooled 115°F Aftercooler (ERS)    | \$6,850       |

#### OPTIONAL FEATURES

#### LIST PRICE

|   |          |
|---|----------|
| Power Outage Restart (PORO)             | \$676    |
| Nema 4 Complete                         | Standard |
| Outdoor Modification (2)                | \$4,500  |
| Low Ambient (2)                         | \$12,200 |
| Phase Monitor (1)                       | \$842    |
| High Dust Intake Filter                 | \$2,860  |
| Ultra Coolant                           | \$2,837  |
| Ultra FG Coolant                        | \$2,837  |
| Ultra EL Coolant                        | Standard |
| Package Pre-filters                     | Standard |
| Modulation                              | \$2,055  |
| High Dust Package Pre-Filter            | \$7,200  |
| Sealed Containment Base                 | \$3,129  |
| High Ambient Protection                 | \$5,300  |
| TEFC Motor with Space Heaters and RTD's | Standard |
| Electric No Loss Drain                  | \$925    |

1) Soft start starters include the functionality of the phase monitor option (phase loss, phase imbalance, and phase reversal), therefore, the separate phase monitor option is not available if soft start is selected.

2) Outdoor modification and low ambient are stand alone option groups. Please consult your product specialist if you need assistance in proper application of these options.

**PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE**

Last Price Revision: 12-Jun-17



# PRICE

Cooling: Watercooled  
Date: 13-Jul-17

## 300HP Fixed Speed Rotary

Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Prepaid & Add

**WATERCOOLED** Includes: 460V TEFC Premium Efficiency Motor, Water Cooled Aftercooler, Xe-145M Controller, 460V Star Delta Starter, Nema 4 Complete, Package Pre-Filters, Timed Solenoid Condensate Drain, Quiet Enclosure to 75 dBA.

| Model             | RS220i-W110      | RS220i-W125      | RS220i-W145      |
|-------------------|------------------|------------------|------------------|
| Capacity          | 1642             | 1579             | 1409             |
| Pressure          | 110              | 125              | 145              |
| <b>List Price</b> | <b>\$146,500</b> | <b>\$146,500</b> | <b>\$146,500</b> |

ITS Oracle Users: [RS200-250i](#)  
IRI (R12) Oracle Users: [RS200-250i](#)

### REQUIRED FEATURES

### LIST PRICE

|   |               |
|---|---------------|
| MOTOR: 380 V, TEFC                      | No Additional |
| 460 V, TEFC                             | Standard      |
| 575 V, TEFC                             | No Additional |
| 2300 V, TEFC                            | \$64,700      |
| 4000 V, TEFC                            | \$64,700      |
| STARTER: 380 V, Star Delta              | No Additional |
| 460 V, Star Delta                       | Standard      |
| 575 V, Star Delta                       | No Additional |
| 380 V, Soft Start (1)                   | \$9,100       |
| 460 V, Soft Start (1)                   | \$9,100       |
| 575 V, Soft Start (1)                   | \$9,100       |
| 2300 V, No Starter                      | No Additional |
| 4000 V, No Starter                      | No Additional |
| COOLING: Water Cooled 115°F Aftercooler | Standard      |
| Harsh Water Cooled 115°F Aftercooler    | \$16,060      |
| Sea Water Cooled 115°F Aftercooler      | \$40,320      |

### OPTIONAL FEATURES

### LIST PRICE

|   |               |
|---|---------------|
| Power Outage Restart (PORO)             | \$676         |
| Nema 4 Complete                         | Standard      |
| Outdoor Modification (2)                | Not Available |
| Low Ambient (2)                         | Not Available |
| Phase Monitor (1)                       | \$842         |
| High Dust Intake Filter                 | \$2,860       |
| Ultra Coolant                           | \$2,837       |
| Ultra FG Coolant                        | \$2,837       |
| Ultra EL Coolant                        | Standard      |
| Package Pre-filters                     | Standard      |
| Modulation                              | \$2,055       |
| High Dust Package Pre-Filter            | \$7,200       |
| Sealed Containment Base                 | \$3,129       |
| High Ambient Protection                 | \$5,300       |
| TEFC Motor with Space Heaters and RTD's | Standard      |
| Electric No Loss Drain                  | \$925         |

- 1) Soft start starters include the functionality of the phase monitor option (phase loss, phase imbalance, and phase reversal), therefore, the separate phase monitor option is not available if soft start is selected.
- 2) Outdoor modification and low ambient are stand alone option groups. Please consult your product specialist if you need assistance in proper application of these options.

**PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE**

Last Price Revision: 12-Jun-17



Fixed speed with  
single-stage airend

# PRICE

Cooling: Aircooled  
Date: 13-Jul-17

## RS260i

### 350HP Fixed Speed Rotary

Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Prepaid & Add

**AIRCOOLED** Includes: 460V TEFC Premium Efficiency Motor with space heaters and RTDs, Air Cooled Aftercooler, Xe-145M Controller, 460V Star Delta Starter, Nema 4 Complete, Package Pre-Filters, Timed Solenoid Condensate Drain, Quiet Enclosure to 75 dBA.

| Model             | RS260i-A110      | RS260i-A125      | RS260i-A145      |
|-------------------|------------------|------------------|------------------|
| Capacity          | 1702             | 1639             | 1519             |
| Pressure          | 110              | 125              | 145              |
| <b>List Price</b> | <b>\$160,100</b> | <b>\$160,100</b> | <b>\$160,100</b> |

ITS Oracle Users: RS200-250i  
IRI (R12) Oracle Users: RS200-250i

#### REQUIRED FEATURES

#### LIST PRICE

|                                       |               |
|---------------------------------------|---------------|
| MOTOR: 380 V, TEFC                    | No Additional |
| 460 V, TEFC                           | Standard      |
| 575 V, TEFC                           | No Additional |
| 2300 V, TEFC                          | \$69,500      |
| 4000 V, TEFC                          | \$69,500      |
| STARTER: 380 V, Star Delta            | No Additional |
| 460 V, Star Delta                     | Standard      |
| 575 V, Star Delta                     | No Additional |
| 380 V, Soft Start (1)                 | \$9,100       |
| 460 V, Soft Start (1)                 | \$9,100       |
| 575 V, Soft Start (1)                 | \$9,100       |
| 2300 V, No Starter                    | No Additional |
| 4000 V, No Starter                    | No Additional |
| COOLING: Air Cooled 115°F Aftercooler | Standard      |
| Air Cooled 115°F Aftercooler (ERS)    | \$6,850       |

#### OPTIONAL FEATURES

#### LIST PRICE

|   |               |
|---|---------------|
| Power Outage Restart (PORO)             | \$676         |
| Nema 4 Complete                         | Standard      |
| Outdoor Modification (2)                | \$4,500       |
| Low Ambient (2)                         | \$12,200      |
| Phase Monitor (1)                       | \$842         |
| High Dust Intake Filter                 | \$2,860       |
| Ultra Coolant                           | \$2,837       |
| Ultra FG Coolant                        | \$2,837       |
| Ultra EL Coolant                        | Standard      |
| Package Pre-filters                     | Standard      |
| Modulation                              | \$2,055       |
| High Dust Package Pre-Filter            | \$7,200       |
| Sealed Containment Base                 | \$3,129       |
| High Ambient Protection                 | Not Available |
| TEFC Motor with Space Heaters and RTD's | Standard      |
| Electric No Loss Drain                  | \$925         |

1) Soft start starters include the functionality of the phase monitor option (phase loss, phase imbalance, and phase reversal), therefore, the separate phase monitor option is not available if soft start is selected.

2) Outdoor modification and low ambient are stand alone option groups. Please consult your product specialist if you need assistance in proper application of these options.

**PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE**

Last Price Revision: 12-Jun-17



# PRICE

Cooling: Watercooled  
Date: 13-Jul-17

## 350HP Fixed Speed Rotary

Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Prepaid & Add

**WATERCOOLED** Includes: 460V TEFC Premium Efficiency Motor, Water Cooled Aftercooler, Xe-145M Controller, 460V Star Delta Starter, Nema 4 Complete, Package Pre-Filters, Timed Solenoid Condensate Drain, Quiet Enclosure to 75 dBA.

| Model             | RS260i-W110      | RS260i-W125      | RS260i-W145      |
|-------------------|------------------|------------------|------------------|
| Capacity          | 1702             | 1639             | 1519             |
| Pressure          | 110              | 125              | 145              |
| <b>List Price</b> | <b>\$160,100</b> | <b>\$160,100</b> | <b>\$160,100</b> |

ITS Oracle Users: [RS200-250i](#)  
IRI (R12) Oracle Users: [RS200-250i](#)

### REQUIRED FEATURES

### LIST PRICE

|   |               |
|---|---------------|
| MOTOR: 380 V, TEFC                      | No Additional |
| 460 V, TEFC                             | Standard      |
| 575 V, TEFC                             | No Additional |
| 2300 V, TEFC                            | \$69,500      |
| 4000 V, TEFC                            | \$69,500      |
| STARTER: 380 V, Star Delta              | No Additional |
| 460 V, Star Delta                       | Standard      |
| 575 V, Star Delta                       | No Additional |
| 380 V, Soft Start (1)                   | \$9,100       |
| 460 V, Soft Start (1)                   | \$9,100       |
| 575 V, Soft Start (1)                   | \$9,100       |
| 2300 V, No Starter                      | No Additional |
| 4000 V, No Starter                      | No Additional |
| COOLING: Water Cooled 115°F Aftercooler | Standard      |
| Harsh Water Cooled 115°F Aftercooler    | \$16,060      |
| Sea Water Cooled 115°F Aftercooler      | \$40,320      |

### OPTIONAL FEATURES

### LIST PRICE

|   |               |
|---|---------------|
| Power Outage Restart (PORO)             | \$676         |
| Nema 4 Complete                         | Standard      |
| Outdoor Modification (2)                | Not Available |
| Low Ambient (2)                         | Not Available |
| Phase Monitor (1)                       | \$842         |
| High Dust Intake Filter                 | \$2,860       |
| Ultra Coolant                           | \$2,837       |
| Ultra FG Coolant                        | \$2,837       |
| Ultra EL Coolant                        | Standard      |
| Package Pre-filters                     | Standard      |
| Modulation                              | \$2,055       |
| High Dust Package Pre-Filter            | \$7,200       |
| Sealed Containment Base                 | \$3,129       |
| High Ambient Protection                 | Not Available |
| TEFC Motor with Space Heaters and RTD's | Standard      |
| Electric No Loss Drain                  | \$925         |

- 1) Soft start starters include the functionality of the phase monitor option (phase loss, phase imbalance, and phase reversal), therefore, the separate phase monitor option is not available if soft start is selected.
- 2) Outdoor modification and low ambient are stand alone option groups. Please consult your product specialist if you need assistance in proper application of these options.

**PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE**

Last Price Revision: 12-Jun-17