



PRICE

RS185ie 250HP Fixed Speed Rotary

Cooling: Aircooled
 Date: 22-Dec-17
 Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Prepaid & Add

AIRCOOLED Includes: 460V TEFC Premium Efficiency Motor with space heaters and RTDs, Air Cooled Aftercooler, Xe-145M Controller, 460V Star Delta Starter, Nema 4 Complete, Package Pre-Filters, Timed Solenoid Condensate Drain, Quiet Enclosure to 75 dBA.

Model	RS185ie-A110	RS185ie-A125	RS185ie-A145	RS185ie-A200
Capacity	1444	1388	1271	1063
Pressure	110	125	145	200
List Price	\$141,700	\$141,700	\$141,700	\$141,700

ITS Oracle Users: RS200-250ie
 IRI (R12) Oracle Users: RS200-250ie

REQUIRED FEATURES

	LIST PRICE
MOTOR: 380 V, TEFC	No Additional
460 V, TEFC	Standard
575 V, TEFC	No Additional
STARTER: 380 V, Star Delta	No Additional
460 V, Star Delta	Standard
575 V, Star Delta	No Additional
380 V, Soft Start (1)	\$9,100
460 V, Soft Start (1)	\$9,100
575 V, Soft Start (1)	\$9,100
COOLING: Air Cooled 115°F Aftercooler	Standard
Air Cooled 115°F Aftercooler (ERS)	\$6,850

OPTIONAL FEATURES

	LIST PRICE
Power Outage Restart (PORO)	\$676
Nema 4 Complete	Standard
Outdoor Modification (2)	\$5,600
Low Ambient (2)	\$12,200
Phase Monitor (1)	Standard
High Dust Intake Filter	\$2,860
Ultra Coolant	\$2,837
Ultra FG Coolant	\$2,837
Ultra EL Coolant	Standard
Package Pre-filters	Standard
Modulation	\$2,055
High Dust Package Pre-Filter	\$7,200
Sealed Containment Base	\$6,689
High Ambient Protection	\$5,300
TEFC Motor with Space Heaters and RTD's	Standard
Electric No Loss Drain (3)	Standard

- 1) Soft start starters include the functionality of the phase monitor option (phase loss, phase imbalance, and phase reversal), therefore, the separate phase monitor option is not available if soft start is selected.
- 2) Outdoor modification and low ambient are stand alone option groups. Please consult your product specialist if you need assistance in proper application of these options.
- 3) Low Ambient applications supplied with timed solenoid drain valve

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 12-Jun-17



PRICE

RS185ie

250HP Fixed Speed Rotary

Cooling: Watercooled
 Date: 22-Dec-17
 Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Prepaid & Add

WATERCOOLED Includes: 460V TEFC Premium Efficiency Motor, Water Cooled Aftercooler, Xe-145M Controller, 460V Star Delta Starter, Nema 4 Complete, Package Pre-Filters, Timed Solenoid Condensate Drain, Quiet Enclosure to 75 dBA.

Model	RS185ie-W110	RS185ie-W125	RS185ie-W145	RS185ie-W200
Capacity	1444	1388	1271	1063
Pressure	110	125	145	200
List Price	\$141,700	\$141,700	\$141,700	\$141,700

ITS Oracle Users: RS200-250ie
 IRI (R12) Oracle Users: RS200-250ie

REQUIRED FEATURES

	LIST PRICE
MOTOR: 380 V, TEFC	No Additional
460 V, TEFC	Standard
575 V, TEFC	No Additional
STARTER: 380 V, Star Delta	No Additional
460 V, Star Delta	Standard
575 V, Star Delta	No Additional
380 V, Soft Start (1)	\$9,100
460 V, Soft Start (1)	\$9,100
575 V, Soft Start (1)	\$9,100
COOLING: Water Cooled 115°F Aftercooler	Standard
Harsh Water Cooled 115°F Aftercooler	\$16,060
Sea Water Cooled 115°F Aftercooler	\$40,320

OPTIONAL FEATURES

	LIST PRICE
Power Outage Restart (PORO)	\$676
Nema 4 Complete	Standard
Outdoor Modification (2)	Not Available
Low Ambient (2)	Not Available
Phase Monitor (1)	Standard
High Dust Intake Filter	\$2,860
Ultra Coolant	\$2,837
Ultra FG Coolant	\$2,837
Ultra EL Coolant	Standard
Package Pre-filters	Standard
Modulation	\$2,055
High Dust Package Pre-Filter	\$7,200
Sealed Containment Base	\$6,689
High Ambient Protection	\$5,300
TEFC Motor with Space Heaters and RTD's	Standard
Electric No Loss Drain	Standard

- 1) Soft start starters include the functionality of the phase monitor option (phase loss, phase imbalance, and phase reversal), therefore, the separate phase monitor option is not available if soft start is selected.
- 2) Outdoor modification and low ambient are stand alone option groups. Please consult your product specialist if you need assistance in proper application of these options.
- 3) Low Ambient applications supplied with timed solenoid drain valve

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 12-Jun-17



PRICE

RS220ie

300HP Fixed Speed Rotary

Cooling: Aircooled
Date: 22-Dec-17

Cancel: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Prepaid & Add

AIRCOOLED Includes: 460V TEFC Premium Efficiency Motor with space heaters and RTDs, Air Cooled Aftercooler, Xe-145M Controller, 460V Star Delta Starter, Nema 4 Complete, Package Pre-Filters, Timed Solenoid Condensate Drain, Quiet Enclosure to 75 dBA.

Model	RS220ie-A110	RS220ie-A125	RS220ie-A145	RS220ie-A200
Capacity	1695	1582	1483	1275
Pressure	110	125	145	200
List Price	\$162,300	\$162,300	\$162,300	\$162,300

ITS Oracle Users: [RS200-250ie](#)
IRI (R12) Oracle Users: [RS200-250ie](#)

REQUIRED FEATURES

LIST PRICE

MOTOR: 380 V, TEFC	No Additional
460 V, TEFC	Standard
575 V, TEFC	No Additional
STARTER: 380 V, Star Delta	No Additional
460 V, Star Delta	Standard
575 V, Star Delta	No Additional
380 V, Soft Start (1)	\$9,100
460 V, Soft Start (1)	\$9,100
575 V, Soft Start (1)	\$9,100
COOLING: Air Cooled 115°F Aftercooler	Standard
Air Cooled 115°F Aftercooler (ERS)	\$6,850

OPTIONAL FEATURES

LIST PRICE

Power Outage Restart (PORO)	\$676
Nema 4 Complete	Standard
Outdoor Modification (2)	\$5,600
Low Ambient (2)	\$12,200
Phase Monitor (1)	Standard
High Dust Intake Filter	\$2,860
Ultra Coolant	\$2,837
Ultra FG Coolant	\$2,837
Ultra EL Coolant	Standard
Package Pre-filters	Standard
Modulation	\$2,055
High Dust Package Pre-Filter	\$7,200
Sealed Containment Base	\$6,689
High Ambient Protection	\$5,300
TEFC Motor with Space Heaters and RTD's	Standard
Electric No Loss Drain	Standard

- 1) Soft start starters include the functionality of the phase monitor option (phase loss, phase imbalance, and phase reversal), therefore, the separate phase monitor option is not available if soft start is selected.
- 2) Outdoor modification and low ambient are stand alone option groups. Please consult your product specialist if you need assistance in proper application of these options.
- 3) Low Ambient applications supplied with timed solenoid drain valve

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 12-Jun-17



PRICE

RS220ie 300HP Fixed Speed Rotary

Cooling: Watercooled
 Date: 22-Dec-17
 Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Prepaid & Add

WATERCOOLED Includes: 460V TEFC Premium Efficiency Motor, Water Cooled Aftercooler, Xe-145M Controller, 460V Star Delta Starter, Nema 4 Complete, Package Pre-ers, Timed Solenoid Condensate Drain, Quiet closure to 75 dBA.

Model	RS220ie-W110	RS220ie-W125	RS220ie-W145	RS220ie-W200
Capacity	1695	1582	1483	1275
Pressure	110	125	145	200
List Price	\$162,300	\$162,300	\$162,300	\$162,300

ITS Oracle Users: RS200-250ie
 IRI (R12) Oracle Users: RS200-250ie

REQUIRED FEATURES

LIST PRICE

MOTOR: 380 V, TEFC	No Additional
460 V, TEFC	Standard
575 V, TEFC	No Additional
STARTER: 380 V, Star Delta	No Additional
460 V, Star Delta	Standard
575 V, Star Delta	No Additional
380 V, Soft Start (1)	\$9,100
460 V, Soft Start (1)	\$9,100
575 V, Soft Start (1)	\$9,100
COOLING: Water Cooled 115°F Aftercooler	Standard
Harsh Water Cooled 115°F Aftercooler	\$16,060
Sea Water Cooled 115°F Aftercooler	\$40,320

OPTIONAL FEATURES

LIST PRICE

Power Outage Restart (PORO)	\$676
Nema 4 Complete	Standard
Outdoor Modification (2)	Not Available
Low Ambient (2)	Not Available
Phase Monitor (1)	Standard
High Dust Intake Filter	\$2,860
Ultra Coolant	\$2,837
Ultra FG Coolant	\$2,837
Ultra EL Coolant	Standard
Package Pre-filters	Standard
Modulation	\$2,055
High Dust Package Pre-Filter	\$7,200
Sealed Containment Base	\$6,689
High Ambient Protection	\$5,300
TEFC Motor with Space Heaters and RTD's	Standard
Electric No Loss Drain	Standard

- 1) Soft start starters include the functionality of the phase monitor option (phase loss, phase imbalance, and phase reversal), therefore, the separate phase monitor option is not available if soft start is selected.
- 2) Outdoor modification and low ambient are stand alone option groups. Please consult your product specialist if you need assistance in proper application of these options.
- 3) Low Ambient applications supplied with timed solenoid drain valve

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 12-Jun-17



PRICE

RS260ie

350HP Fixed Speed Rotary

Cooling: Aircooled
Date: 22-Dec-17

Cancel: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Prepaid & Add

AIRCOOLED Includes: 460V TEFC Premium Efficiency Motor with space heaters and RTDs, Air Cooled Aftercooler, Xe-145M Controller, 460V Star Delta Starter, Nema 4 Complete, Package Pre-Filters, Timed Solenoid Condensate Drain, Quiet Enclosure to 75 dBA.

Model	RS260ie-A110	RS260ie-A125	RS260ie-A145	RS260ie-A200
Capacity	1840	1780	1621	1398
Pressure	110	125	145	200
List Price	\$178,100	\$178,100	\$178,100	\$178,100

ITS Oracle Users: [RS200-250ie](#)
IRI (R12) Oracle Users: [RS200-250ie](#)

REQUIRED FEATURES

LIST PRICE

MOTOR: 380 V, TEFC	No Additional
460 V, TEFC	Standard
575 V, TEFC	No Additional
STARTER: 380 V, Star Delta	No Additional
460 V, Star Delta	Standard
575 V, Star Delta	No Additional
380 V, Soft Start (1)	\$9,100
460 V, Soft Start (1)	\$9,100
575 V, Soft Start (1)	\$9,100
COOLING: Air Cooled 115°F Aftercooler	Standard
Air Cooled 115°F Aftercooler (ERS)	\$6,850

OPTIONAL FEATURES

LIST PRICE

Power Outage Restart (PORO)	\$676
Nema 4 Complete	Standard
Outdoor Modification (2)	\$5,600
Low Ambient (2)	\$12,200
Phase Monitor (1)	Standard
High Dust Intake Filter	\$2,860
Ultra Coolant	\$2,837
Ultra FG Coolant	\$2,837
Ultra EL Coolant	Standard
Package Pre-filters	Standard
Modulation	\$2,055
High Dust Package Pre-Filter	\$7,200
Sealed Containment Base	\$6,689
High Ambient Protection	Not Available
TEFC Motor with Space Heaters and RTD's	Standard
Electric No Loss Drain	Standard

- 1) Soft start starters include the functionality of the phase monitor option (phase loss, phase imbalance, and phase reversal), therefore, the separate phase monitor option is not available if soft start is selected.
- 2) Outdoor modification and low ambient are stand alone option groups. Please consult your product specialist if you need assistance in proper application of these options.
- 3) Low Ambient applications supplied with timed solenoid drain valve

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 12-Jun-17



PRICE

RS260ie 350HP Fixed Speed Rotary

Cooling: Watercooled
 Date: 22-Dec-17
 Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Prepaid & Add

WATERCOOLED Includes: 460V TEFC Premium Efficiency Motor, Water Cooled Aftercooler, Xe-145M Controller, 460V Star Delta Starter, Nema 4 Complete, Package Pre-ers, Timed Solenoid Condensate Drain, Quiet closure to 75 dBA.

Model	RS260ie-W110	RS260ie-W125	RS260ie-W145	RS260ie-W200
Capacity	1840	1780	1621	1398
Pressure	110	125	145	200
List Price	\$178,100	\$178,100	\$178,100	\$178,100

ITS Oracle Users: RS200-250ie
 IRI (R12) Oracle Users: RS200-250ie

REQUIRED FEATURES

LIST PRICE

MOTOR: 380 V, TEFC	No Additional
460 V, TEFC	Standard
575 V, TEFC	No Additional
STARTER: 380 V, Star Delta	No Additional
460 V, Star Delta	Standard
575 V, Star Delta	No Additional
380 V, Soft Start (1)	\$9,100
460 V, Soft Start (1)	\$9,100
575 V, Soft Start (1)	\$9,100
COOLING: Water Cooled 115°F Aftercooler	Standard
Harsh Water Cooled 115°F Aftercooler	\$16,060
Sea Water Cooled 115°F Aftercooler	\$40,320

OPTIONAL FEATURES

LIST PRICE

Power Outage Restart (PORO)	\$676
Nema 4 Complete	Standard
Outdoor Modification (2)	Not Available
Low Ambient (2)	Not Available
Phase Monitor (1)	Standard
High Dust Intake Filter	\$2,860
Ultra Coolant	\$2,837
Ultra FG Coolant	\$2,837
Ultra EL Coolant	Standard
Package Pre-filters	Standard
Modulation	\$2,055
High Dust Package Pre-Filter	\$7,200
Sealed Containment Base	\$6,689
High Ambient Protection	Not Available
TEFC Motor with Space Heaters and RTD's	Standard
Electric No Loss Drain	Standard

- 1) Soft start starters include the functionality of the phase monitor option (phase loss, phase imbalance, and phase reversal), therefore, the separate phase monitor option is not available if soft start is selected.
- 2) Outdoor modification and low ambient are stand alone option groups. Please consult your product specialist if you need assistance in proper application of these options.
- 3) Low Ambient applications supplied with timed solenoid drain valve

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 12-Jun-17