



Compressed Air Systems and Services
Davidson, NC 28036

Date: 1-Jul-18
Cancels: All Previous

HLA90

Heatless Desiccant Dryer Options	List Price
Controls	
EMS	See HL Price Page
4-20mA PDP Output ¹	\$ 842.00
Fail to Shift Alarm	\$ 519.00
Ethernet Communication	\$ 880.00
Rotary Disconnect Switch	\$ 1,447.00
Pneumatic Controls ²	\$ 4,052.00
Stainless Steel Nema 4X Labeled Enclosure	\$ 2,102.00
304 Stainless Steel Control Air Tubing	\$ 1,956.00
Repressurization Circuit	\$ 675.00
Vessels	
1/8" Corrosion Allowance	CF
1/16" Corrosion Allowance	CF
High Pressure (250 PSIG MAWP)	CF
Filters	
3V Bypass	See HL Price Page
Dual Filter Pkg E ³	\$ 4,498.00
Dual Filter Pkg. C with Skid Bypass ⁴	N/A
3 Valve Drain Bypass ⁵	\$ 868.00
Other	
Outdoor Paint ⁶	\$ 6,320.00
Grounding Lug	\$ 421.00
Stainless Steel 1/2" x 2" Instrument Tag (CCN 23567654)	\$ 78.00
Stainless Steel 2" x 6" Equipment Tag (CCN 23567647)	\$ 393.00

N/A - Not available on this model
CF - Consult factory

¹ 4-20mA PDP Output - Requires EMS

² Pneumatic Controls - Operates without electricity. No electrical options available.

³ Dual parallel piped pre and afterfilters with bypass around dryer.

⁴ Dual parallel piped pre and afterfilters with bypass around skid.

⁵ For dual filter packages, order qty of (2).

⁶ Adder is for base dryer only with standard filter package.

NOTE: Other options may be required for outdoor applications. Consult Factory for details and pricing.

Notes:

- Dryers equipped with non-price page options above are Special Order.
A New Item Creation ticket will need to be submitted before an order can be placed.
- Standard lead-times do not apply. Contact Marketing for special lead-time quote

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE



Compressed Air Systems and Services
Davidson, NC 28036

Date: 1-Jul-18
Cancels: All Previous

HLA120

Heatless Desiccant Dryer Options	List Price
Controls	
EMS	See HL Price Page
4-20mA PDP Output ¹	\$ 842.00
Fail to Shift Alarm	\$ 519.00
Ethernet Communication	\$ 880.00
Rotary Disconnect Switch	\$ 1,447.00
Pneumatic Controls ²	\$ 4,052.00
Stainless Steel Nema 4X Labeled Enclosure	\$ 2,102.00
304 Stainless Steel Control Air Tubing	\$ 1,956.00
Repressurization Circuit	\$ 675.00
Vessels	
1/8" Corrosion Allowance	CF
1/16" Corrosion Allowance	CF
High Pressure (250 PSIG MAWP)	CF
Filters	
3V Bypass	See HL Price Page
Dual Filter Pkg E ³	\$ 4,498.00
Dual Filter Pkg. C with Skid Bypass ⁴	N/A
3 Valve Drain Bypass ⁵	\$ 868.00
Other	
Outdoor Paint ⁶	\$ 6,320.00
Grounding Lug	\$ 421.00
Stainless Steel 1/2" x 2" Instrument Tag (CCN 23567654)	\$ 78.00
Stainless Steel 2" x 6" Equipment Tag (CCN 23567647)	\$ 393.00

N/A - Not available on this model
CF - Consult factory

¹ 4-20mA PDP Output - Requires EMS

² Pneumatic Controls - Operates without electricity. No electrical options available.

³ Dual parallel piped pre and afterfilters with bypass around dryer.

⁴ Dual parallel piped pre and afterfilters with bypass around skid.

⁵ For dual filter packages, order qty of (2).

⁶ Adder is for base dryer only with standard filter package.

NOTE: Other options may be required for outdoor applications. Consult Factory for details and pricing.

Notes:

- Dryers equipped with non-price page options above are Special Order.
A New Item Creation ticket will need to be submitted before an order can be placed.
- Standard lead-times do not apply. Contact Marketing for special lead-time quote

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE



Compressed Air Systems and Services
Davidson, NC 28036

Date: 1-Jul-18
Cancels: All Previous

HLA160

Heatless Desiccant Dryer Options	List Price
Controls	
EMS	See HL Price Page
4-20mA PDP Output ¹	\$ 842.00
Fail to Shift Alarm	\$ 519.00
Ethernet Communication	\$ 880.00
Rotary Disconnect Switch	\$ 1,447.00
Pneumatic Controls ²	\$ 4,052.00
Stainless Steel Nema 4X Labeled Enclosure	\$ 2,102.00
304 Stainless Steel Control Air Tubing	\$ 1,956.00
Repressurization Circuit	\$ 675.00
Vessels	
1/8" Corrosion Allowance	CF
1/16" Corrosion Allowance	CF
High Pressure (250 PSIG MAWP)	CF
Filters	
3V Bypass	See HL Price Page
Dual Filter Pkg E ³	\$ 5,369.00
Dual Filter Pkg. C with Skid Bypass ⁴	N/A
3 Valve Drain Bypass ⁵	\$ 868.00
Other	
Outdoor Paint ⁶	\$ 6,650.00
Grounding Lug	\$ 421.00
Stainless Steel 1/2" x 2" Instrument Tag (CCN 23567654)	\$ 78.00
Stainless Steel 2" x 6" Equipment Tag (CCN 23567647)	\$ 393.00

N/A - Not available on this model
CF - Consult factory

¹ 4-20mA PDP Output - Requires EMS

² Pneumatic Controls - Operates without electricity. No electrical options available.

³ Dual parallel piped pre and afterfilters with bypass around dryer.

⁴ Dual parallel piped pre and afterfilters with bypass around skid.

⁵ For dual filter packages, order qty of (2).

⁶ Adder is for base dryer only with standard filter package.

NOTE: Other options may be required for outdoor applications. Consult Factory for details and pricing.

Notes:

1. Dryers equipped with non-price page options above are Special Order.

A New Item Creation ticket will need to be submitted before an order can be placed.

2. Standard lead-times do not apply. Contact Marketing for special lead-time quote

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE



Compressed Air Systems and Services
Davidson, NC 28036

Date: 1-Jul-18
Cancels: All Previous

HLA200

Heatless Desiccant Dryer Options	List Price
Controls	
EMS	See HL Price Page
4-20mA PDP Output ¹	\$ 842.00
Fail to Shift Alarm	\$ 519.00
Ethernet Communication	\$ 880.00
Rotary Disconnect Switch	\$ 1,447.00
Pneumatic Controls ²	\$ 4,052.00
Stainless Steel Nema 4X Labeled Enclosure	\$ 2,102.00
304 Stainless Steel Control Air Tubing	\$ 1,956.00
Repressurization Circuit	\$ 675.00
Vessels	
1/8" Corrosion Allowance	CF
1/16" Corrosion Allowance	CF
High Pressure (250 PSIG MAWP)	CF
Filters	
3V Bypass	See HL Price Page
Dual Filter Pkg E ³	\$ 5,369.00
Dual Filter Pkg. C with Skid Bypass ⁴	N/A
3 Valve Drain Bypass ⁵	\$ 868.00
Other	
Outdoor Paint ⁶	\$ 6,650.00
Grounding Lug	\$ 421.00
Stainless Steel 1/2" x 2" Instrument Tag (CCN 23567654)	\$ 78.00
Stainless Steel 2" x 6" Equipment Tag (CCN 23567647)	\$ 393.00

N/A - Not available on this model
CF - Consult factory

¹ 4-20mA PDP Output - Requires EMS

² Pneumatic Controls - Operates without electricity. No electrical options available.

³ Dual parallel piped pre and afterfilters with bypass around dryer.

⁴ Dual parallel piped pre and afterfilters with bypass around skid.

⁵ For dual filter packages, order qty of (2).

⁶ Adder is for base dryer only with standard filter package.

NOTE: Other options may be required for outdoor applications. Consult Factory for details and pricing.

Notes:

1. Dryers equipped with non-price page options above are Special Order.

A New Item Creation ticket will need to be submitted before an order can be placed.

2. Standard lead-times do not apply. Contact Marketing for special lead-time quote

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE



Compressed Air Systems and Services
Davidson, NC 28036

Date: 1-Jul-18
Cancels: All Previous

HLA250

Heatless Desiccant Dryer Options	List Price
Controls	
EMS	See HL Price Page
4-20mA PDP Output ¹	\$ 842.00
Fail to Shift Alarm	\$ 519.00
Ethernet Communication	\$ 880.00
Rotary Disconnect Switch	\$ 1,447.00
Pneumatic Controls ²	\$ 4,052.00
Stainless Steel Nema 4X Labeled Enclosure	\$ 2,102.00
304 Stainless Steel Control Air Tubing	\$ 1,809.00
Repressurization Circuit	\$ 675.00
Vessels	
1/8" Corrosion Allowance	CF
1/16" Corrosion Allowance	CF
High Pressure (250 PSIG MAWP)	CF
Filters	
3V Bypass	See HL Price Page
Dual Filter Pkg E ³	\$ 6,589.00
Dual Filter Pkg. C with Skid Bypass ⁴	N/A
3 Valve Drain Bypass ⁵	\$ 868.00
Other	
Outdoor Paint ⁶	\$ 6,990.00
Grounding Lug	\$ 421.00
Stainless Steel 1/2" x 2" Instrument Tag (CCN 23567654)	\$ 78.00
Stainless Steel 2" x 6" Equipment Tag (CCN 23567647)	\$ 393.00

N/A - Not available on this model
CF - Consult factory

¹ 4-20mA PDP Output - Requires EMS

² Pneumatic Controls - Operates without electricity. No electrical options available.

³ Dual parallel piped pre and afterfilters with bypass around dryer.

⁴ Dual parallel piped pre and afterfilters with bypass around skid.

⁵ For dual filter packages, order qty of (2).

⁶ Adder is for base dryer only with standard filter package.

NOTE: Other options may be required for outdoor applications. Consult Factory for details and pricing.

Notes:

1. Dryers equipped with non-price page options above are Special Order.

A New Item Creation ticket will need to be submitted before an order can be placed.

2. Standard lead-times do not apply. Contact Marketing for special lead-time quote

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE



Compressed Air Systems and Services
Davidson, NC 28036

Date: 1-Jul-18
Cancels: All Previous

HLA300

Heatless Desiccant Dryer Options	List Price
Controls	
EMS	See HL Price Page
4-20mA PDP Output ¹	\$ 842.00
Fail to Shift Alarm	\$ 519.00
Ethernet Communication	\$ 880.00
Rotary Disconnect Switch	\$ 1,447.00
Pneumatic Controls ²	\$ 4,052.00
Stainless Steel Nema 4X Labeled Enclosure	\$ 2,102.00
304 Stainless Steel Control Air Tubing	\$ 1,809.00
Repressurization Circuit	\$ 765.00
Vessels	
1/8" Corrosion Allowance	CF
1/16" Corrosion Allowance	CF
High Pressure (250 PSIG MAWP)	CF
Filters	
3V Bypass	See HL Price Page
Dual Filter Pkg E ³	\$ 7,650.00
Dual Filter Pkg. C with Skid Bypass ⁴	N/A
3 Valve Drain Bypass ⁵	\$ 868.00
Other	
Outdoor Paint ⁶	\$ 6,990.00
Grounding Lug	\$ 421.00
Stainless Steel 1/2" x 2" Instrument Tag (CCN 23567654)	\$ 78.00
Stainless Steel 2" x 6" Equipment Tag (CCN 23567647)	\$ 393.00

N/A - Not available on this model
CF - Consult factory

¹ 4-20mA PDP Output - Requires EMS

² Pneumatic Controls - Operates without electricity. No electrical options available.

³ Dual parallel piped pre and afterfilters with bypass around dryer.

⁴ Dual parallel piped pre and afterfilters with bypass around skid.

⁵ For dual filter packages, order qty of (2).

⁶ Adder is for base dryer only with standard filter package.

NOTE: Other options may be required for outdoor applications. Consult Factory for details and pricing.

Notes:

1. Dryers equipped with non-price page options above are Special Order.

A New Item Creation ticket will need to be submitted before an order can be placed.

2. Standard lead-times do not apply. Contact Marketing for special lead-time quote

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE



Compressed Air Systems and Services
Davidson, NC 28036

Date: 1-Jul-18
Cancels: All Previous

HLA400

Heatless Desiccant Dryer Options	List Price
Controls	
EMS	See HL Price Page
4-20mA PDP Output ¹	\$ 842.00
Fail to Shift Alarm	\$ 519.00
Ethernet Communication	\$ 880.00
Rotary Disconnect Switch	\$ 1,447.00
Pneumatic Controls ²	\$ 4,052.00
Stainless Steel Nema 4X Labeled Enclosure	\$ 2,102.00
304 Stainless Steel Control Air Tubing	\$ 1,809.00
Repressurization Circuit	\$ 765.00
Vessels	
1/8" Corrosion Allowance	CF
1/16" Corrosion Allowance	CF
High Pressure (250 PSIG MAWP)	CF
Filters	
3V Bypass	See HL Price Page
Dual Filter Pkg E ³	\$ 7,670.00
Dual Filter Pkg. C with Skid Bypass ⁴	N/A
3 Valve Drain Bypass ⁵	\$ 868.00
Other	
Outdoor Paint ⁶	\$ 6,990.00
Grounding Lug	\$ 421.00
Stainless Steel 1/2" x 2" Instrument Tag (CCN 23567654)	\$ 78.00
Stainless Steel 2" x 6" Equipment Tag (CCN 23567647)	\$ 393.00

N/A - Not available on this model
CF - Consult factory

¹ 4-20mA PDP Output - Requires EMS

² Pneumatic Controls - Operates without electricity. No electrical options available.

³ Dual parallel piped pre and afterfilters with bypass around dryer.

⁴ Dual parallel piped pre and afterfilters with bypass around skid.

⁵ For dual filter packages, order qty of (2).

⁶ Adder is for base dryer only with standard filter package.

NOTE: Other options may be required for outdoor applications. Consult Factory for details and pricing.

Notes:

1. Dryers equipped with non-price page options above are Special Order.

A New Item Creation ticket will need to be submitted before an order can be placed.

2. Standard lead-times do not apply. Contact Marketing for special lead-time quote

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE



Compressed Air Systems and Services
Davidson, NC 28036

Date: 1-Jul-18
Cancels: All Previous

HLA500

Heatless Desiccant Dryer Options	List Price
Controls	
EMS	See HL Price Page
4-20mA PDP Output ¹	\$ 842.00
Fail to Shift Alarm	\$ 519.00
Ethernet Communication	\$ 880.00
Rotary Disconnect Switch	\$ 1,447.00
Pneumatic Controls ²	\$ 4,052.00
Stainless Steel Nema 4X Labeled Enclosure	\$ 2,102.00
304 Stainless Steel Control Air Tubing	\$ 1,809.00
Repressurization Circuit	\$ 765.00
Vessels	
1/8" Corrosion Allowance	CF
1/16" Corrosion Allowance	CF
High Pressure (250 PSIG MAWP)	CF
Filters	
3V Bypass	See HL Price Page
Dual Filter Pkg E ³	\$ 7,703.00
Dual Filter Pkg. C with Skid Bypass ⁴	N/A
3 Valve Drain Bypass ⁵	\$ 868.00
Other	
Outdoor Paint ⁶	\$ 7,320.00
Grounding Lug	\$ 421.00
Stainless Steel 1/2" x 2" Instrument Tag (CCN 23567654)	\$ 78.00
Stainless Steel 2" x 6" Equipment Tag (CCN 23567647)	\$ 393.00

N/A - Not available on this model
CF - Consult factory

¹ 4-20mA PDP Output - Requires EMS

² Pneumatic Controls - Operates without electricity. No electrical options available.

³ Dual parallel piped pre and afterfilters with bypass around dryer.

⁴ Dual parallel piped pre and afterfilters with bypass around skid.

⁵ For dual filter packages, order qty of (2).

⁶ Adder is for base dryer only with standard filter package.

NOTE: Other options may be required for outdoor applications. Consult Factory for details and pricing.

Notes:

1. Dryers equipped with non-price page options above are Special Order.

A New Item Creation ticket will need to be submitted before an order can be placed.

2. Standard lead-times do not apply. Contact Marketing for special lead-time quote

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE



Compressed Air Systems and Services
Davidson, NC 28036

Date: 1-Jul-18
Cancels: All Previous

HLA600

Heatless Desiccant Dryer Options	List Price
Controls	
EMS	See HL Price Page
4-20mA PDP Output ¹	\$ 842.00
Fail to Shift Alarm	\$ 519.00
Ethernet Communication	\$ 880.00
Rotary Disconnect Switch	\$ 1,447.00
Pneumatic Controls ²	\$ 4,052.00
Stainless Steel Nema 4X Labeled Enclosure	\$ 2,102.00
304 Stainless Steel Control Air Tubing	\$ 1,809.00
Repressurization Circuit	\$ 765.00
Vessels	
1/8" Corrosion Allowance	CF
1/16" Corrosion Allowance	CF
High Pressure (250 PSIG MAWP)	CF
Filters	
3V Bypass	See HL Price Page
Dual Filter Pkg E ³	\$ 8,636.00
Dual Filter Pkg. C with Skid Bypass ⁴	N/A
3 Valve Drain Bypass ⁵	\$ 868.00
Other	
Outdoor Paint ⁶	\$ 7,320.00
Grounding Lug	\$ 421.00
Stainless Steel 1/2" x 2" Instrument Tag (CCN 23567654)	\$ 78.00
Stainless Steel 2" x 6" Equipment Tag (CCN 23567647)	\$ 393.00

N/A - Not available on this model
CF - Consult factory

¹ 4-20mA PDP Output - Requires EMS

² Pneumatic Controls - Operates without electricity. No electrical options available.

³ Dual parallel piped pre and afterfilters with bypass around dryer.

⁴ Dual parallel piped pre and afterfilters with bypass around skid.

⁵ For dual filter packages, order qty of (2).

⁶ Adder is for base dryer only with standard filter package.

NOTE: Other options may be required for outdoor applications. Consult Factory for details and pricing.

Notes:

1. Dryers equipped with non-price page options above are Special Order.

A New Item Creation ticket will need to be submitted before an order can be placed.

2. Standard lead-times do not apply. Contact Marketing for special lead-time quote

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE



Compressed Air Systems and Services
Davidson, NC 28036

Date: 1-Jul-18
Cancels: All Previous

HL800

Heatless Desiccant Dryer Options	List Price
Controls	
EMS	See HL Price Page
4-20mA PDP Output ¹	\$ 842.00
Fail to Shift Alarm	\$ 519.00
Ethernet Communication	\$ 1,670.00
Rotary Disconnect Switch	\$ 1,447.00
Pneumatic Controls ²	\$ 4,052.00
Stainless Steel Nema 4X Labeled Enclosure	\$ 2,102.00
304 Stainless Steel Control Air Tubing	\$ 1,809.00
Repressurization Circuit	\$ 929.00
Vessels	
1/8" Corrosion Allowance	CF
1/16" Corrosion Allowance	CF
High Pressure (250 PSIG MAWP)	CF
Filters	
3V Bypass	See HL Price Page
Dual Filter Pkg E ³	\$ 15,859.00
Dual Filter Pkg. C with Skid Bypass ⁴	N/A
3 Valve Drain Bypass ⁵	\$ 868.00
Other	
Outdoor Paint ⁶	\$ 10,250.00
Grounding Lug	\$ 421.00
Stainless Steel 1/2" x 2" Instrument Tag (CCN 23567654)	\$ 78.00
Stainless Steel 2" x 6" Equipment Tag (CCN 23567647)	\$ 393.00

N/A - Not available on this model
CF - Consult factory

¹ 4-20mA PDP Output - Requires EMS

² Pneumatic Controls - Operates without electricity. No electrical options available.

³ Dual parallel piped pre and afterfilters with bypass around dryer.

⁴ Dual parallel piped pre and afterfilters with bypass around skid.

⁵ For dual filter packages, order qty of (2).

⁶ Adder is for base dryer only with standard filter package.

NOTE: Other options may be required for outdoor applications. Consult Factory for details and pricing.

Notes:

- Dryers equipped with non-price page options above are Special Order.
A New Item Creation ticket will need to be submitted before an order can be placed.
- Standard lead-times do not apply. Contact Marketing for special lead-time quote

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE



Compressed Air Systems and Services
Davidson, NC 28036

Date: 1-Jul-18
Cancels: All Previous

HL1000

Heatless Desiccant Dryer Options	List Price
Controls	
EMS	See HL Price Page
4-20mA PDP Output ¹	\$ 842.00
Fail to Shift Alarm	\$ 519.00
Ethernet Communication	\$ 1,670.00
Rotary Disconnect Switch	\$ 1,447.00
Pneumatic Controls ²	\$ 4,052.00
Stainless Steel Nema 4X Labeled Enclosure	\$ 2,102.00
304 Stainless Steel Control Air Tubing	\$ 1,809.00
Repressurization Circuit	\$ 929.00
Vessels	
1/8" Corrosion Allowance	CF
1/16" Corrosion Allowance	CF
High Pressure (250 PSIG MAWP)	CF
Filters	
3V Bypass	See HL Price Page
Dual Filter Pkg E ³	\$ 15,859.00
Dual Filter Pkg. C with Skid Bypass ⁴	N/A
3 Valve Drain Bypass ⁵	\$ 868.00
Other	
Outdoor Paint ⁶	\$ 10,250.00
Grounding Lug	\$ 421.00
Stainless Steel 1/2" x 2" Instrument Tag (CCN 23567654)	\$ 78.00
Stainless Steel 2" x 6" Equipment Tag (CCN 23567647)	\$ 393.00

N/A - Not available on this model
CF - Consult factory

¹ 4-20mA PDP Output - Requires EMS

² Pneumatic Controls - Operates without electricity. No electrical options available.

³ Dual parallel piped pre and afterfilters with bypass around dryer.

⁴ Dual parallel piped pre and afterfilters with bypass around skid.

⁵ For dual filter packages, order qty of (2).

⁶ Adder is for base dryer only with standard filter package.

NOTE: Other options may be required for outdoor applications. Consult Factory for details and pricing.

Notes:

1. Dryers equipped with non-price page options above are Special Order.

A New Item Creation ticket will need to be submitted before an order can be placed.

2. Standard lead-times do not apply. Contact Marketing for special lead-time quote

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE



Compressed Air Systems and Services
Davidson, NC 28036

Date: 1-Jul-18
Cancels: All Previous

HL1200

Heatless Desiccant Dryer Options	List Price
Controls	
EMS	See HL Price Page
4-20mA PDP Output ¹	\$ 842.00
Fail to Shift Alarm	\$ 519.00
Ethernet Communication	\$ 1,670.00
Rotary Disconnect Switch	\$ 1,447.00
Pneumatic Controls ²	\$ 4,052.00
Stainless Steel Nema 4X Labeled Enclosure	\$ 2,102.00
304 Stainless Steel Control Air Tubing	\$ 1,809.00
Repressurization Circuit	\$ 929.00
Vessels	
1/8" Corrosion Allowance	CF
1/16" Corrosion Allowance	CF
High Pressure (250 PSIG MAWP)	CF
Filters	
3V Bypass	See HL Price Page
Dual Filter Pkg E ³	\$ 16,295.00
Dual Filter Pkg. C with Skid Bypass ⁴	N/A
3 Valve Drain Bypass ⁵	\$ 868.00
Other	
Outdoor Paint ⁶	\$ 10,250.00
Grounding Lug	\$ 421.00
Stainless Steel 1/2" x 2" Instrument Tag (CCN 23567654)	\$ 78.00
Stainless Steel 2" x 6" Equipment Tag (CCN 23567647)	\$ 393.00

N/A - Not available on this model
CF - Consult factory

¹ 4-20mA PDP Output - Requires EMS

² Pneumatic Controls - Operates without electricity. No electrical options available.

³ Dual parallel piped pre and afterfilters with bypass around dryer.

⁴ Dual parallel piped pre and afterfilters with bypass around skid.

⁵ For dual filter packages, order qty of (2).

⁶ Adder is for base dryer only with standard filter package.

NOTE: Other options may be required for outdoor applications. Consult Factory for details and pricing.

Notes:

1. Dryers equipped with non-price page options above are Special Order.

A New Item Creation ticket will need to be submitted before an order can be placed.

2. Standard lead-times do not apply. Contact Marketing for special lead-time quote

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE



Compressed Air Systems and Services
Davidson, NC 28036

Date: 1-Jul-18
Cancels: All Previous

HL1500

Heatless Desiccant Dryer Options	List Price
Controls	
EMS	See HL Price Page
4-20mA PDP Output ¹	\$ 842.00
Fail to Shift Alarm	\$ 519.00
Ethernet Communication	\$ 1,670.00
Rotary Disconnect Switch	\$ 1,447.00
Pneumatic Controls ²	\$ 4,052.00
Stainless Steel Nema 4X Labeled Enclosure	\$ 2,102.00
304 Stainless Steel Control Air Tubing	\$ 1,809.00
Repressurization Circuit	\$ 1,026.00
Vessels	
1/8" Corrosion Allowance	CF
1/16" Corrosion Allowance	CF
High Pressure (250 PSIG MAWP)	CF
Filters	
3V Bypass	See HL Price Page
Dual Filter Pkg E ³	\$ 19,127.00
Dual Filter Pkg. C with Skid Bypass ⁴	N/A
3 Valve Drain Bypass ⁵	\$ 868.00
Other	
Outdoor Paint ⁶	\$ 10,840.00
Grounding Lug	\$ 421.00
Stainless Steel 1/2" x 2" Instrument Tag (CCN 23567654)	\$ 78.00
Stainless Steel 2" x 6" Equipment Tag (CCN 23567647)	\$ 393.00

N/A - Not available on this model

CF - Consult factory

¹ 4-20mA PDP Output - Requires EMS

² Pneumatic Controls - Operates without electricity. No electrical options available.

³ Dual parallel piped pre and afterfilters with bypass around dryer.

⁴ Dual parallel piped pre and afterfilters with bypass around skid.

⁵ For dual filter packages, order qty of (2).

⁶ Adder is for base dryer only with standard filter package.

NOTE: Other options may be required for outdoor applications. Consult Factory for details and pricing.

Notes:

1. Dryers equipped with non-price page options above are Special Order.

A New Item Creation ticket will need to be submitted before an order can be placed.

2. Standard lead-times do not apply. Contact Marketing for special lead-time quote

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE



Compressed Air Systems and Services
Davidson, NC 28036

Date: 1-Jul-18
Cancels: All Previous

HL1800

Heatless Desiccant Dryer Options	List Price
Controls	
EMS	See HL Price Page
4-20mA PDP Output ¹	\$ 842.00
Fail to Shift Alarm	\$ 519.00
Ethernet Communication	\$ 1,670.00
Rotary Disconnect Switch	\$ 1,447.00
Pneumatic Controls ²	\$ 4,052.00
Stainless Steel Nema 4X Labeled Enclosure	\$ 2,102.00
304 Stainless Steel Control Air Tubing	\$ 1,809.00
Repressurization Circuit	\$ 1,026.00
Vessels	
1/8" Corrosion Allowance	CF
1/16" Corrosion Allowance	CF
High Pressure (250 PSIG MAWP)	CF
Filters	
3V Bypass	See HL Price Page
Dual Filter Pkg E ³	N/A
Dual Filter Pkg. C with Skid Bypass ⁴	\$ 30,669.00
3 Valve Drain Bypass ⁵	\$ 1,042.00
Other	
Outdoor Paint ⁶	\$ 13,170.00
Grounding Lug	\$ 421.00
Stainless Steel 1/2" x 2" Instrument Tag (CCN 23567654)	\$ 78.00
Stainless Steel 2" x 6" Equipment Tag (CCN 23567647)	\$ 393.00

N/A - Not available on this model
CF - Consult factory

¹ 4-20mA PDP Output - Requires EMS

² Pneumatic Controls - Operates without electricity. No electrical options available.

³ Dual parallel piped pre and afterfilters with bypass around dryer.

⁴ Dual parallel piped pre and afterfilters with bypass around skid.

⁵ For dual filter packages, order qty of (2).

⁶ Adder is for base dryer only with standard filter package.

NOTE: Other options may be required for outdoor applications. Consult Factory for details and pricing.

Notes:

1. Dryers equipped with non-price page options above are Special Order.

A New Item Creation ticket will need to be submitted before an order can be placed.

2. Standard lead-times do not apply. Contact Marketing for special lead-time quote

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE



Compressed Air Systems and Services
Davidson, NC 28036

Date: 1-Jul-18
Cancels: All Previous

HL2100

Heatless Desiccant Dryer Options	List Price
Controls	
EMS	See HL Price Page
4-20mA PDP Output ¹	\$ 842.00
Fail to Shift Alarm	\$ 519.00
Ethernet Communication	\$ 1,670.00
Rotary Disconnect Switch	\$ 1,447.00
Pneumatic Controls ²	\$ 4,052.00
Stainless Steel Nema 4X Labeled Enclosure	\$ 2,102.00
304 Stainless Steel Control Air Tubing	\$ 1,809.00
Repressurization Circuit	\$ 1,026.00
Vessels	
1/8" Corrosion Allowance	CF
1/16" Corrosion Allowance	CF
High Pressure (250 PSIG MAWP)	CF
Filters	
3V Bypass	See HL Price Page
Dual Filter Pkg E ³	N/A
Dual Filter Pkg. C with Skid Bypass ⁴	\$ 31,602.00
3 Valve Drain Bypass ⁵	\$ 1,042.00
Other	
Outdoor Paint ⁶	\$ 13,170.00
Grounding Lug	\$ 421.00
Stainless Steel 1/2" x 2" Instrument Tag (CCN 23567654)	\$ 78.00
Stainless Steel 2" x 6" Equipment Tag (CCN 23567647)	\$ 393.00

N/A - Not available on this model

CF - Consult factory

¹ 4-20mA PDP Output - Requires EMS

² Pneumatic Controls - Operates without electricity. No electrical options available.

³ Dual parallel piped pre and afterfilters with bypass around dryer.

⁴ Dual parallel piped pre and afterfilters with bypass around skid.

⁵ For dual filter packages, order qty of (2).

⁶ Adder is for base dryer only with standard filter package.

NOTE: Other options may be required for outdoor applications. Consult Factory for details and pricing.

Notes:

1. Dryers equipped with non-price page options above are Special Order.

A New Item Creation ticket will need to be submitted before an order can be placed.

2. Standard lead-times do not apply. Contact Marketing for special lead-time quote

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE



Compressed Air Systems and Services
Davidson, NC 28036

Date: 1-Jul-18
Cancels: All Previous

HL2700

Heatless Desiccant Dryer Options	List Price
Controls	
EMS	See HL Price Page
4-20mA PDP Output ¹	\$ 842.00
Fail to Shift Alarm	\$ 519.00
Ethernet Communication	\$ 1,670.00
Rotary Disconnect Switch	\$ 1,447.00
Pneumatic Controls ²	\$ 4,052.00
Stainless Steel Nema 4X Labeled Enclosure	\$ 2,102.00
304 Stainless Steel Control Air Tubing	\$ 1,809.00
Repressurization Circuit	\$ 1,026.00
Vessels	
1/8" Corrosion Allowance	CF
1/16" Corrosion Allowance	CF
High Pressure (250 PSIG MAWP)	CF
Filters	
3V Bypass	See HL Price Page
Dual Filter Pkg E ³	N/A
Dual Filter Pkg. C with Skid Bypass ⁴	\$ 32,525.00
3 Valve Drain Bypass ⁵	\$ 1,042.00
Other	
Outdoor Paint ⁶	\$ 15,340.00
Grounding Lug	\$ 421.00
Stainless Steel 1/2" x 2" Instrument Tag (CCN 23567654)	\$ 78.00
Stainless Steel 2" x 6" Equipment Tag (CCN 23567647)	\$ 393.00

N/A - Not available on this model
CF - Consult factory

¹ 4-20mA PDP Output - Requires EMS

² Pneumatic Controls - Operates without electricity. No electrical options available.

³ Dual parallel piped pre and afterfilters with bypass around dryer.

⁴ Dual parallel piped pre and afterfilters with bypass around skid.

⁵ For dual filter packages, order qty of (2).

⁶ Adder is for base dryer only with standard filter package.

NOTE: Other options may be required for outdoor applications. Consult Factory for details and pricing.

Notes:

1. Dryers equipped with non-price page options above are Special Order.

A New Item Creation ticket will need to be submitted before an order can be placed.

2. Standard lead-times do not apply. Contact Marketing for special lead-time quote

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE



Compressed Air Systems and Services
Davidson, NC 28036

Date: 1-Jul-18
Cancels: All Previous

HL3300

Heatless Desiccant Dryer Options	List Price
Controls	
EMS	See HL Price Page
4-20mA PDP Output ¹	\$ 842.00
Fail to Shift Alarm	\$ 519.00
Ethernet Communication	\$ 1,670.00
Rotary Disconnect Switch	\$ 1,447.00
Pneumatic Controls ²	N/A
Stainless Steel Nema 4X Labeled Enclosure	\$ 2,102.00
304 Stainless Steel Control Air Tubing	\$ 2,937.00
Repressurization Circuit	\$ 1,310.00
Vessels	
1/8" Corrosion Allowance	CF
1/16" Corrosion Allowance	CF
High Pressure (250 PSIG MAWP)	CF
Filters	
3V Bypass	See HL Price Page
Dual Filter Pkg E ³	N/A
Dual Filter Pkg. C with Skid Bypass ⁴	\$ 42,718.00
3 Valve Drain Bypass ⁵	\$ 1,042.00
Other	
Outdoor Paint ⁶	\$ 21,170.00
Grounding Lug	\$ 421.00
Stainless Steel 1/2" x 2" Instrument Tag (CCN 23567654)	\$ 78.00
Stainless Steel 2" x 6" Equipment Tag (CCN 23567647)	\$ 393.00

N/A - Not available on this model
CF - Consult factory

¹ 4-20mA PDP Output - Requires EMS

² Pneumatic Controls - Operates without electricity. No electrical options available.

³ Dual parallel piped pre and afterfilters byass around dryer.

⁴ Dual parallel piped pre and afterfilters with bypass around skid.

⁵ For dual filter packages, order qty of (2).

⁶ Adder is for base dryer only with standard filter package.

NOTE: Other options may be required for outdoor applications. Consult Factory for details and pricing.

Notes:

- Dryers equipped with non-price page options above are Special Order.
A New Item Creation ticket will need to be submitted before an order can be placed.
- Standard lead-times do not apply. Contact Marketing for special lead-time quote

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE



Compressed Air Systems and Services
Davidson, NC 28036

Date: 1-Jul-18
Cancels: All Previous

HL4000

Heatless Desiccant Dryer Options	List Price
Controls	
EMS	See HL Price Page
4-20mA PDP Output ¹	\$ 842.00
Fail to Shift Alarm	\$ 519.00
Ethernet Communication	\$ 1,670.00
Rotary Disconnect Switch	\$ 1,447.00
Pneumatic Controls ²	N/A
Stainless Steel Nema 4X Labeled Enclosure	\$ 2,102.00
304 Stainless Steel Control Air Tubing	\$ 2,937.00
Repressurization Circuit	\$ 1,310.00
Vessels	
1/8" Corrosion Allowance	CF
1/16" Corrosion Allowance	CF
High Pressure (250 PSIG MAWP)	CF
Filters	
3V Bypass	See HL Price Page
Dual Filter Pkg E ³	N/A
Dual Filter Pkg. C with Skid Bypass ⁴	\$ 42,953.00
3 Valve Drain Bypass ⁵	\$ 1,042.00
Other	
Outdoor Paint ⁶	\$ 21,170.00
Grounding Lug	\$ 421.00
Stainless Steel 1/2" x 2" Instrument Tag (CCN 23567654)	\$ 78.00
Stainless Steel 2" x 6" Equipment Tag (CCN 23567647)	\$ 393.00

N/A - Not available on this model
CF - Consult factory

¹ 4-20mA PDP Output - Requires EMS

² Pneumatic Controls - Operates without electricity. No electrical options available.

³ Dual parallel piped pre and afterfilters byass around dryer.

⁴ Dual parallel piped pre and afterfilters with bypass around skid.

⁵ For dual filter packages, order qty of (2).

⁶ Adder is for base dryer only with standard filter package.

NOTE: Other options may be required for outdoor applications. Consult Factory for details and pricing.

Notes:

1. Dryers equipped with non-price page options above are Special Order.

A New Item Creation ticket will need to be submitted before an order can be placed.

2. Standard lead-times do not apply. Contact Marketing for special lead-time quote

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE



Compressed Air Systems and Services
Davidson, NC 28036

Date: 1-Jul-18
Cancels: All Previous

HL5000

Heatless Desiccant Dryer Options	List Price
Controls	
EMS	See HL Price Page
4-20mA PDP Output ¹	\$ 842.00
Fail to Shift Alarm	\$ 519.00
Ethernet Communication	\$ 1,670.00
Rotary Disconnect Switch	\$ 1,447.00
Pneumatic Controls ²	N/A
Stainless Steel Nema 4X Labeled Enclosure	\$ 2,102.00
304 Stainless Steel Control Air Tubing	\$ 2,937.00
Repressurization Circuit	\$ 1,310.00
Vessels	
1/8" Corrosion Allowance	CF
1/16" Corrosion Allowance	CF
High Pressure (250 PSIG MAWP)	CF
Filters	
3V Bypass	See HL Price Page
Dual Filter Pkg E ³	N/A
Dual Filter Pkg. C with Skid Bypass ⁴	\$ 44,656.00
3 Valve Drain Bypass ⁵	\$ 1,042.00
Other	
Outdoor Paint ⁶	\$ 24,000.00
Grounding Lug	\$ 421.00
Stainless Steel 1/2" x 2" Instrument Tag (CCN 23567654)	\$ 78.00
Stainless Steel 2" x 6" Equipment Tag (CCN 23567647)	\$ 393.00

N/A - Not available on this model
CF - Consult factory

¹ 4-20mA PDP Output - Requires EMS

² Pneumatic Controls - Operates without electricity. No electrical options available.

³ Dual parallel piped pre and afterfilters byass around dryer.

⁴ Dual parallel piped pre and afterfilters with bypass around skid.

⁵ For dual filter packages, order qty of (2).

⁶ Adder is for base dryer only with standard filter package.

NOTE: Other options may be required for outdoor applications. Consult Factory for details and pricing.

Notes:

1. Dryers equipped with non-price page options above are Special Order.

A New Item Creation ticket will need to be submitted before an order can be placed.

2. Standard lead-times do not apply. Contact Marketing for special lead-time quote

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE