



**Compressed Air Systems and Services**  
**West Chester, PA 19380**

**Date: 1-Jul-18**  
**Cancel: All Previous**

**NVC200**

<b>Refrigerated Dryer Options</b>	<b>List Price</b>
Air Cooled (standard)	See NVC Price Page
Water Cooled	See NVC Price Page
NEMA 4	See NVC Price Page
Gauge Package <sup>1</sup>	\$ 619.00
Ambient Air Filter <sup>2</sup>	STD
Stainless Steel Air Side <sup>3</sup>	\$ 2,000.00

N/A - Not available on this model  
 CF - Consult factory  
 STD - Standard

<sup>1</sup> Available on NVC200-400 only

- Inlet Air Temperature
- Outlet Air Pressure
- Refrigeration Discharge Pressure
- Suction Pressure

<sup>2</sup> Standard on NVC200-800 only.

<sup>3</sup> Available in all NVC dryers. Air circuit only

**Notes:**

1. Dryers equipped with non-price page options above are Special Order.  
 A New Item Creation ticket will need to be submitted before an order can be placed.
2. Standard lead-times do not apply. Contact Marketing for special lead-time quote

**PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE**



**Compressed Air Systems and Services**  
**West Chester, PA 19380**

**Date: 1-Jul-18**  
**Cancels: All Previous**

**NVC300**

<b>Refrigerated Dryer Options</b>	<b>List Price</b>
Air Cooled (standard)	See NVC Price Page
Water Cooled	See NVC Price Page
NEMA 4	See NVC Price Page
Gauge Package <sup>1</sup>	\$ 619.00
Ambient Air Filter <sup>2</sup>	STD
Stainless Steel Air Side <sup>3</sup>	\$ 2,070.00

N/A - Not available on this model  
 CF - Consult factory  
 STD - Standard

<sup>1</sup> Available on NVC200-400 only

- Inlet Air Temperature
- Outlet Air Pressure
- Refrigeration Discharge Pressure
- Suction Pressure

<sup>2</sup> Standard on NVC200-800 only.

<sup>3</sup> Available in all NVC dryers. Air circuit only

**Notes:**

1. Dryers equipped with non-price page options above are Special Order.  
 A New Item Creation ticket will need to be submitted before an order can be placed.
2. Standard lead-times do not apply. Contact Marketing for special lead-time quote

**PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE**



**Compressed Air Systems and Services**  
**West Chester, PA 19380**

**Date: 1-Jul-18**  
**Cancels: All Previous**

### NVC400

<b>Refrigerated Dryer Options</b>	<b>List Price</b>
Air Cooled (standard)	See NVC Price Page
Water Cooled	See NVC Price Page
NEMA 4	See NVC Price Page
Gauge Package <sup>1</sup>	\$ 619.00
Ambient Air Filter <sup>2</sup>	STD
Stainless Steel Air Side <sup>3</sup>	\$ 2,070.00

N/A - Not available on this model  
 CF - Consult factory  
 STD - Standard

<sup>1</sup> Available on NVC200-400 only

- Inlet Air Temperature
- Outlet Air Pressure
- Refrigeration Discharge Pressure
- Suction Pressure

<sup>2</sup> Standard on NVC200-800 only.

<sup>3</sup> Available in all NVC dryers. Air circuit only

**Notes:**

1. Dryers equipped with non-price page options above are Special Order.  
 A New Item Creation ticket will need to be submitted before an order can be placed.
2. Standard lead-times do not apply. Contact Marketing for special lead-time quote

**PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE**



**Compressed Air Systems and Services**  
**West Chester, PA 19380**

**Date: 1-Jul-18**  
**Cancels: All Previous**

## NVC500

Refrigerated Dryer Options	List Price
Air Cooled (standard)	See NVC Price Page
Water Cooled	See NVC Price Page
NEMA 4	See NVC Price Page
Gauge Package <sup>1</sup>	N/A
Ambient Air Filter <sup>2</sup>	STD
Stainless Steel Air Side <sup>3</sup>	\$ 3,260.00

N/A - Not available on this model  
 CF - Consult factory  
 STD - Standard

<sup>1</sup> Available on NVC200-400 only

- Inlet Air Temperature
- Outlet Air Pressure
- Refrigeration Discharge Pressure
- Suction Pressure

<sup>2</sup> Standard on NVC200-800 only.

<sup>3</sup> Available in all NVC dryers. Air circuit only

**Notes:**

1. Dryers equipped with non-price page options above are Special Order.  
 A New Item Creation ticket will need to be submitted before an order can be placed.
2. Standard lead-times do not apply. Contact Marketing for special lead-time quote

**PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE**



**Compressed Air Systems and Services**  
**West Chester, PA 19380**

**Date: 1-Jul-18**  
**Cancels: All Previous**

**NVC600**

<b>Refrigerated Dryer Options</b>	<b>List Price</b>
Air Cooled (standard)	See NVC Price Page
Water Cooled	See NVC Price Page
NEMA 4	See NVC Price Page
Gauge Package <sup>1</sup>	N/A
Ambient Air Filter <sup>2</sup>	STD
Stainless Steel Air Side <sup>3</sup>	\$ 3,600.00

N/A - Not available on this model  
 CF - Consult factory  
 STD - Standard

<sup>1</sup> Available on NVC200-400 only

- Inlet Air Temperature
- Outlet Air Pressure
- Refrigeration Discharge Pressure
- Suction Pressure

<sup>2</sup> Standard on NVC200-800 only.

<sup>3</sup> Available in all NVC dryers. Air circuit only

**Notes:**

1. Dryers equipped with non-price page options above are Special Order.  
 A New Item Creation ticket will need to be submitted before an order can be placed.
2. Standard lead-times do not apply. Contact Marketing for special lead-time quote

**PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE**



**Compressed Air Systems and Services**  
**West Chester, PA 19380**

**Date: 1-Jul-18**  
**Cancel: All Previous**

**NVC700**

<b>Refrigerated Dryer Options</b>	<b>List Price</b>
Air Cooled (standard)	See NVC Price Page
Water Cooled	See NVC Price Page
NEMA 4	See NVC Price Page
Gauge Package <sup>1</sup>	N/A
Ambient Air Filter <sup>2</sup>	STD
Stainless Steel Air Side <sup>3</sup>	\$ 6,190.00

N/A - Not available on this model  
 CF - Consult factory  
 STD - Standard

- <sup>1</sup> Available on NVC200-400 only
- Inlet Air Temperature
  - Outlet Air Pressure
  - Refrigeration Discharge Pressure
  - Suction Pressure

<sup>2</sup> Standard on NVC200-800 only.

<sup>3</sup> Available in all NVC dryers. Air circuit only

**Notes:**

1. Dryers equipped with non-price page options above are Special Order.  
 A New Item Creation ticket will need to be submitted before an order can be placed.
2. Standard lead-times do not apply. Contact Marketing for special lead-time quote

**PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE**



**Compressed Air Systems and Services**  
**West Chester, PA 19380**

**Date: 1-Jul-18**  
**Cancels: All Previous**

**NVC800**

<b>Refrigerated Dryer Options</b>	<b>List Price</b>
Air Cooled (standard)	See NVC Price Page
Water Cooled	See NVC Price Page
NEMA 4	See NVC Price Page
Gauge Package <sup>1</sup>	N/A
Ambient Air Filter <sup>2</sup>	STD
Stainless Steel Air Side <sup>3</sup>	\$ 6,190.00

N/A - Not available on this model  
 CF - Consult factory  
 STD - Standard

- <sup>1</sup> Available on NVC200-400 only
- Inlet Air Temperature
  - Outlet Air Pressure
  - Refrigeration Discharge Pressure
  - Suction Pressure

<sup>2</sup> Standard on NVC200-800 only.

<sup>3</sup> Available in all NVC dryers. Air circuit only

**Notes:**

1. Dryers equipped with non-price page options above are Special Order.  
 A New Item Creation ticket will need to be submitted before an order can be placed.
2. Standard lead-times do not apply. Contact Marketing for special lead-time quote

**PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE**



**Compressed Air Systems and Services**  
**West Chester, PA 19380**

**Date: 1-Jul-18**  
**Cancel: All Previous**

**NVC1000**

<b>Refrigerated Dryer Options</b>	<b>List Price</b>
Air Cooled (standard)	See NVC Price Page
Water Cooled	See NVC Price Page
NEMA 4	See NVC Price Page
RS232-RS485 Converter	\$ 467.00
Ethernet Communication	\$ 1,427.00
Gauge Package <sup>1</sup>	N/A
Ambient Air Filter <sup>2</sup>	\$ 522.00
Stainless Steel Air Side <sup>3</sup>	\$ 13,790.00

N/A - Not available on this model  
 CF - Consult factory  
 STD - Standard

- <sup>1</sup> Available on NVC200-400 only
- Inlet Air Temperature
  - Outlet Air Pressure
  - Refrigeration Discharge Pressure
  - Suction Pressure

<sup>2</sup> Standard on NVC200-800 only.

<sup>3</sup> Available in all NVC dryers. Air circuit only

**Notes:**

1. Dryers equipped with non-price page options above are Special Order.  
 A New Item Creation ticket will need to be submitted before an order can be placed.
2. Standard lead-times do not apply. Contact Marketing for special lead-time quote

**PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE**





**Compressed Air Systems and Services**  
**West Chester, PA 19380**

**Date: 1-Jul-18**  
**Cancel: All Previous**

**NVC1200**

<b>Refrigerated Dryer Options</b>	<b>List Price</b>
Air Cooled (standard)	See NVC Price Page
Water Cooled	See NVC Price Page
NEMA 4	See NVC Price Page
RS232-RS485 Converter	\$ 467.00
Ethernet Communication	\$ 1,427.00
Gauge Package <sup>1</sup>	N/A
Ambient Air Filter <sup>2</sup>	\$ 522.00
Stainless Steel Air Side <sup>3</sup>	\$ 13,790.00

N/A - Not available on this model  
 CF - Consult factory  
 STD - Standard

- <sup>1</sup> Available on NVC200-400 only
- Inlet Air Temperature
  - Outlet Air Pressure
  - Refrigeration Discharge Pressure
  - Suction Pressure

<sup>2</sup> Standard on NVC200-800 only.

<sup>3</sup> Available in all NVC dryers. Air circuit only

**Notes:**

1. Dryers equipped with non-price page options above are Special Order.  
 A New Item Creation ticket will need to be submitted before an order can be placed.
2. Standard lead-times do not apply. Contact Marketing for special lead-time quote

**PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE**



**Compressed Air Systems and Services**  
**West Chester, PA 19380**

**Date: 1-Jul-18**  
**Cancel: All Previous**

**NVC1600**

<b>Refrigerated Dryer Options</b>	<b>List Price</b>
Air Cooled (standard)	See NVC Price Page
Water Cooled	See NVC Price Page
NEMA 4	See NVC Price Page
RS232-RS485 Converter	\$ 467.00
Ethernet Communication	\$ 1,427.00
Gauge Package <sup>1</sup>	N/A
Ambient Air Filter <sup>2</sup>	\$ 522.00
Stainless Steel Air Side <sup>3</sup>	\$ 14,200.00

N/A - Not available on this model  
 CF - Consult factory  
 STD - Standard

- <sup>1</sup> Available on NVC200-400 only
- Inlet Air Temperature
  - Outlet Air Pressure
  - Refrigeration Discharge Pressure
  - Suction Pressure

<sup>2</sup> Standard on NVC200-800 only.

<sup>3</sup> Available in all NVC dryers. Air circuit only

**Notes:**

1. Dryers equipped with non-price page options above are Special Order.  
 A New Item Creation ticket will need to be submitted before an order can be placed.
2. Standard lead-times do not apply. Contact Marketing for special lead-time quote

**PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE**



**Compressed Air Systems and Services**  
**West Chester, PA 19380**

**Date: 1-Jul-18**  
**Cancels: All Previous**

## NVC2000

Refrigerated Dryer Options	List Price
Air Cooled (standard)	See NVC Price Page
Water Cooled	See NVC Price Page
NEMA 4	See NVC Price Page
RS232-RS485 Converter	\$ 467.00
Ethernet Communication	\$ 1,427.00
Gauge Package <sup>1</sup>	N/A
Ambient Air Filter <sup>2</sup>	\$ 635.00
Stainless Steel Air Side <sup>3</sup>	\$ 14,200.00
Remote Air Cooled Condenser <sup>4</sup>	CF

N/A - Not available on this model  
 CF - Consult factory  
 STD - Standard

<sup>1</sup> Available on NVC200-400 only

- Inlet Air Temperature
- Outlet Air Pressure
- Refrigeration Discharge Pressure
- Suction Pressure

<sup>2</sup> Standard on NVC200-800 only.

<sup>3</sup> Available in all NVC dryers. Air circuit only

<sup>4</sup> Available on sizes NVC2000 & Larger

Remote condenser option requires application review prior to quoting.  
 Installation requires sign-off from certified customer service technician  
 at customer's expense prior to commissioning.  
 Improper installation may alter warranty support.

**Notes:**

1. Dryers equipped with non-price page options above are Special Order.  
 A New Item Creation ticket will need to be submitted before an order can be placed.
2. Standard lead-times do not apply. Contact Marketing for special lead-time quote

**PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE**



**Compressed Air Systems and Services**  
**West Chester, PA 19380**

**Date: 1-Jul-18**  
**Cancel: All Previous**

**NVC2400**

<b>Refrigerated Dryer Options</b>	<b>List Price</b>
Air Cooled (standard)	See NVC Price Page
Water Cooled	See NVC Price Page
NEMA 4	See NVC Price Page
RS232-RS485 Converter	\$ 467.00
Ethernet Communication	\$ 1,427.00
Gauge Package <sup>1</sup>	N/A
Ambient Air Filter <sup>2</sup>	\$ 635.00
Stainless Steel Air Side <sup>3</sup>	\$ 14,200.00
Remote Air Cooled Condenser <sup>4</sup>	CF

N/A - Not available on this model  
 CF - Consult factory  
 STD - Standard

<sup>1</sup> Available on NVC200-400 only

- Inlet Air Temperature
- Outlet Air Pressure
- Refrigeration Discharge Pressure
- Suction Pressure

<sup>2</sup> Standard on NVC200-800 only.

<sup>3</sup> Available in all NVC dryers. Air circuit only

<sup>4</sup> Available on sizes NVC2000 & Larger

Remote condenser option requires application review prior to quoting.  
 Installation requires sign-off from certified customer service technician  
 at customer's expense prior to commissioning.  
 Improper installation may alter warranty support.

**Notes:**

1. Dryers equipped with non-price page options above are Special Order.  
 A New Item Creation ticket will need to be submitted before an order can be placed.
2. Standard lead-times do not apply. Contact Marketing for special lead-time quote

**PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE**



**Compressed Air Systems and Services**  
**West Chester, PA 19380**

**Date: 1-Jul-18**  
**Cancels: All Previous**

**NVC3250**

<b>Refrigerated Dryer Options</b>	<b>List Price</b>
Water Cooled (standard)	See NVC Price Page
Air Cooled	See NVC Price Page
NEMA 4	See NVC Price Page
RS232-RS485 Converter	\$ 934.00
Ethernet Communication	\$ 2,075.00
Air Isolation Valves <sup>1</sup>	\$ 1,746.00
Water Isolation Valves <sup>2</sup>	\$ 1,172.00
Stainless Steel Air Side <sup>3</sup>	CF
Stainless Steel Air Headers <sup>4</sup>	CF
Remote Air Cooled Condenser <sup>5</sup>	CF

N/A - Not available on this model  
 CF - Consult factory  
 STD - Standard

<sup>1</sup> For module air circuit isolation

<sup>2</sup> For module water circuit isolation (water cooled dryers only)

<sup>3</sup> Available in all NVC dryers. Air circuit only

<sup>4</sup> Available on NVC3250 & Larger. Air headers only

<sup>5</sup> Available on sizes NVC2000 & Larger

Remote condenser option requires application review prior to quoting.  
 Installation requires sign-off from certified customer service technician  
 at customer's expense prior to commissioning.  
 Improper installation may alter warranty support.

**Notes:**

- Dryers equipped with non-price page options above are Special Order.  
 A New Item Creation ticket will need to be submitted before an order can be placed.
- Standard lead-times do not apply. Contact Marketing for special lead-time quote
- Each module for multi-module NVC dryers is equipped with a glycol circulation pump.  
 These pumps come standard with an inlet shut-off valve and outlet check valve to permit  
 pump service and / or removal once power has been removed from the module. If additional  
 isolation for these pumps is required consult factory for pricing.

**PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE**



**Compressed Air Systems and Services**  
**West Chester, PA 19380**

**Date: 1-Jul-18**  
**Cancels: All Previous**

## NVC4000

Refrigerated Dryer Options	List Price
Water Cooled (standard)	See NVC Price Page
Air Cooled	See NVC Price Page
NEMA 4	See NVC Price Page
RS232-RS485 Converter	\$ 934.00
Ethernet Communication	\$ 2,075.00
Air Isolation Valves <sup>1</sup>	\$ 1,746.00
Water Isolation Valves <sup>2</sup>	\$ 1,172.00
Stainless Steel Air Side <sup>3</sup>	CF
Stainless Steel Air Headers <sup>4</sup>	CF
Remote Air Cooled Condenser <sup>5</sup>	CF

N/A - Not available on this model  
 CF - Consult factory  
 STD - Standard

<sup>1</sup> For module air circuit isolation

<sup>2</sup> For module water circuit isolation (water cooled dryers only)

<sup>3</sup> Available in all NVC dryers. Air circuit only

<sup>4</sup> Available on NVC3250 & Larger. Air headers only

<sup>5</sup> Available on sizes NVC2000 & Larger

Remote condenser option requires application review prior to quoting.  
 Installation requires sign-off from certified customer service technician  
 at customer's expense prior to commissioning.  
 Improper installation may alter warranty support.

**Notes:**

1. Dryers equipped with non-price page options above are Special Order.  
 A New Item Creation ticket will need to be submitted before an order can be placed.
2. Standard lead-times do not apply. Contact Marketing for special lead-time quote
3. Each module for multi-module NVC dryers is equipped with a glycol circulation pump.  
 These pumps come standard with an inlet shut-off valve and outlet check valve to permit  
 pump service and / or removal once power has been removed from the module. If additional  
 isolation for these pumps is required consult factory for pricing.

**PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE**



**Compressed Air Systems and Services**  
**West Chester, PA 19380**

**Date: 1-Jul-18**  
**Cancels: All Previous**

**NVC4800**

<b>Refrigerated Dryer Options</b>	<b>List Price</b>
Water Cooled (standard)	See NVC Price Page
Air Cooled	See NVC Price Page
NEMA 4	See NVC Price Page
RS232-RS485 Converter	\$ 934.00
Ethernet Communication	\$ 2,075.00
Air Isolation Valves <sup>1</sup>	\$ 1,746.00
Water Isolation Valves <sup>2</sup>	\$ 1,172.00
Stainless Steel Air Side <sup>3</sup>	CF
Stainless Steel Air Headers <sup>4</sup>	CF
Remote Air Cooled Condenser <sup>5</sup>	CF

N/A - Not available on this model  
 CF - Consult factory  
 STD - Standard

<sup>1</sup> For module air circuit isolation

<sup>2</sup> For module water circuit isolation (water cooled dryers only)

<sup>3</sup> Available in all NVC dryers. Air circuit only

<sup>4</sup> Available on NVC3250 & Larger. Air headers only

<sup>5</sup> Available on sizes NVC2000 & Larger

Remote condenser option requires application review prior to quoting.  
 Installation requires sign-off from certified customer service technician  
 at customer's expense prior to commissioning.  
 Improper installation may alter warranty support.

**Notes:**

- Dryers equipped with non-price page options above are Special Order.  
 A New Item Creation ticket will need to be submitted before an order can be placed.
- Standard lead-times do not apply. Contact Marketing for special lead-time quote
- Each module for multi-module NVC dryers is equipped with a glycol circulation pump.  
 These pumps come standard with an inlet shut-off valve and outlet check valve to permit  
 pump service and / or removal once power has been removed from the module. If additional  
 isolation for these pumps is required consult factory for pricing.

**PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE**



**Compressed Air Systems and Services**  
**West Chester, PA 19380**

**Date: 1-Jul-18**  
**Cancels: All Previous**

**NVC6000**

<b>Refrigerated Dryer Options</b>	<b>List Price</b>
Water Cooled (standard)	See NVC Price Page
Air Cooled	See NVC Price Page
NEMA 4	See NVC Price Page
RS232-RS485 Converter	\$ 1,401.00
Ethernet Communication	\$ 2,723.00
Air Isolation Valves <sup>1</sup>	\$ 2,619.00
Water Isolation Valves <sup>2</sup>	\$ 1,758.00
Stainless Steel Air Side <sup>3</sup>	CF
Stainless Steel Air Headers <sup>4</sup>	CF
Remote Air Cooled Condenser <sup>5</sup>	CF

N/A - Not available on this model  
 CF - Consult factory  
 STD - Standard

- <sup>1</sup> For module air circuit isolation
- <sup>2</sup> For module water circuit isolation (water cooled dryers only)
- <sup>3</sup> Available in all NVC dryers. Air circuit only
- <sup>4</sup> Available on NVC3250 & Larger. Air headers only
- <sup>5</sup> Available on sizes NVC2000 & Larger

Remote condenser option requires application review prior to quoting.  
 Installation requires sign-off from certified customer service technician at customer's expense prior to commissioning.  
 Improper installation may alter warranty support.

**Notes:**

1. Dryers equipped with non-price page options above are Special Order.  
 A New Item Creation ticket will need to be submitted before an order can be placed.
2. Standard lead-times do not apply. Contact Marketing for special lead-time quote
3. Each module for multi-module NVC dryers is equipped with a glycol circulation pump.  
 These pumps come standard with an inlet shut-off valve and outlet check valve to permit pump service and / or removal once power has been removed from the module. If additional isolation for these pumps is required consult factory for pricing.

**PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE**





**Compressed Air Systems and Services**  
**West Chester, PA 19380**

**Date: 1-Jul-18**  
**Cancels: All Previous**

**NVC7200**

<b>Refrigerated Dryer Options</b>	<b>List Price</b>
Water Cooled (standard)	See NVC Price Page
Air Cooled	See NVC Price Page
NEMA 4	See NVC Price Page
RS232-RS485 Converter	\$ 1,401.00
Ethernet Communication	\$ 2,723.00
Air Isolation Valves <sup>1</sup>	\$ 2,619.00
Water Isolation Valves <sup>2</sup>	\$ 1,758.00
Stainless Steel Air Side <sup>3</sup>	CF
Stainless Steel Air Headers <sup>4</sup>	CF
Remote Air Cooled Condenser <sup>5</sup>	CF

N/A - Not available on this model  
 CF - Consult factory  
 STD - Standard

- <sup>1</sup> For module air circuit isolation
- <sup>2</sup> For module water circuit isolation (water cooled dryers only)
- <sup>3</sup> Available in all NVC dryers. Air circuit only
- <sup>4</sup> Available on NVC3250 & Larger. Air headers only
- <sup>5</sup> Available on sizes NVC2000 & Larger

Remote condenser option requires application review prior to quoting.  
 Installation requires sign-off from certified customer service technician at customer's expense prior to commissioning.  
 Improper installation may alter warranty support.

**Notes:**

1. Dryers equipped with non-price page options above are Special Order.  
 A New Item Creation ticket will need to be submitted before an order can be placed.
2. Standard lead-times do not apply. Contact Marketing for special lead-time quote
3. Each module for multi-module NVC dryers is equipped with a glycol circulation pump.  
 These pumps come standard with an inlet shut-off valve and outlet check valve to permit pump service and / or removal once power has been removed from the module. If additional isolation for these pumps is required consult factory for pricing.

**PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE**



**Compressed Air Systems and Services**  
**West Chester, PA 19380**

**Date: 1-Jul-18**  
**Cancels: All Previous**

## NVC8000

Refrigerated Dryer Options	List Price
Water Cooled (standard)	See NVC Price Page
Air Cooled	See NVC Price Page
NEMA 4	See NVC Price Page
RS232-RS485 Converter	\$ 1,868.00
Ethernet Communication	\$ 3,371.00
Air Isolation Valves <sup>1</sup>	\$ 3,492.00
Water Isolation Valves <sup>2</sup>	\$ 2,344.00
Stainless Steel Air Side <sup>3</sup>	CF
Stainless Steel Air Headers <sup>4</sup>	CF
Remote Air Cooled Condenser <sup>5</sup>	CF

N/A - Not available on this model  
 CF - Consult factory  
 STD - Standard

<sup>1</sup> For module air circuit isolation

<sup>2</sup> For module water circuit isolation (water cooled dryers only)

<sup>3</sup> Available in all NVC dryers. Air circuit only

<sup>4</sup> Available on NVC3250 & Larger. Air headers only

<sup>5</sup> Available on sizes NVC2000 & Larger

Remote condenser option requires application review prior to quoting.  
 Installation requires sign-off from certified customer service technician  
 at customer's expense prior to commissioning.  
 Improper installation may alter warranty support.

**Notes:**

1. Dryers equipped with non-price page options above are Special Order.  
 A New Item Creation ticket will need to be submitted before an order can be placed.
2. Standard lead-times do not apply. Contact Marketing for special lead-time quote
3. Each module for multi-module NVC dryers is equipped with a glycol circulation pump.  
 These pumps come standard with an inlet shut-off valve and outlet check valve to permit  
 pump service and / or removal once power has been removed from the module. If additional  
 isolation for these pumps is required consult factory for pricing.

**PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE**



**Compressed Air Systems and Services**  
**West Chester, PA 19380**

**Date: 1-Jul-18**  
**Cancels: All Previous**

**NVC9600**

<b>Refrigerated Dryer Options</b>	<b>List Price</b>
Water Cooled (standard)	See NVC Price Page
Air Cooled	See NVC Price Page
NEMA 4	See NVC Price Page
RS232-RS485 Converter	\$ 1,868.00
Ethernet Communication	\$ 3,371.00
Air Isolation Valves <sup>1</sup>	\$ 3,492.00
Water Isolation Valves <sup>2</sup>	\$ 2,344.00
Stainless Steel Air Side <sup>3</sup>	CF
Stainless Steel Air Headers <sup>4</sup>	CF
Remote Air Cooled Condenser <sup>5</sup>	CF

N/A - Not available on this model  
 CF - Consult factory  
 STD - Standard

- <sup>1</sup> For module air circuit isolation
- <sup>2</sup> For module water circuit isolation (water cooled dryers only)
- <sup>3</sup> Available in all NVC dryers. Air circuit only
- <sup>4</sup> Available on NVC3250 & Larger. Air headers only
- <sup>5</sup> Available on sizes NVC2000 & Larger

Remote condenser option requires application review prior to quoting.  
 Installation requires sign-off from certified customer service technician at customer's expense prior to commissioning.  
 Improper installation may alter warranty support.

**Notes:**

1. Dryers equipped with non-price page options above are Special Order.  
 A New Item Creation ticket will need to be submitted before an order can be placed.
2. Standard lead-times do not apply. Contact Marketing for special lead-time quote
3. Each module for multi-module NVC dryers is equipped with a glycol circulation pump.  
 These pumps come standard with an inlet shut-off valve and outlet check valve to permit pump service and / or removal once power has been removed from the module. If additional isolation for these pumps is required consult factory for pricing.

**PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE**



**Compressed Air Systems and Services**  
**West Chester, PA 19380**

**Date: 1-Jul-18**  
**Cancels: All Previous**

**NVC12000**

<b>Refrigerated Dryer Options</b>	<b>List Price</b>
Water Cooled (standard)	See NVC Price Page
Air Cooled	See NVC Price Page
NEMA 4	See NVC Price Page
RS232-RS485 Converter	\$ 2,335.00
Ethernet Communication	\$ 4,019.00
Air Isolation Valves <sup>1</sup>	\$ 4,365.00
Water Isolation Valves <sup>2</sup>	\$ 2,930.00
Stainless Steel Air Side <sup>3</sup>	CF
Stainless Steel Air Headers <sup>4</sup>	CF
Remote Air Cooled Condenser <sup>5</sup>	CF

N/A - Not available on this model  
 CF - Consult factory  
 STD - Standard

- <sup>1</sup> For module air circuit isolation
- <sup>2</sup> For module water circuit isolation (water cooled dryers only)
- <sup>3</sup> Available in all NVC dryers. Air circuit only
- <sup>4</sup> Available on NVC3250 & Larger. Air headers only
- <sup>5</sup> Available on sizes NVC2000 & Larger

Remote condenser option requires application review prior to quoting.  
 Installation requires sign-off from certified customer service technician at customer's expense prior to commissioning.  
 Improper installation may alter warranty support.

**Notes:**

1. Dryers equipped with non-price page options above are Special Order.  
 A New Item Creation ticket will need to be submitted before an order can be placed.
2. Standard lead-times do not apply. Contact Marketing for special lead-time quote
3. Each module for multi-module NVC dryers is equipped with a glycol circulation pump.  
 These pumps come standard with an inlet shut-off valve and outlet check valve to permit pump service and / or removal once power has been removed from the module. If additional isolation for these pumps is required consult factory for pricing.

**PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE**



**Compressed Air Systems and Services**  
**West Chester, PA 19380**

**Date: 1-Jul-18**  
**Cancels: All Previous**

**NVC14400**

<b>Refrigerated Dryer Options</b>	<b>List Price</b>
Water Cooled (standard)	CF
Air Cooled	CF
NEMA 4	CF
RS232-RS485 Converter	\$ 2,802.00
Ethernet Communication	\$ 4,667.00
Air Isolation Valves <sup>1</sup>	\$ 5,238.00
Water Isolation Valves <sup>2</sup>	\$ 3,516.00
Stainless Steel Air Side <sup>3</sup>	CF
Stainless Steel Air Headers <sup>4</sup>	CF
Remote Air Cooled Condenser <sup>5</sup>	CF

N/A - Not available on this model  
 CF - Consult factory  
 STD - Standard

<sup>1</sup> For module air circuit isolation

<sup>2</sup> For module water circuit isolation (water cooled dryers only)

<sup>3</sup> Available in all NVC dryers. Air circuit only

<sup>4</sup> Available on NVC3250 & Larger. Air headers only

<sup>5</sup> Available on sizes NVC2000 & Larger

Remote condenser option requires application review prior to quoting.  
 Installation requires sign-off from certified customer service technician  
 at customer's expense prior to commissioning.  
 Improper installation may alter warranty support.

**Notes:**

- Dryers equipped with non-price page options above are Special Order.  
 A New Item Creation ticket will need to be submitted before an order can be placed.
- Standard lead-times do not apply. Contact Marketing for special lead-time quote
- Each module for multi-module NVC dryers is equipped with a glycol circulation pump.  
 These pumps come standard with an inlet shut-off valve and outlet check valve to permit  
 pump service and / or removal once power has been removed from the module. If additional  
 isolation for these pumps is required consult factory for pricing.

**PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE**



**Compressed Air Systems and Services**  
**West Chester, PA 19380**

**Date: 1-Jul-18**  
**Cancels: All Previous**

**NVC16800**

<b>Refrigerated Dryer Options</b>	<b>List Price</b>
Water Cooled (standard)	CF
Air Cooled	CF
NEMA 4	CF
RS232-RS485 Converter	\$ 3,269.00
Ethernet Communication	\$ 5,315.00
Air Isolation Valves <sup>1</sup>	\$ 6,111.00
Water Isolation Valves <sup>2</sup>	\$ 4,102.00
Stainless Steel Air Side <sup>3</sup>	CF
Stainless Steel Air Headers <sup>4</sup>	CF
Remote Air Cooled Condenser <sup>5</sup>	CF

N/A - Not available on this model  
 CF - Consult factory  
 STD - Standard

<sup>1</sup> For module air circuit isolation

<sup>2</sup> For module water circuit isolation (water cooled dryers only)

<sup>3</sup> Available in all NVC dryers. Air circuit only

<sup>4</sup> Available on NVC3250 & Larger. Air headers only

<sup>5</sup> Available on sizes NVC2000 & Larger

Remote condenser option requires application review prior to quoting.  
 Installation requires sign-off from certified customer service technician  
 at customer's expense prior to commissioning.  
 Improper installation may alter warranty support.

**Notes:**

- Dryers equipped with non-price page options above are Special Order.  
 A New Item Creation ticket will need to be submitted before an order can be placed.
- Standard lead-times do not apply. Contact Marketing for special lead-time quote
- Each module for multi-module NVC dryers is equipped with a glycol circulation pump.  
 These pumps come standard with an inlet shut-off valve and outlet check valve to permit  
 pump service and / or removal once power has been removed from the module. If additional  
 isolation for these pumps is required consult factory for pricing.

**PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE**



**Compressed Air Systems and Services**  
**West Chester, PA 19380**

**Date: 1-Jul-18**  
**Cancels: All Previous**

**NVC19200**

<b>Refrigerated Dryer Options</b>	<b>List Price</b>
Water Cooled (standard)	CF
Air Cooled	CF
NEMA 4	CF
RS232-RS485 Converter	\$ 3,736.00
Ethernet Communication	\$ 5,963.00
Air Isolation Valves <sup>1</sup>	\$ 6,984.00
Water Isolation Valves <sup>2</sup>	\$ 4,688.00
Stainless Steel Air Side <sup>3</sup>	CF
Stainless Steel Air Headers <sup>4</sup>	CF
Remote Air Cooled Condenser <sup>5</sup>	CF

N/A - Not available on this model  
 CF - Consult factory  
 STD - Standard

<sup>1</sup> For module air circuit isolation

<sup>2</sup> For module water circuit isolation (water cooled dryers only)

<sup>3</sup> Available in all NVC dryers. Air circuit only

<sup>4</sup> Available on NVC3250 & Larger. Air headers only

<sup>5</sup> Available on sizes NVC2000 & Larger

Remote condenser option requires application review prior to quoting.  
 Installation requires sign-off from certified customer service technician  
 at customer's expense prior to commissioning.  
 Improper installation may alter warranty support.

**Notes:**

- Dryers equipped with non-price page options above are Special Order.  
 A New Item Creation ticket will need to be submitted before an order can be placed.
- Standard lead-times do not apply. Contact Marketing for special lead-time quote
- Each module for multi-module NVC dryers is equipped with a glycol circulation pump.  
 These pumps come standard with an inlet shut-off valve and outlet check valve to permit  
 pump service and / or removal once power has been removed from the module. If additional  
 isolation for these pumps is required consult factory for pricing.

**PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE**