



Price
 Ref: N-OF50AC.1
 Date: 7-Dec-17

Mocksville,NC **50 HP** **Variable Speed Drive, Oil Free** **Cancels: All Previous**
Prices are North America List Prices, FOB Mocksville, NC, Freight Collect

Aircooled includes: 460V, ODP, HPM Motor, Aftercooler, 460V Modular Drive, 75 dB(A) enclosure, 65-150 psig pressure range, Xe-145M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, Sequencing up to 4 machines, Local and Web Graphing & Trending, and Automated

Model: IRN50H-OF AC

List Price: \$85,715

CCOM ORDER ENTRY CODE:
iStore ORDER ENTRY CODE:

NOF1
NOF1#100

Pressure: **100 PSIG** **125 PSIG**
CFM Range: **68-200** **68-179**

REQUIRED FEATURES

LIST PRICE

MOTOR/INVERTER:

200V,HPM-VSD (ship loose auto transformer) (1)	No Additional
230V,HPM-VSD(ship loose auto transformer) (1)	No Additional
460V,HPM-VSD	Standard
575V,HPM-VSD (ship loose auto transformer) (1)	No Additional

COOLING: Air-Cooled Aftercooler

115 °F Ambient Standard	Standard
-------------------------	----------

OPTIONS

LIST PRICE

Power Outage Restart Option	\$ 694
Remote Pressure Transducer	\$ 459
Panel Filter	\$ 3,315
Stainless Steel Oil Piping	Not Available

1) A line reactor is required for 460V models, however they are not needed for 575V configurations due to the use of an auto transformer

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 8/1/2016



Price
 Ref: N-OF50AC.1
 Date: 7-Dec-17

Mocksville,NC **50 HP** **Variable Speed Drive, Oil Free** **Cancels: All Previous**
Prices are North America List Prices, FOB Mocksville, NC, Freight Collect

Watercooled includes: 460V, ODP, HPM Motor, Aftercooler, 460V Modular Drive, 75 dB(A) enclosure, 65-150 psig pressure range, Xe-145M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, Sequencing up to 4 machines, Local and Web Graphing & Trending, and Automated

Model: IRN50H-OF AC **List Price:** \$92,149

CCOM ORDER ENTRY CODE: **NOF1**
iStore ORDER ENTRY CODE: **NOF1#100**

Pressure: **100 PSIG** **125 PSIG**
CFM Range: 68-200 68-179

REQUIRED FEATURES **LIST PRICE**

MOTOR/INVERTER:

200V,HPM-VSD (ship loose auto transformer) (1)	No Additional
230V,HPM-VSD (ship loose auto transformer) (1)	No Additional
460V,HPM-VSD	Standard
575V,HPM-VSD (ship loose auto transformer) (1)	No Additional

COOLING: Water-Cooled Aftercooler

115 °F Ambient Standard	Standard
-------------------------	----------

OPTIONS **LIST PRICE**

Power Outage Restart Option	\$ 694
Remote Pressure Transducer	\$ 459
Panel Filter	Not Available
Stainless Steel Oil Piping	Not Available

1) A line reactor is required for 460V models, however they are not needed for 575V configurations due to the use of an auto transformer

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 8/1/2016



Price
 Ref: N-OF60AC.1
 Date: 7-Dec-17

Mocksville,NC **60 HP** **Variable Speed Drive, Oil Free** **Cancels: All Previous**
Prices are North America List Prices, FOB Mocksville, NC, Freight Collect

Aircooled includes: 460V, ODP, HPM Motor, Aftercooler, 460V Modular Drive, 75 dB(A) enclosure, 65-150 psig pressure range, Xe-145M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, Sequencing up to 4 machines, Local and Web Graphing & Trending, and Automated

Model: IRN60H-OF AC

List Price: \$93,915

CCOM ORDER ENTRY CODE:
iStore ORDER ENTRY CODE:

NOF1
NOF1#100

Pressure: **100 PSIG** **125 PSIG**
CFM Range: **68-237** **68-219**

REQUIRED FEATURES

LIST PRICE

MOTOR/INVERTER:

200V,HPM-VSD (ship loose auto transformer) (1)	No Additional
230V,HPM-VSD (ship loose auto transformer) (1)	No Additional
460V,HPM-VSD	Standard
575V,HPM-VSD (ship loose auto transformer) (1)	No Additional

COOLING: Air-Cooled Aftercooler

115 °F Ambient Standard	Standard
-------------------------	----------

OPTIONS

LIST PRICE

Power Outage Restart Option	\$ 694
Remote Pressure Transducer	\$ 459
Panel Filter	\$ 3,315
Stainless Steel Oil Piping	Not Available

1) A line reactor is required for 460V models, however they are not needed for 575V configurations due to the use of an auto transformer

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 8/1/2016



Price
 Ref: N-OF60AC.1
 Date: 7-Dec-17

Mocksville,NC **60 HP** **Variable Speed Drive, Oil Free** **Cancels: All Previous**
Prices are North America List Prices, FOB Mocksville, NC, Freight Collect

Watercooled includes: 460V, ODP, HPM Motor, Aftercooler, 460V Modular Drive, 75 dB(A) enclosure, 65-150 psig pressure range Xe-145M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, Sequencing up to 4 machines, Local and Web Graphing & Trending, and Automated

Model: IRN60H-OF AC

List Price: \$100,349

CCOM ORDER ENTRY CODE:
iStore ORDER ENTRY CODE:

NOF1
NOF1#100

Pressure: **100 PSIG** **125 PSIG**
CFM Range: **68-237** **68-219**

REQUIRED FEATURES

LIST PRICE

MOTOR/INVERTER:

200V,HPM-VSD (ship loose auto transformer) (1)	No Additional
230V,HPM-VSD (ship loose auto transformer) (1)	No Additional
460V,HPM-VSD	Standard
575V,HPM-VSD (ship loose auto transformer) (1)	No Additional

COOLING: Water-Cooled Aftercooler

115 °F Ambient Standard	Standard
-------------------------	----------

OPTIONS

LIST PRICE

Power Outage Restart Option	\$ 694
Remote Pressure Transducer	\$ 459
Panel Filter	Not Available
Stainless Steel Oil Piping	Not Available

1) A line reactor is required for 460V models, however they are not needed for 575V configurations due to the use of an auto transformer

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 8/1/2016



Price
 Ref: N-OF75AC.1
 Date: 7-Dec-17

Mocksville,NC **75 HP** **Variable Speed Drive, Oil Free** **Price**
Cancels: All Previous
Prices are North America List Prices, FOB Mocksville, NC, Freight Collect

Aircooled includes: 460V, ODP, HPM Motor, Aftercooler, 460V Modular Drive, 73-84 dB(A) enclosure, 65-150 psig pressure range, Xe-145M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, Sequencing up to 4 machines, Local and Web Graphing &

Model: IRN75H-OF AC

List Price: \$ 108,222

CCOM ORDER ENTRY CODE:
iStore ORDER ENTRY CODE:

NOF2
NOF2#100

Pressure:	100 PSIG	125 PSIG	150 PSIG
CFM Range:	200-331	200-299	240-269

REQUIRED FEATURES

LIST PRICE

MOTOR/INVERTER:

460V,HPM-VSD
 575V,HPM-VSD (ship loose auto transformer) (1)

Standard
 No Additional

COOLING: Air-Cooled Aftercooler

115 °F Ambient Standard

Standard

OPTIONS

LIST PRICE

Power Outage Restart Option	\$ 694
Remote Pressure Transducer	\$ 459
Panel Filter	\$ 3,785
Stainless Steel Oil Piping	Not Available

1) A line reactor is required for 460V models, however they are not needed for 575V configurations due to the use of an auto transformer

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 8/1/2016



Price
 Ref: N-OF75WC.1
 Date: 7-Dec-17

Mocksville,NC **75 HP** **Variable Speed Drive, Oil Free** **Cancels: All Previous**
Prices are North America List Prices, FOB Mocksville, NC, Freight Collect

Watercooled includes: 460V, ODP, HPM Motor, Aftercooler, 460V Modular Drive, 73-84 dB(A) enclosure, 65-150 psig pressure range, Xe-145M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, Sequencing up to 4 machines, Local and Web Graphing &

Model: IRN75H-OF AC

List Price: \$ 109,267

CCOM ORDER ENTRY CODE:
iStore ORDER ENTRY CODE:

NOF2
NOF2#100

Pressure: **100 PSIG** **125 PSIG** **150 PSIG**
CFM Range: 200-331 200-299 240-269

REQUIRED FEATURES **LIST PRICE**

MOTOR/INVERTER:

460V,HPM-VSD Standard
 575V,HPM-VSD No Additional

COOLING: Water-Cooled Aftercooler

115 °F Ambient Standard (ship loose auto transformer) (1) Standard

OPTIONS **LIST PRICE**

Power Outage Restart Option \$ 694
 Remote Pressure Transducer \$ 459
 Panel Filter Not Available
 Stainless Steel Oil Piping Not Available

1) A line reactor is required for 460V models, however they are not needed for 575V configurations due to the use of an auto transformer

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 8/1/2016



Price
 Ref: N-OF100AC.1
 Date: 7-Dec-17

Mocksville,NC **100 HP** **Variable Speed Drive, Oil Free** **Cancels: All Previous**
Prices are North America List Prices, FOB Mocksville, NC, Freight Collect

Aircooled includes: 460V, ODP, HPM Motor, Aftercooler, 460V Modular Drive, 73-84 dB(A) enclosure, 65-150 psig pressure range, Xe-145M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, Sequencing up to 4 machines, Local and Web Graphing &

Model: IRN100H-OF AC

List Price: \$ 138,825

CCOM ORDER ENTRY CODE:
iStore ORDER ENTRY CODE:

NOF2
NOF2#100

Pressure: **100 PSIG** **125 PSIG** **150 PSIG**
CFM Range: 200-435 200-400 240-368

REQUIRED FEATURES **LIST PRICE**

MOTOR/INVERTER:
 460V,HPM-VSD Standard
 575V,HPM-VSD (ship loose auto transformer) (1) No Additional

COOLING: Air-Cooled Aftercooler
 115 °F Ambient Standard Standard

OPTIONS **LIST PRICE**

Power Outage Restart Option \$ 694
 Remote Pressure Transducer \$ 459
 Panel Filter \$ 3,785
 Stainless Steel Oil Piping Not Available

1) A line reactor is required for 460V models, however they are not needed for 575V configurations due to the use of an auto transformer

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 8/1/2016



Price
 Ref: N-OF100WC.1
 Date: 7-Dec-17

Mocksville,NC **100 HP** **Variable Speed Drive, Oil Free** **Cancels: All Previous**
Prices are North America List Prices, FOB Mocksville, NC, Freight Collect

Watercooled includes: 460V, ODP, HPM Motor, Aftercooler, 460V Modular Drive, 73-84 dB(A) enclosure, 65-150 psig pressure range Xe-145M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, Sequencing up to 4 machines, Local and Web Graphing &

Model: IRN100H-OF AC

List Price: \$ 145,496

CCOM ORDER ENTRY CODE:
iStore ORDER ENTRY CODE:

NOF2
NOF2#100

Pressure:	100 PSIG	125 PSIG	150 PSIG
CFM Range:	200-435	200-400	240-368

REQUIRED FEATURES **LIST PRICE**

MOTOR/INVERTER:	
460V,HPM-VSD	Standard
575V,HPM-VSD (ship loose auto transformer) (1)	No Additional

COOLING: Water-Cooled Aftercooler	
115 °F Ambient Standard	Standard

OPTIONS **LIST PRICE**

Power Outage Restart Option	\$ 694
Remote Pressure Transducer	\$ 459
Panel Filter	Not Available
Stainless Steel Oil Piping	Not Available

1) A line reactor is required for 460V models, however they are not needed for 575V configurations due to the use of an auto transformer

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 8/1/2016



Price

Date: 7-Dec-17

Mocksville,NC **125 HP** **Variable Speed Drive, Oil Free** **Cancels: All Previous**
Prices are North America List Prices, FOB Mocksville, NC, Freight Collect

Aircooled includes: 460V, ODP, HPM Motor, Aftercooler, 460V Modular Drive, 75 dB(A) enclosure, 65-150 psig pressure range, Xe-145M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, Sequencing up to 4 machines, Local and Web Graphing & Trending, and Automated

Model: IRN125H-OF AC

List Price: \$163,537

CCOM ORDER ENTRY CODE:
iStore ORDER ENTRY CODE:

NOF3
NOF3#100

Pressure:	100 PSIG	125 PSIG	150 PSIG
CFM Range:	400-563	400-504	400-444

REQUIRED FEATURES

LIST PRICE

MOTOR/INVERTER:

380V,HPM-VSD	No Additional
460V,HPM-VSD	Standard
575V,HPM-VSD (ship loose auto transformer) (1)	No Additional

COOLING: Air-Cooled Aftercooler

115 °F Ambient Standard	Standard
-------------------------	----------

OPTIONS

LIST PRICE

Power Outage Restart Option	\$ 694
Remote Pressure Transducer	\$ 459
Panel Filter	\$ 9,250
Stainless Steel Oil Piping	\$ 9,250
RFI Filter	\$ 3,892

1) A line reactor is required for 460V models, however they are not needed for 575V configurations due to the use of an auto transformer

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 8/1/2016



Price

Date: 7-Dec-17

Mocksville,NC **125 HP** **Variable Speed Drive, Oil Free** **Cancels: All Previous**
Prices are North America List Prices, FOB Mocksville, NC, Freight Collect

Watercooled includes: 460V, ODP, HPM Motor, Aftercooler, 460V Modular Drive, 75 dB(A) enclosure, 65-150 psig pressure range, Xe-145M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, Sequencing up to 4 machines, Local and Web Graphing & Trending, and Automated

Model: IRN125H-OF AC

List Price: \$164,551

CCOM ORDER ENTRY CODE:
iStore ORDER ENTRY CODE:

NOF3
NOF3#100

Pressure:	100 PSIG	125 PSIG	150 PSIG
CFM Range:	400-563	400-504	400-444

REQUIRED FEATURES **LIST PRICE**

MOTOR/INVERTER:	
380V,HPM-VSD	No Additional
460V,HPM-VSD	Standard
575V,HPM-VSD (ship loose auto transformer) (1)	No Additional
COOLING: Water-Cooled Aftercooler	
115 °F Ambient Standard Cooper Tubes	Standard

OPTIONS **LIST PRICE**

Power Outage Restart Option	\$ 694
Remote Pressure Transducer	\$ 459
Panel Filter	Not Available
Stainless Steel Oil Piping	\$ 9,250
RFI Filter	\$ 3,892

1) A line reactor is required for 460V models, however they are not needed for 575V configurations due to the use of an auto transformer

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 8/1/2016



Price

Date: 7-Dec-17

Mocksville,NC **150 HP** **Variable Speed Drive, Oil Free** **Cancels: All Previous**

Prices are North America List Prices, FOB Mocksville, NC, Freight Collect

Aircooled includes: 460V, ODP, HPM Motor, Aftercooler, 460V Modular Drive, 75 dB(A) enclosure, 65-150 psig pressure range, Xe-145M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, Sequencing up to 4 machines, Local and Web Graphing & Trending, and Automated

Model: IRN150H-OF AC

List Price: \$185,071

CCOM ORDER ENTRY CODE:
iStore ORDER ENTRY CODE:

NOF3
NOF3#100

Pressure:	100 PSIG	125 PSIG	150 PSIG
CFM Range:	400-676	400-616	400-555

REQUIRED FEATURES **LIST PRICE**

MOTOR/INVERTER:

380V,HPM-VSD	No Additional
460V,HPM-VSD	Standard
575V,HPM-VSD (ship loose auto transformer) (1)	No Additional

COOLING: Air-Cooled Aftercooler

115 °F Ambient Standard	Standard
-------------------------	----------

OPTIONS **LIST PRICE**

Power Outage Restart Option	\$ 694
Remote Pressure Transducer	\$ 459
Panel Filter	\$ 9,250
Stainless Steel Oil Piping	\$ 9,250
RFI Filter	\$ 3,892

1) A line reactor is required for 460V models, however they are not needed for 575V configurations due to the use of an auto transformer

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 8/1/2016



Price

Date: 7-Dec-17

Mocksville,NC **150 HP** **Variable Speed Drive, Oil Free** **Cancels: All Previous**

Prices are North America List Prices, FOB Mocksville, NC, Freight Collect

Watercooled includes: 460V, ODP, HPM Motor, Aftercooler, 460V Modular Drive, 75 dB(A) enclosure, 65-150 psig pressure range, Xe-145M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, Sequencing up to 4 machines, Local and Web Graphing & Trending, and Automated

Model: IRN150H-OF AC

List Price: \$186,085

CCOM ORDER ENTRY CODE:

NOF3

iStore ORDER ENTRY CODE:

NOF3#100

Pressure:	100 PSIG	125 PSIG	150 PSIG
CFM Range:	400-676	400-616	400-555

REQUIRED FEATURES

LIST PRICE

MOTOR/INVERTER:

380V,HPM-VSD	No Additional
460V,HPM-VSD	Standard
575V,HPM-VSD (ship loose auto transformer) (1)	No Additional

COOLING: Water-Cooled Aftercooler

115 °F Ambient Standard	Standard
-------------------------	----------

OPTIONS

LIST PRICE

Power Outage Restart Option	\$ 694
Remote Pressure Transducer	\$ 459
Panel Filter	Not Available
Stainless Steel Oil Piping	\$ 9,250
RFI Filter	\$ 3,892

1) A line reactor is required for 460V models, however they are not needed for 575V configurations due to the use of an auto transformer

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 8/1/2016



Price

Date: 7-Dec-17

Mocksville,NC **200 HP** **Variable Speed Drive, Oil Free** **Cancels: All Previous**

Prices are North America List Prices, FOB Mocksville, NC, Freight Collect

Aircooled includes: 460V, ODP, HPM Motor, Aftercooler, 460V Modular Drive, 75 dB(A) enclosure, 65-150 psig pressure range, Xe-145M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, Sequencing up to 4 machines, Local and Web Graphing & Trending, and Automated

Model: IRN200H-OF AC

List Price: \$220,706

CCOM ORDER ENTRY CODE:
iStore ORDER ENTRY CODE:

NOF3
NOF3#100

Pressure: **100 PSIG** **125 PSIG** **150 PSIG**
CFM Range: 400-881 400-816 400-751

REQUIRED FEATURES **LIST PRICE**

MOTOR/INVERTER:

380V,HPM-VSD	No Additional
460V,HPM-VSD	Standard
575V,HPM-VSD (ship loose auto transformer) (1)	No Additional

COOLING: Air-Cooled Aftercooler

115 °F Ambient Standard	Standard
-------------------------	----------

OPTIONS **LIST PRICE**

Power Outage Restart Option	\$ 694
Remote Pressure Transducer	\$ 459
Panel Filter	\$ 9,250
Stainless Steel Oil Piping	\$ 9,250
RFI Filter	\$ 3,892

1) A line reactor is required for 460V models, however they are not needed for 575V configurations due to the use of an auto transformer

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 8/1/2016



Price

Date: 7-Dec-17

Mocksville,NC **200 HP** **Variable Speed Drive, Oil Free** **Cancels: All Previous**
Prices are North America List Prices, FOB Mocksville, NC, Freight Collect

Watercooled includes: 460V, ODP, HPM Motor, Aftercooler, 460V Modular Drive, 75 dB(A) enclosure, 65-150 psig pressure range, Xe-145M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, Sequencing up to 4 machines, Local and Web Graphing & Trending, and Automated

Model: IRN200H-OF AC

List Price: \$225,006

CCOM ORDER ENTRY CODE:
iStore ORDER ENTRY CODE:

NOF3
NOF3#100

Pressure: **100 PSIG** **125 PSIG** **150 PSIG**
CFM Range: 400-881 400-816 400-751

REQUIRED FEATURES **LIST PRICE**

MOTOR/INVERTER:

380V,HPM-VSD No Additional
 460V,HPM-VSD Standard
 575V,HPM-VSD (ship loose auto transformer) (1) No Additional

COOLING: Water-Cooled Aftercooler

115 °F Ambient Standard Standard

OPTIONS **LIST PRICE**

Power Outage Restart Option \$ 694
 Remote Pressure Transducer \$ 459
 Panel Filter Not Available
 Stainless Steel Oil Piping \$ 9,250
 RFI Filter \$ 3,892

1) A line reactor is required for 460V models, however they are not needed for 575V configurations due to the use of an auto transformer

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 8/1/2016