



Sierra

Price

50 HP

Last Update: 4/17/2018

Super Duty Oil Free Fixed Speed Rotary

Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Collect

SIERRA® AIRCOOLED includes:

460 Volt, TEFC High Efficiency Motor, Air Cooled Aftercooler, Xe-145M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, Local and Web Graphing & Trending, and Automated Reporting. Star-Delta Starter, NEMA 4 Electric, High Dust Filtration, UltraCoolant

Model	L50A-SD	H50A-SD
Capacity	216	186
Pressure	100	125

ITS Oracle Users: NL1
IRI (R12) Oracle Users: NL1

List Price \$ 76,796 \$ 76,796

Required Features

List Price

Motor:	200 V, TEFC	No Additional
	230 V, TEFC	No Additional
	460 V, TEFC	Standard
	575 V, TEFC	No Additional
	380 V, TEFC	No Additional
Starter:		
	200 V, ★D	\$ 1,059
	230 V, ★D	\$ 1,059
	460 V, ★D	Standard
	575 V, ★D	No Additional
	380 V, ★D	No Additional
	No Starter	No Additional
Cooling:		
	115°F Ambient	Standard
	No Aftercooler / HOC Dryer	No Additional

Optional Features

List Price

Power Outage Restart Option (1)	\$ 519
Phase Monitor	\$ 842
Outdoor Modification (35°F-115°F)	\$ 3,442
Low Ambient (2)	\$ 11,056
Stainless Steel Oil Piping	\$ 9,250
Duplex Oil Filter	\$ 3,814
Ultra EL Coolant	\$ 1,095
Ultra FG Coolant	\$ 1,095
NEMA 4X Starter Panel	\$ 2,971
Copper Grounding Pads	\$ 990
Oversized Motor	\$ 4,120
Stainless Steel Data Plate	\$ 631
Stainless Steel Instrument Tags	\$ 1,060
ANSI Flange Connection	\$ 600
Epoxy Painted Enclosure and Base	\$ 16,560
Stainless Steel Control Lines	\$ 2,146
Starter Back Panel Cover	\$ 500

(1) Includes remote start/stop option.

(2) Low Ambient includes Outdoor Modification

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 8/1/2016



Sierra

Price

50 HP

Last Update: 4/17/2018

Super Duty Oil Free Fixed Speed Rotary

Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Collect

SIERRA® WATERCOOLED includes:

460 Volt, TEFC High Efficiency Motor, Air Cooled Aftercooler, Xe-145M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, Local and Web Graphing & Trending, and Automated Reporting. Star-Delta Starter, NEMA 4 Electric, High Dust Filtration, UltraCoolant

Model	L50W-SD	H50W-SD
Capacity	216	186
Pressure	100	125

ITS Oracle Users: NL1
IRI (R12) Oracle Users: NL1

List Price \$ 83,571 \$ 83,571

Required Features

List Price

Motor:	200 V, TEFC	No Additional
	230 V, TEFC	No Additional
	460 V, TEFC	Standard
	575 V, TEFC	No Additional
	380 V, TEFC	No Additional
Starter:		
	200 V, ★D	\$ 1,059
	230 V, ★D	\$ 1,059
	460 V, ★D	Standard
	575 V, ★D	No Additional
	380 V, ★D	No Additional
	No Starter	No Additional
Cooling:		
	115°F Cooling Water	Standard
	Stainless Steel Cooler Tubes (2)	\$ 5,385.00
	No Aftercooler / HOC Dryer	No Additional

Optional Features

List Price

Power Outage Restart Option (1)	\$ 519
Phase Monitor	\$ 842
Outdoor Modification (35°F-115°F)	\$ 3,442
Stainless Steel Oil Piping	\$ 9,250
Duplex Oil Filter	\$ 3,814
Ultra EL Coolant	\$ 1,095
Ultra FG Coolant	\$ 1,095
NEMA 4X Starter Panel	\$ 2,971
Copper Grounding Pads	\$ 990
Oversized Motor	\$ 4,120
Stainless Steel Data Plate	\$ 631
Stainless Steel Instrument Tags	\$ 1,060
ANSI Flange Connection	\$ 600
Epoxy Painted Enclosure and Base	\$ 16,560
Stainless Steel Control Lines	\$ 2,146
Starter Back Panel Cover	\$ 500

(1) Includes remote start/stop option.

(2) Includes aftercooler and intercooler only

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 8/1/2016



Sierra

Price

60 HP

Last Update: 4/17/2018

Super Duty Oil Free Fixed Speed Rotary

Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Collect

SIERRA® AIRCOOLED includes:

460 Volt, TEFC High Efficiency Motor, Air Cooled Aftercooler, Xe-145M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, Local and Web Graphing & Trending, and Automated Reporting. Star-Delta Starter, NEMA 4 Electric, High Dust Filtration, UltraCoolant

Model	L60A-SD	H60A-SD
Capacity	268	232
Pressure	100	125

ITS Oracle Users: NL1
IRI (R12) Oracle Users: NL1

List Price \$ 81,927 \$ 81,927

Required Features

List Price

Motor:	200 V, TEFC	No Additional
	230 V, TEFC	No Additional
	460 V, TEFC	Standard
	575 V, TEFC	No Additional
	380 V, TEFC	No Additional
Starter:		
	200 V, ★D	\$ 1,059
	230 V, ★D	\$ 1,059
	460 V, ★D	Standard
	575 V, ★D	No Additional
	380 V, ★D	No Additional
	No Starter	No Additional
Cooling:		
	115°F Ambient	Standard
	No Aftercooler	No Additional

Optional Features

List Price

Power Outage Restart Option (1)	\$ 519
Phase Monitor	\$ 842
Outdoor Modification (35°F-115°F)	\$ 3,442
Low Ambient (2)	\$ 11,056
Stainless Steel Oil Piping	\$ 9,250
Duplex Oil Filter	\$ 3,814
Ultra EL Coolant	\$ 1,095
Ultra FG Coolant	\$ 1,095
NEMA 4X Starter Panel	\$ 2,971
Copper Grounding Pads	\$ 990
Oversized Motor	\$ 6,300
Stainless Steel Data Plate	\$ 631
Stainless Steel Instrument Tags	\$ 1,060
ANSI Flange Connection	\$ 600
Epoxy Painted Enclosure and Base	\$ 16,560
Stainless Steel Control Lines	\$ 2,146
Starter Back Panel Cover	\$ 500

(1) Includes remote start/stop option.

(2) Low Ambient includes Outdoor Modification

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 8/1/2016



Sierra

Price

60 HP

Last Update: 4/17/2018

Super Duty Oil Free Fixed Speed Rotary

Cancel: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Collect

SIERRA® WATERCOOLED includes:
 460 Volt, TEFC High Efficiency Motor, Air
 Cooled Aftercooler, Xe-145M Controller
 featuring: Advanced Diagnostics, Standard
 Web Pages with Remote Control, Email
 Notification of Trips/Alarms, Local and Web
 Graphing & Trending, and Automated
 Reporting. Star-Delta Starter, , NEMA 4
 Electrics, High Dust Filtration, UltraCoolant

Model	L60W-SD	H60W-SD
Capacity	268	232
Pressure	100	125

ITS Oracle Users: NL1
 IRI (R12) Oracle Users: NL1

List Price \$ 88,418 \$ 88,418

Required Features

List Price

Motor:	200 V, TEFC	No Additional
	230 V, TEFC	No Additional
	460 V, TEFC	Standard
	575 V, TEFC	No Additional
	380 V, TEFC	No Additional
Starter:	200 V, ★D	\$ 1,059
	230 V, ★D	\$ 1,059
	460 V, ★D	Standard
	575 V, ★D	No Additional
	380 V, ★D	No Additional
	No Starter	No Additional
Cooling:	115°F Cooling Water	Standard
	Stainless Steel Cooler Tubes (2)	\$ 5,385
	No Aftercooler / HOC Dryer	No Additional

Optional Features

List Price

Power Outage Restart Option (1)	\$ 519
Phase Monitor	\$ 842
Outdoor Modification (35°F-115°F)	\$ 3,442
Stainless Steel Oil Piping	\$ 9,250
Duplex Oil Filter	\$ 3,814
Ultra EL Coolant	\$ 1,095
Ultra FG Coolant	\$ 1,095
NEMA 4X Starter Panel	\$ 2,971
Copper Grounding Pads	\$ 990
Oversized Motor	\$ 6,300
Stainless Steel Data Plate	\$ 631
Stainless Steel Instrument Tags	\$ 1,060
ANSI Flange Connection	\$ 600
Epoxy Painted Enclosure and Base	\$ 16,560
Stainless Steel Control Lines	\$ 2,146
Starter Back Panel Cover	\$ 500

(1) Includes remote start/stop option.

(2) Includes aftercooler and intercooler only

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 8/1/2016



Sierra

Price

75 HP

Last Update: 4/17/2018

Super Duty Oil Free Fixed Speed Rotary

Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Collect

SIERRA® AIRCOOLED includes:

460 Volt, TEFC High Efficiency Motor, Air Cooled Aftercooler, Xe-145M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, Local and Web Graphing & Trending, and Automated Reporting. Star-Delta Starter, NEMA 4 Electric, High Dust Filtration, UltraCoolant

Model	L75A-SD	H75A-SD	HH75A-SD
Capacity	336	290	268
Pressure	100	125	150

ITS Oracle Users: NL1
IRI (R12) Oracle Users: NL1

List Price \$ 100,966 \$ 100,966 \$ 100,966

Required Features

List Price

Motor:	200 V, TEFC	No Additional
	230 V, TEFC	No Additional
	460 V, TEFC	Standard
	575 V, TEFC	No Additional
	380 V, TEFC	No Additional
Starter:	200 V, ★D	\$ 1,059
	230 V, ★D	\$ 1,059
	460 V, ★D	Standard
	575 V, ★D	No Additional
	380 V, ★D	No Additional
	No Starter	No Additional
Cooling:	115°F Ambient	Standard
	No Aftercooler	No Additional

Optional Features

List Price

Power Outage Restart Option (1)	\$ 519
Phase Monitor	\$ 842
Outdoor Modification (35°F-115°F)	\$ 3,442
Low Ambient (2)	\$ 11,056
Stainless Steel Oil Piping	\$ 9,250
Duplex Oil Filter	\$ 3,814
Ultra EL Coolant	\$ 1,095
Ultra FG Coolant	\$ 1,095
NEMA 4X Starter Panel	\$ 2,971
Copper Grounding Pads	\$ 990
Oversized Motor	\$ 6,300
Stainless Steel Data Plate	\$ 631
Stainless Steel Instrument Tags	\$ 1,060
ANSI Flange Connection	\$ 600
Epoxy Painted Enclosure and Base	\$ 16,560
Stainless Steel Control Lines	\$ 2,146
Starter Back Panel Cover	\$ 500

(1) Includes remote start/stop option.

(2) Low Ambient includes Outdoor Modification

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 8/1/2016



Sierra

Price

75 HP

Last Update: 4/17/2018

Super Duty Oil Free Fixed Speed Rotary

Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Collect

SIERRA® WATERCOOLED includes:
 460 Volt, TEFC High Efficiency Motor, Air
 Cooled Aftercooler, Xe-145M Controller
 featuring: Advanced Diagnostics, Standard
 Web Pages with Remote Control, Email
 Notification of Trips/Alarms, Local and Web
 Graphing & Trending, and Automated
 Reporting. Star-Delta Starter, , NEMA 4
 Electrics, High Dust Filtration, UltraCoolant

Model	L75W-SD	H75W-SD	HH75W-SD
Capacity	336	290	268
Pressure	100	125	150

ITS Oracle Users: NL1
 IRI (R12) Oracle Users: NL1

List Price \$ 107,458 \$ 107,458 \$ 107,458

Required Features

List Price

Motor:	200 V, TEFC	No Additional
	230 V, TEFC	No Additional
	460 V, TEFC	Standard
	575 V, TEFC	No Additional
	380 V, TEFC	No Additional
Starter:	200 V, ★D	\$ 1,059
	230 V, ★D	\$ 1,059
	460 V, ★D	Standard
	575 V, ★D	No Additional
	380 V, ★D	No Additional
	No Starter	No Additional
Cooling:	115°F Cooling Water	Standard
	Stainless Steel Cooler Tubes (2)	\$ 5,385
	No Aftercooler / HOC Dryer	No Additional

Optional Features

List Price

Power Outage Restart Option (1)	\$ 519
Phase Monitor	\$ 842
Outdoor Modification (35°F-115°F)	\$ 3,442
Stainless Steel Oil Piping	\$ 9,250
Duplex Oil Filter	\$ 3,814
Ultra EL Coolant	\$ 1,095
Ultra FG Coolant	\$ 1,095
NEMA 4X Starter Panel	\$ 2,971
Copper Grounding Pads	\$ 990
Oversized Motor	\$ 6,300
Stainless Steel Data Plate	\$ 631
Stainless Steel Instrument Tags	\$ 1,060
ANSI Flange Connection	\$ 600
Epoxy Painted Enclosure and Base	\$ 16,560
Stainless Steel Control Lines	\$ 2,146
Starter Back Panel Cover	\$ 500

(1) Includes remote start/stop option.

(2) Includes aftercooler and intercooler only

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 8/1/2016



Sierra

Price

100 HP

Last Update: 4/17/2018

Super Duty Oil Free Fixed Speed Rotary

Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Collect

SIERRA® AIRCOOLED includes:
 460 Volt, TEFC High Efficiency Motor, Air Cooled Aftercooler, Xe-145M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, Local and Web Graphing & Trending, and Automated Reporting. Star-Delta Starter, NEMA 4 Electric, High Dust Filtration, UltraCoolant

Model	L100A-SD	H100A-SD	HH100A-SD
Capacity	424	411	390
Pressure	100	125	150

ITS Oracle Users: NL1
 IRI (R12) Oracle Users: NL1

List Price \$ 124,405 \$ 124,405 \$ 124,405

Required Features

List Price

Motor:	230 V, TEFC	No Additional
	460 V, TEFC	Standard
	575 V, TEFC	No Additional
	380 V, TEFC	No Additional
Starter:		
	230 V, ★D	\$ 1,059
	460 V, ★D	Standard
	575 V, ★D	No Additional
	380 V, ★D	No Additional
	No Starter	No Additional
Cooling:		
	115°F Ambient	Standard
	No Aftercooler / HOC Ready	No Additional

Optional Features

List Price

Power Outage Restart Option (1)	\$ 519
Phase Monitor	\$ 842
Outdoor Modification (35°F-115°F)	\$ 3,442
Low Ambient (2)	\$ 11,056
Stainless Steel Oil Piping	\$ 9,250
Duplex Oil Filter	\$ 3,814
Ultra EL Coolant	\$ 1,095
Ultra FG Coolant	\$ 1,095
NEMA 4X Starter Panel	\$ 2,971
Copper Grounding Pads	\$ 990
Stainless Steel Data Plate	\$ 631
Stainless Steel Instrument Tags	\$ 1,060
ANSI Flange Connection	\$ 600
Epoxy Painted Enclosure and Base	\$ 16,560
Stainless Steel Control Lines	\$ 2,146
Starter Back Panel Cover	\$ 500

(1) Includes remote start/stop option.

(2) Low Ambient includes Outdoor Modification

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 8/1/2016



Sierra

Price

100 HP

Last Update: 4/17/2018

Super Duty Oil Free Fixed Speed Rotary

Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Collect

SIERRA® WATERCOOLED includes:
 460 Volt, TEFC High Efficiency Motor, Air
 Cooled Aftercooler, Xe-145M Controller
 featuring: Advanced Diagnostics, Standard
 Web Pages with Remote Control, Email
 Notification of Trips/Alarms, Local and Web
 Graphing & Trending, and Automated
 Reporting. Star-Delta Starter, , NEMA 4
 Electrics, High Dust Filtration, UltraCoolant

Model	L100W-SD	H100W-SD	HH100W-SD
Capacity	424	411	390
Pressure	100	125	150

ITS Oracle Users: NL1
 IRI (R12) Oracle Users: NL1

List Price	\$ 130,625	\$ 130,625	\$ 130,625
------------	------------	------------	------------

Required Features

List Price

Motor:	230 V, TEFC	No Additional
	460 V, TEFC	Standard
	575 V, TEFC	No Additional
	380 V, TEFC	No Additional
Starter:		
	230 V, ★D	\$ 1,059
	460 V, ★D	Standard
	575 V, ★D	No Additional
	380 V, ★D	No Additional
	No Starter	No Additional
Cooling:		
	115°F Cooling Water	Standard
	Stainless Steel Cooler Tubes (2)	\$ 5,385
	No Aftercooler / HOC Dryer	No Additional

Optional Features

List Price

Power Outage Restart Option (1)	\$ 519
Phase Monitor	\$ 842
Outdoor Modification	\$ 3,442
Stainless Steel Oil Piping	\$ 9,250
Duplex Oil Filter	\$ 3,814
Ultra EL Coolant	\$ 1,095
Ultra FG Coolant	\$ 1,095
NEMA 4X Starter Panel	\$ 2,971
Copper Grounding Pads	\$ 990
Stainless Steel Data Plate	\$ 631
Stainless Steel Instrument Tags	\$ 1,060
ANSI Flange Connection	\$ 600
Epoxy Painted Enclosure and Base	\$ 16,560
Stainless Steel Control Lines	\$ 2,146
Starter Back Panel Cover	\$ 500

(1) Includes remote start/stop option.

(2) Includes aftercooler and intercooler only

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 8/1/2016



Sierra

Price

125 HP

Last Update: 4/17/2018

Super Duty Oil Free Fixed Speed Rotary

Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Collect

SIERRA® AIRCOOLED includes:
 460 Volt, TEFC High Efficiency Motor, Air Cooled Aftercooler, Xe-145M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, Local and Web Graphing & Trending, and Automated Reporting. Star-Delta Starter, NEMA 4 Electrics, High Dust Filtration, UltraCoolant

Model	L125A-SD	H125A-SD	HH125A-SD
Capacity	586	524	477
Pressure	100	125	150

ITS Oracle Users: NL2
 IRI (R12) Oracle Users: NL2

List Price \$ 142,638 \$ 142,638 \$ 142,638

Required Features

List Price

Motor:	380 V, TEFC	No Additional
	460 V, TEFC	Standard
	575 V, TEFC	No Additional
Starter:	380 V, ★D	No Additional
	460 V, ★D	Standard
	575 V, ★D	No Additional
	No Starter	No Additional
Cooling:	115°F Ambient	Standard
	No Aftercooler / HOC Ready	No Additional

Optional Features

List Price

Power Outage Restart Option (1)	\$ 519
Phase Monitor	\$ 842
Outdoor Modification (35°F-115°F)	\$ 3,442
Low Ambient (2)	\$ 11,056
Stainless Steel Oil Piping	\$ 9,250
Duplex Oil Filter	\$ 4,350
Ultra EL Coolant	\$ 1,279
Ultra FG Coolant	\$ 1,279
NEMA 4X Starter Panel	\$ 3,466
Copper Grounding Pads	\$ 1,175
Oversized Motor	\$ 8,314
Stainless Steel Data Plate	\$ 631
Stainless Steel Instrument Tags	\$ 1,060
ANSI Flange Connection	\$ 600
Epoxy Painted Enclosure and Base	\$ 22,480
Stainless Steel Control Lines	\$ 2,399
Starter Back Panel Cover	\$ 500

(1) Includes remote start/stop option.

(2) Low Ambient includes Outdoor Modification

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 8/1/2016



Sierra

Price

125 HP

Last Update: 4/17/2018

Super Duty Oil Free Fixed Speed Rotary

Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Collect

SIERRA® WATERCOOLED includes:

460 Volt, TEFC High Efficiency Motor, Air Cooled Aftercooler, Xe-145M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, Local and Web Graphing & Trending, and Automated Reporting. Star-Delta Starter, , NEMA 4 Electrics, High Dust Filtration, UltraCoolant

Model	L125W-SD	H125W-SD	HH125W-SD
Capacity	586	524	477
Pressure	100	125	150

ITS Oracle Users: NL2
IRI (R12) Oracle Users: NL2

List Price \$ 142,638 \$ 142,638 \$ 142,638

Required Features

List Price

Motor:	380 V, TEFC	No Additional
	460 V, TEFC	Standard
	575 V, TEFC	No Additional
Starter:	380 V, ★D	No Additional
	460 V, ★D	Standard
	575 V, ★D	No Additional
	No Starter	No Additional
Cooling:	115°F Cooling Water	Standard
	Stainless Steel Cooler Tubes (2)	\$ 5,517
	No Aftercooler / HOC Dryer	No Additional

Optional Features

List Price

Power Outage Restart Option (1)	\$ 519
Phase Monitor	\$ 842
Outdoor Modification (35°F-115°F)	\$ 3,442
Stainless Steel Oil Piping	\$ 4,350
Duplex Oil Filter	\$ 9,250
Ultra EL Coolant	\$ 1,279
Ultra FG Coolant	\$ 1,279
NEMA 4X Starter Panel	\$ 3,466
Copper Grounding Pads	\$ 1,175
Oversized Motor	\$ 8,314
Stainless Steel Data Plate	\$ 631
Stainless Steel Instrument Tags	\$ 1,060
ANSI Flange Connection	\$ 600
Epoxy Painted Enclosure and Base	\$ 22,480
Stainless Steel Control Lines	\$ 2,399
Starter Back Panel Cover	\$ 500

(1) Includes remote start/stop option.

(2) Includes aftercooler and intercooler only

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 8/1/2016



Sierra

Price

150 HP

Last Update: 4/17/2018

Super Duty Oil Free Fixed Speed Rotary

Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Collect

SIERRA® AIRCOOLED includes:
 460 Volt, TEFC High Efficiency Motor, Air Cooled Aftercooler, Xe-145M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, Local and Web Graphing & Trending, and Automated Reporting. Star-Delta Starter, , NEMA 4 Electric, High Dust Filtration, UltraCoolant

Model	L150A-SD	H150A-SD	HH150A-SD
Capacity	691	691	566
Pressure	100	125	150

ITS Oracle Users: NL2
 IRI (R12) Oracle Users: NL2

List Price \$ 161,079 \$ 161,079 \$ 161,079

Required Features

List Price

Motor:	380 V, TEFC	No Additional
	460 V, TEFC	Standard
	575 V, TEFC	No Additional
Starter:	380 V, ★D	No Additional
	460 V, ★D	Standard
	575 V, ★D	No Additional
	No Starter	No Additional
Cooling:	115°F Ambient	Standard
	No Aftercooler / HOC Ready	No Additional

Optional Features

List Price

Power Outage Restart Option (1)	\$ 519
Phase Monitor	\$ 842
Outdoor Modification (35°F-115°F)	\$ 3,442
Low Ambient (2)	\$ 11,056
Stainless Steel Oil Piping	\$ 4,350
Duplex Oil Filter	\$ 9,250
Ultra EL Coolant	\$ 1,279
Ultra FG Coolant	\$ 1,279
NEMA 4X Starter Panel	\$ 3,466
Copper Grounding Pads	\$ 1,175
Oversized Motor	\$ 8,314
Stainless Steel Data Plate	\$ 631
Stainless Steel Instrument Tags	\$ 1,060
ANSI Flange Connection	\$ 600
Epoxy Painted Enclosure and Base	\$ 22,480
Stainless Steel Control Lines	\$ 2,399
Starter Back Panel Cover	\$ 500

(1) Includes remote start/stop option.

(2) Low Ambient includes Outdoor Modification

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 8/1/2016



Sierra

Price

150 HP

Last Update: 4/17/2018

Super Duty Oil Free Fixed Speed Rotary

Cancels: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Collect

SIERRA® WATERCOOLED includes:
 460 Volt, TEFC High Efficiency Motor, Air Cooled Aftercooler, Xe-145M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, Local and Web Graphing & Trending, and Automated Reporting. Star-Delta Starter, , NEMA 4 Electric, High Dust Filtration, UltraCoolant

Model	L150W-SD	H150W-SD	HH150W-SD
Capacity	691	691	566
Pressure	100	125	150

ITS Oracle Users: NL2
 IRI (R12) Oracle Users: NL2

List Price \$ 161,079 \$ 161,079 \$ 161,079

Required Features

List Price

Motor:	380 V, TEFC	No Additional
	460 V, TEFC	Standard
	575 V, TEFC	No Additional
Starter:	380 V, ★D	No Additional
	460 V, ★D	Standard
	575 V, ★D	No Additional
	No Starter	No Additional
Cooling:	115°F Cooling Water	Standard
	Stainless Steel Cooler Tubes (2)	\$ 5,517
	No Aftercooler / HOC Dryer	No Additional

Optional Features

List Price

Power Outage Restart Option (1)	\$ 519
Phase Monitor	\$ 842
Outdoor Modification (35°F-115°F)	\$ 3,442
Stainless Steel Oil Piping	\$ 4,350
Duplex Oil Filter	\$ 9,250
Ultra EL Coolant	\$ 1,279
Ultra FG Coolant	\$ 1,279
NEMA 4X Starter Panel	\$ 3,466
Copper Grounding Pads	\$ 1,175
Oversized Motor	\$ 8,314
Stainless Steel Data Plate	\$ 631
Stainless Steel Instrument Tags	\$ 1,060
ANSI Flange Connection	\$ 600
Epoxy Painted Enclosure and Base	\$ 22,480
Stainless Steel Control Lines	\$ 2,399
Starter Back Panel Cover	\$ 500

(1) Includes remote start/stop option.

(2) Includes aftercooler and intercooler only

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 8/1/2016



Sierra

Price

200 HP

Last Update: 4/17/2018

Super Duty Oil Free Fixed Speed Rotary

Cancel: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Collect

SIERRA® AIRCOOLED includes:
 460 Volt, TEFC High Efficiency Motor, Air Cooled Aftercooler, Xe-145M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, Local and Web Graphing & Trending, and Automated Reporting. Star-Delta Starter, , NEMA 4 Electrics, High Dust Filtration, UltraCoolant

Model	L200A-SD	H200A-SD	HH200A-SD
Capacity	912	855	760
Pressure	100	125	150

ITS Oracle Users: NL2
 IRI (R12) Oracle Users: NL2

List Price \$ 193,778 \$ 193,778 \$ 193,778

Required Features

List Price

Motor:	380 V, TEFC	No Additional
	460 V, TEFC	Standard
	575 V, TEFC	No Additional
Starter:	380 V, ★D	No Additional
	460 V, ★D	Standard
	575 V, ★D	No Additional
	No Starter	No Additional
Cooling:	115°F Ambient	Standard
	No Aftercooler / HOC Ready	No Additional

Optional Features

List Price

Power Outage Restart Option (1)	\$ 519
Phase Monitor	\$ 842
Outdoor Modification (35°F-115°F)	\$ 3,442
Low Ambient (2)	\$ 11,056
Stainless Steel Oil Piping	\$ 9,250
Duplex Oil Filter	\$ 4,350
Ultra EL Coolant	\$ 1,279
Ultra FG Coolant	\$ 1,279
NEMA 4X Starter Panel	\$ 3,466
Copper Grounding Pads	\$ 1,175
Stainless Steel Data Plate	\$ 631
Stainless Steel Instrument Tags	\$ 1,060
ANSI Flange Connection	\$ 600
Epoxy Painted Enclosure and Base	\$ 22,480
Stainless Steel Control Lines	\$ 2,399
Starter Back Panel Cover	\$ 500

(1) Includes remote start/stop option.

(2) Low Ambient includes Outdoor Modification

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 8/1/2016



Sierra

Price

200 HP

Last Update: 4/17/2018

Super Duty Oil Free Fixed Speed Rotary

Cancel: All Previous

Prices are North America List Prices, FOB Mocksville, NC, Freight Collect

SIERRA® WATERCOOLED includes:
 460 Volt, TEFC High Efficiency Motor, Air Cooled Aftercooler, Xe-145M Controller featuring: Advanced Diagnostics, Standard Web Pages with Remote Control, Email Notification of Trips/Alarms, Local and Web Graphing & Trending, and Automated Reporting. Star-Delta Starter, , NEMA 4 Electrics, High Dust Filtration, UltraCoolant

Model	L200W-SD	H200W-SD	HH200W-SD
Capacity	912	855	760
Pressure	100	125	150

ITS Oracle Users: NL2
 IRI (R12) Oracle Users: NL2

List Price	\$ 193,778	\$ 193,778	\$ 193,778
------------	------------	------------	------------

Required Features

List Price

Motor:	380 V, TEFC	No Additional
	460 V, TEFC	Standard
	575 V, TEFC	No Additional
Starter:	380 V, ★D	No Additional
	460 V, ★D	Standard
	575 V, ★D	No Additional
	No Starter	No Additional
Cooling:	115°F Cooling Water	Standard
	Stainless Steel Cooler Tubes (2)	\$ 5,517
	No Aftercooler / HOC Dryer	No Additional

Optional Features

List Price

Power Outage Restart Option (1)	\$ 519
Phase Monitor	\$ 842
Outdoor Modification (35°F-115°F)	\$ 3,442
Stainless Steel Oil Piping	\$ 9,250
Duplex Oil Filter	\$ 4,350
Ultra EL Coolant	\$ 1,279
Ultra FG Coolant	\$ 1,279
NEMA 4X Starter Panel	\$ 3,466
Copper Grounding Pads	\$ 1,175
Stainless Steel Data Plate	\$ 631
Stainless Steel Instrument Tags	\$ 1,060
ANSI Flange Connection	\$ 600
Epoxy Painted Enclosure and Base	\$ 22,480
Stainless Steel Control Lines	\$ 2,399
Starter Back Panel Cover	\$ 500

(1) Includes remote start/stop option.

(2) Includes aftercooler and intercooler only

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Last Price Revision: 8/1/2016